

Boring Number: WH01			Lat/Long: 40.431338 , -104.663479			
Scope: Wellhead Recharacterization			Drilling Equipment: Hydrovac and Hand Auger			
Drilling Method: Hydrovac and Hand Auger			Drilling Contractor: Strand		Driller: Elliott Marshall	
Date: 11/10/25	Start Time: 14:35	Finish Time: 14:40	DTW: NA	Total Depth of Boring: 7'		
Geologist: Jack Groskreutz						
Depth (ft)	Time	Recovery	Standard Penetration Test Results	USCS Symbol	Material Description	PID Reading (ppm)
0 - 0.5	1435	100%	-	SW	top soil	-
0.5 - 7	1440	100%	-	SW	dry, sand with trace gravel, brown, no plasticity	0.6
Samples Collected: 3 four ounce jars: WH01@7' -for all ECOM Table 915-1 constituents				Comments: no staining or odor		

DTW = Depth to Water
 NA = Not Applicable
 ft = Feet
 ppm = Parts Per Million
 bgs = Below Ground Surface

Boring Number: WH01-N				Lat/Long: 40.431350 , -104.663481		
Scope: Wellhead Recharacterization				Drilling Equipment: Hydrovac and Hand Auger		
Drilling Method: Hydrovac and Hand Auger		Drilling Contractor: Strand		Driller: Elliott Marshall		
Date: 11/10/25	Start Time: 14:25	Finish Time: 14:30	DTW: NA	Total Depth of Boring: 6'		
Geologist: Jack Groskreutz						
Depth (ft)	Time	Recovery	Standard Penetration Test Results	USCS Symbol	Material Description	PID Reading (ppm)
0 - 0.5	1425	100%	-	SW	top soil	-
0.5 - 6	1430	100%	-	SW	dry, sand with trace gravel, brown, no plasticity	0.6
Samples Collected: 3 four ounce jars: WH01-N@6' -for all ECMC Table 915-1 constitutes				Comments: no staining or odor		

Boring Number: WH01-E				Lat/Long: 40.431339 , -104.663465		
Scope: Wellhead Recharacterization				Drilling Equipment: Hydrovac and Hand Auger		
Drilling Method: Hydrovac and Hand Auger			Drilling Contractor: Strand		Driller: Elliott Marshall	
Date: 11/10/25	Start Time: 13:50	Finish Time: 14:15	DTW: NA	Total Depth of Boring: 6'		
Geologist: Jack Groskreutz						
Depth (ft)	Time	Recovery	Standard Penetration Test Results	USCS Symbol	Material Description	PID Reading (ppm)
0 - 0.5	1350	100%	-	SW	top soil	-
0.5 - 4.5	1405	100%	-	SW	brown, wet, sand, compact	-
4.5 - 6	1415	100%	-	SC	brown, sandy clay, low plasticity, dry-wet	0.5
Samples Collected: 3 four ounce jars: WH01-E@6' -for all ECMC Table 915-1 constitutes				Comments: no staining or odor		

Boring Number: WH01-S				Lat/Long: 40.431325 , -104.663478		
Scope: Wellhead Recharacterization				Drilling Equipment: Hydrovac and Hand Auger		
Drilling Method: Hydrovac and Hand Auger			Drilling Contractor: Strand		Driller: Elliott Marshall	
Date: 11/10/25	Start Time: 14:45	Finish Time: 14:50	DTW: NA	Total Depth of Boring: 6'		
Geologist: Jack Groskreutz						
Depth (ft)	Time	Recovery	Standard Penetration Test Results	USCS Symbol	Material Description	PID Reading (ppm)
0 - 0.5	1445	100%	-	SW	top soil	-
0.5 - 6	1450	100%	-	SW	wet, sand with gravel, brown, no plasticity	0.5
Samples Collected: 3 four ounce jars: WH01-E@6' -for all ECMC Table 915-1 constitutes				Comments: no staining or odor		

Boring Number: WH01-W				Lat/Long: 40.431341 , -104.663498		
Scope: Wellhead Recharacterization				Drilling Equipment: Hydrovac and Hand Auger		
Drilling Method: Hydrovac and Hand Auger			Drilling Contractor: Strand		Driller: Elliott Marshall	
Date: 11/10/25	Start Time: 14:40	Finish Time: 14:45	DTW: NA	Total Depth of Boring: 6'		
Geologist: Jack Groskreutz						
Depth (ft)	Time	Recovery	Standard Penetration Test Results	USCS Symbol	Material Description	PID Reading (ppm)
0 - 0.5	1440	100%	-	SW	top soil	-
0.5 - 6	1445	100%	-	SW	dry, sand with trace gravel, brown, no plasticity	0.6
Samples Collected: 3 four ounce jars: WH01-W@6' -for all ECMC Table 915-1 constitutes				Comments: no staining or odor		

Boring Number: FL01-01				Lat/Long: 40.431549 , -104.664482		
Scope: Flowline Analysis				Drilling Equipment: Hydrovac and Hand Auger		
Drilling Method: Hydrovac and Hand Auger			Drilling Contractor: Strand		Driller: Jack Groskreutz	
Date: 11/10/25	Start Time: 11:20	Finish Time: 11:35	DTW: NA	Total Depth of Boring: 5'		
Geologist: Elliott Marshall						
Depth (ft)	Time	Recovery	Standard Penetration Test Results	USCS Symbol	Material Description	PID Reading (ppm)
0 - 0.5	1120	100%	-	SW	top soil	-
0.5 - 2	1130	100%	-	SW	dry-wet, brown, sand with gravel, more compact	-
2 - 5	1135	100%	-	SC	clayey sand, dry-wet, brown, low plasticity	0.3
Samples Collected: 3 four ounce jars: FL01-01@5' -for all ECMC Table 915-1 constitutes				Comments: no staining or odor		

Boring Number: BKG03				Lat/Long: 40.431996 , -104.667693		
Scope: Background Sample				Drilling Equipment: Hydrovac and Hand Auger		
Drilling Method: Hydrovac and Hand Auger			Drilling Contractor: Strand		Driller: Jack Groskreutz	
Date: 11/10/25	Start Time: 9:15	Finish Time: 9:30	DTW: NA	Total Depth of Boring: 6'		
Geologist: Elliott Marshall						
Depth (ft)	Time	Recovery	Standard Penetration Test Results	USCS Symbol	Material Description	PID Reading (ppm)
0 - 0.5	0915	100%	-	SW	top soil	-
0.5 - 6	0930	100%	-	SW	brown, dry, sand with gravel, loose	0.2
Samples Collected: 3 four ounce jars: BKG03@6' -for SSRs and ECMC Table 915-1 Metals				Comments: no staining or odor		