

Table 1
CECMC Rule 915 Soil Analysis - Inorganics
Investment Equipment- Trade Winds 1-28
CECMC Remediation No. 38457

Sample ID	Depth ft bgs	Sample Date	Location Description	EC ¹	SAR ¹	pH ¹	Boron ²
				mmhos/cm	ratio		mg/L
<i>CECMC Table 915-1 Clean Up Concentrations</i>				< 4	< 6	6-8.3	2
Background Samples							
Background 01 @ 1'	1	1/30/2025	NE background	0.50	0.12	7.65	0.23
Background 02 @ 1'	1	1/30/2025	NW background	0.72	0.16	5.82	0.12
Background 03 @ 1'	1	1/30/2025	SE background	0.82	0.08	7.74	0.30
Background 04 @ 1'	1	12/2/2025	SW background	0.39	1.14	7.70	0.11
Background 05 @ 1'	1	12/2/2025	NW background	0.23	0.14	7.71	0.18
Background 06 @ 1'	1	12/2/2025	SE background	0.43	0.30	7.16	0.14
Beneath stockpiled soil							
SP01 @ 6"	0.5	1/30/2025	North stockpile footprint	1.68	1.16	7.92	0.24
SP02 @ 6"	0.5	1/30/2025	South stockpile footprint	0.76	0.22	8.26	0.17
Initial soil samples (removed)							
TB05 @ 6"	0.5	1/30/2025	Sidewall of excavation	1.15	19.16	7.29	0.33
TB06 @ 6"	0.5	1/30/2025	Base of excavation	1.20	12.54	7.90	0.41
TB07 @ 6"	0.5	1/30/2025	Sidewall of excavation	1.41	4.69	7.80	0.46
TB09 @ 1'	1	1/30/2025	West of tanks	1.84	11.48	8.10	1.58
Samples following first excavation (removed)							
TB21 @ 3'	3	8/28/2025	North of tanks	1.54	27.78	8.77	0.08
TB20 @ 1'	1	8/28/2025	East of tanks	0.91	24.23	6.62	0.31
TB10 @ 2'	2	8/28/2025	West of tanks	1.05	34.52	7.23	1.14
TB19 @ 1'	1	8/28/2025	East of tanks	0.97	30.06	7.00	0.46
TB11 @ 3'	3	8/28/2025	West of tanks	1.54	36.26	9.22	2.64
TB12 @ 1'	1	8/28/2025	West of tanks	0.35	11.35	8.17	0.31
TB18 @ 1'	1	8/28/2025	East of tanks	1.09	32.12	7.80	0.95
TB13 @ 3'	3	8/28/2025	West of tanks	0.24	17.99	9.09	0.65
TB17 @ 1'	1	8/28/2025	East of tanks	0.42	5.38	8.13	0.37
TB17 @ 4'	4	8/28/2025	East of tanks	0.42	26.12	9.46	1.21
TB14 @ 1'	1	8/28/2025	South of tanks	1.17	16.85	7.94	0.77
TB16 @ 1'	1	8/28/2025	South of tanks	5.21	24.56	7.77	1.11
TB15 @ 1'	1	8/28/2025	South of tanks	0.63	5.58	8.05	0.46
Confirmation Samples							
TB22 @ 5'	5	12/2/2025	NE of tanks	2.62	20.09	8.32	<0.05
TB23 @ 3'	3	12/2/2025	NE sidewall	0.27	2.87	7.52	0.15
TB24 @ 5'	5	12/2/2025	E of tanks	2.05	24.36	8.42	1.02
TB25 @ 3'	3	12/2/2025	E sidewall	0.51	16.54	7.43	0.32
TB26 @ 7'	7	12/2/2025	SE of tanks	1.83	14.22	8.40	0.17
TB27 @ 4'	4	12/2/2025	SE sidewall	0.37	26.90	7.42	0.55
TB28 @ 3'	3	12/2/2025	S of tanks	0.40	5.89	7.80	0.18
TB29 @ 2'	2	12/2/2025	S sidewall	0.81	0.22	6.81	0.21
TB30 @ 4'	4	12/2/2025	SW of tanks	0.64	8.94	8.19	0.50
TB31 @ 2'	2	12/2/2025	SW sidewall	1.21	7.22	7.20	0.31
TB32 @ 6'	6	12/2/2025	N of tanks	2.43	28.23	8.60	0.11
TB33 @ 2'	2	12/2/2025	N sidewall	0.50	14.61	8.11	0.54
TB34 @ 4'	4	12/2/2025	NW of tanks	0.64	9.83	8.67	0.14
TB35 @ 3'	3	12/2/2025	NW sidewall	1.36	6.27	8.00	0.21

Concentrations exceeding the CECMC Table 915-1 allowable concentrations are expressed in bold type face

¹ By Saturated Paste Method

² Hot Water Soluble Soil Extract

EC = Electrical Conductivity

SAR = Sodium Adsorption Ratio

ft bgs - Feet below ground surface

mmhos/cm - Millimhos per centimeter

mg/L - Milligrams per liter

NA - Not Analyzed

CECMC - Colorado Energy and Carbon Management Commission

Table 2
CECMC Rule 915 Soil Analysis - Organics
Investment Equipment- Trade Winds 1-28
CECMC Remediation No. 38457

Sample ID	Depth ft bgs	Sample Date	Location Description	PID	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	1,2,4-TMB	1,3,5-TMB	TPH
				ppm	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
<i>CECMC Table 915-1 Protection of Groundwater Soil Screening Level Concentrations</i>					0.0026 (M)	0.69 (M)	0.78 (M)	9.9 (M)	0.0038 (R)	0.0081 (R)	0.0087 (R)	500
<i>CECMC Table 915-1 Residential Soil Screening Level Concentrations</i>					1.2	490	5.8	58	2	30	27	500
Background Samples												
Background 01 @ 1'	1	1/30/2025	NE background	-	NA	NA	NA	NA	NA	NA	NA	NA
Background 02 @ 1'	1	1/30/2025	NW background	-	NA	NA	NA	NA	NA	NA	NA	NA
Background 03 @ 1'	1	1/30/2025	SE background	-	NA	NA	NA	NA	NA	NA	NA	NA
Background 04 @ 1'	1	12/2/2025	SW background	-	NA	NA	NA	NA	NA	NA	NA	NA
Background 05 @ 1'	1	12/2/2025	NW background	-	NA	NA	NA	NA	NA	NA	NA	NA
Background 06 @ 1'	1	12/2/2025	SE background	-	NA	NA	NA	NA	NA	NA	NA	NA
Beneath stockpiled soil												
SP01 @ 6"	0.5	1/30/2025	North stockpile footprint	1.2	ND	<0.0026	<0.0050	<0.0065	ND	<0.0025	<0.0050	ND
SP02 @ 6"	0.5	1/30/2025	South stockpile footprint	0.00	ND	<0.0026	<0.0050	<0.0065	ND	<0.0025	<0.0050	ND
Initial soil samples (removed)												
TB05 @ 6"	0.5	1/30/2025	Sidewall of excavation	1.5	ND	<0.0026	<0.0050	<0.0065	ND	<0.0025	<0.0050	772.49
TB06 @ 6"	0.5	1/30/2025	Base of excavation	4.8	ND	<0.0026	<0.0050	<0.0065	ND	<0.0025	<0.0050	<500
TB07 @ 6"	0.5	1/30/2025	Sidewall of excavation	17.3	ND	ND	ND	<0.0065	ND	ND	<0.0050	3610.99
TB09 @ 1'	1	1/30/2025	West of tanks	789.2	ND	ND	ND	0.342	2.307	0.118	0.060	10914.80
Samples following first excavation (Removed)												
TB21 @ 3'	3	8/28/2025	North of tanks	14.0	<0.0015	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	ND
TB20 @ 1'	1	8/28/2025	East of tanks	346.3	ND	ND	0.16	0.17	ND	1.58	0.28	2142.75
TB10 @ 2'	2	8/28/2025	West of tanks	59.2	ND	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	ND
TB19 @ 1'	1	8/28/2025	East of tanks	39.3	ND	<0.0016	<0.0014	<0.0043	ND	0.013	0.021	ND
TB11 @ 3'	3	8/28/2025	West of tanks	3.6	ND	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	ND
TB12 @ 1'	1	8/28/2025	West of tanks	52.6	ND	<0.0016	ND	<0.0043	ND	<0.0016	<0.0015	ND
TB18 @ 1'	1	8/28/2025	East of tanks	21.1	ND	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	ND
TB13 @ 3'	3	8/28/2025	West of tanks	12.7	ND	<0.0016	ND	<0.0043	ND	<0.0016	<0.0015	ND
TB17 @ 1'	1	8/28/2025	East of tanks	1074.6	0.090	0.016	0.044	5.07	ND	3.30	0.539	6090.16
TB17 @ 4'	4	8/28/2025	East of tanks	62.9	ND	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB14 @ 1'	1	8/28/2025	South of tanks	4.1	ND	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	ND
TB16 @ 1'	1	8/28/2025	South of tanks	44.6	ND	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB15 @ 1'	1	8/28/2025	South of tanks	3.4	ND	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	ND
Confirmation Samples												
TB22 @ 5'	5	12/2/2025	NE of tanks	2.2	ND-S	<0.0016-S	<0.0014-S	<0.0043-S	ND-MS	<0.0016-S	<0.0015-S	<500
TB23 @ 3'	3	12/2/2025	NE sidewall	1.5	<0.0015-MS	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB24 @ 5'	5	12/2/2025	E of tanks	1.4	<0.0015	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB25 @ 3'	3	12/2/2025	E sidewall	0.9	ND	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB26 @ 7'	7	12/2/2025	SE of tanks	10.9	<0.0015	<0.0016	<0.0014	<0.0043	ND	0.0019	<0.0015	<500
TB27 @ 4'	4	12/2/2025	SE sidewall	2.3	<0.0015	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB28 @ 3'	3	12/2/2025	S of tanks	1.7	<0.0015	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB29 @ 2'	2	12/2/2025	S sidewall	1.4	<0.0015	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB30 @ 4'	4	12/2/2025	SW of tanks	1.6	<0.0015	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB31 @ 2'	2	12/2/2025	SW sidewall	1.8	<0.0015	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB32 @ 6'	6	12/2/2025	N of tanks	1.6	ND-S	<0.0016-S	<0.0014-S	<0.0043-S	ND	<0.0016-S	<0.0015-S	<500
TB33 @ 2'	2	12/2/2025	N sidewall	2.1	ND	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB34 @ 4'	4	12/2/2025	NW of tanks	0.8	ND	<0.0016	<0.0014	<0.0043	ND	<0.0016	<0.0015	<500
TB35 @ 3'	3	12/2/2025	NW sidewall	1.5	ND	<0.0016	ND	<0.0043	ND	<0.0016	<0.0015	<500

Concentrations exceeding the CECMC Table 915-1 allowable concentrations are expressed in bold type face

TPH - Total volatile (C6 - C10) and extractable (C10-C36) petroleum hydrocarbons

ft bgs - Feet below ground surface

PID - Photoionization Detector

mg/kg - Milligrams per kilogram

ppm - Parts per million

TMB - Trimethylbenzene

ND - Non-detect

NA - Not Analyzed

CECMC - Colorado Energy and Carbon Management Commission

(M) - The letter "(M)" following a protection of Groundwater soil screening level indicates the concentration is derived from the drinking water MCL.

(R) - The letter "(R)" following a protection of Groundwater soil screening level indicates the concentration is derived from a risk-based approach.

Table 3
CECMC Rule 915 Soil Analysis - Metals
Investment Equipment- Trade Winds 1-28
CECMC Remediation No. 38457

Sample ID	Depth ft bgs	Sample Date	Location Description	Arsenic	Barium	Cadmium	Chromium	Copper	Lead	Nickel	Selenium	Silver	Zinc
				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
<i>CECMC Table 915-1 Protection of Groundwater Soil Screening Level Concentration</i>				<i>0.29 (M)</i>	<i>82 (M)</i>	<i>0.38 (M)</i>	<i>0.00067 (M)</i>	<i>46 (M)</i>	<i>14 (M)</i>	<i>26 (R)</i>	<i>0.26 (M)</i>	<i>0.8 (R)</i>	<i>370 (R)</i>
<i>CECMC Table 915-1 Allowable Residential Soil Screening Level Concentration</i>				<i>0.68</i>	<i>15000</i>	<i>71</i>	<i>0.3</i>	<i>3100</i>	<i>400</i>	<i>1500</i>	<i>390</i>	<i>390</i>	<i>23000</i>
<i>Site specific allowable concentrations (1.25x background)</i>				<i>3.63</i>	<i>49.24</i>	<i>0.13</i>		<i>7.35</i>	<i>5.43</i>	<i>5.11</i>	<i>1.51</i>		<i>21.68</i>
Background Samples													
Background 01 @ 1'	1	1/30/2025	NE background	2.21	34.07	0.06	<0.08	2.65	2.90	3.29	1.37	<0.03	11.11
Background 02 @ 1'	1	1/30/2025	NW background	2.73	18.24	0.17	<0.08	3.46	4.10	3.00	1.41	<0.25	12.54
Background 03 @ 1'	1	1/30/2025	SE background	2.59	34.61	0.11	<0.08	3.99	4.23	3.86	1.37	<0.03	14.74
Background 04 @ 1'	1	12/2/2025	SW background	3.91	50.37	0.09	<0.08	8.03	4.56	4.50	0.96	<0.03	20.80
Background 05 @ 1'	1	12/2/2025	NW background	2.43	25.39	0.08	<0.08	7.23	4.13	3.04	0.82	<0.03	17.94
Background 06 @ 1'	1	12/2/2025	SE background	3.57	73.66	0.11	<0.08	9.94	6.15	6.82	1.30	<0.25-RL1	26.93
Beneath stockpiled soil													
SP01 @ 6"	0.5	1/30/2025	North stockpile footprint	3.78	97.02	0.13	<0.08	6.29	6.58	7.83	2.19	<0.25	25.46
SP02 @ 6"	0.5	1/30/2025	South stockpile footprint	3.51	56.82	0.11	<0.08	4.30	4.98	5.83	1.86	<0.03	18.56
Initial soil samples (removed)													
TB05 @ 6"	0.5	1/30/2025	Sidewall of excavation	2.90	45.99	0.06	<0.08	3.64	4.05	5.34	1.28	<0.03	16.09
TB06 @ 6"	0.5	1/30/2025	Base of excavation	3.13	51.29	0.08	<0.08	3.54	4.25	4.80	1.24	<0.03	16.57
TB07 @ 6"	0.5	1/30/2025	Sidewall of excavation	3.28	60.68	0.19	<0.08	5.71	5.16	4.59	1.76	<0.25	23.27
TB09 @ 1'	1	1/30/2025	West of tanks	2.90	70.76	0.16	<0.08	6.39	5.28	5.98	1.91	<0.03	22.98
Samples following first excavation (removed)													
TB21 @ 3'	3	8/28/2025	North of tanks	5.79	224.34	0.21	<0.08	11.45	8.82	9.32	2.11	<0.25	32.85
TB20 @ 1'	1	8/28/2025	East of tanks	3.13	65.51	0.10	0.10	4.43	4.13	4.67	1.37	<0.25	15.11
TB10 @ 2'	2	8/28/2025	West of tanks	4.15	105.22	0.12	0.10	7.63	6.29	6.76	1.63	<0.25	24.22
TB19 @ 1'	1	8/28/2025	East of tanks	3.47	66.96	0.11	0.09	4.85	4.97	5.44	1.30	<0.03	19.88
TB11 @ 3'	3	8/28/2025	West of tanks	5.11	214.92	0.22	0.08	8.81	8.51	9.28	1.93	<0.25	36.18
TB12 @ 1'	1	8/28/2025	West of tanks	3.43	50.74	0.09	<0.08	4.91	4.39	4.82	1.42	<0.25	19.79
TB18 @ 1'	1	8/28/2025	East of tanks	4.00	63.80	0.08	0.10	5.05	4.95	5.21	1.43	<0.25	19.57
TB13 @ 3'	3	8/28/2025	West of tanks	5.12	101.04	0.13	<0.08	10.18	7.52	8.41	1.73	<0.25	27.56
TB17 @ 1'	1	8/28/2025	East of tanks	3.99	54.73	0.09	<0.08	6.18	4.62	5.15	1.38	<0.25	20.84
TB17 @ 4'	4	8/28/2025	East of tanks	5.60	184.02	0.22	0.08	9.34	9.55	9.99	2.19	<0.25	35.84
TB14 @ 1'	1	8/28/2025	South of tanks	2.81	31.02	0.15	0.09	5.73	4.13	4.27	1.21	<0.03	16.76
TB16 @ 1'	1	8/28/2025	South of tanks	3.39	59.08	0.09	0.11	5.13	4.76	5.50	1.52	<0.25	19.89
TB15 @ 1'	1	8/28/2025	South of tanks	3.07	35.27	0.07	<0.08	4.26	3.59	3.41	1.03	<0.03	14.45
Confirmation Samples													
TB22 @ 5'	5	12/2/2025	NE of tanks	6.21	186.43	0.23	<0.08	12.80	9.65	11.20	1.61	<0.25-RL1	38.73
TB23 @ 3'	3	12/2/2025	NE sidewall	2.67	31.24-MS	0.06	<0.08	6.79-D2	3.39	3.23	0.90	<0.03	15.79-MS
TB24 @ 5'	5	12/2/2025	E of tanks	3.58	211.89	0.13	<0.08	10.32	6.58	7.49	1.36	<0.25-RL1	27.86
TB25 @ 3'	3	12/2/2025	E sidewall	4.26	50.11	0.07	<0.08	7.42	4.36	4.55	0.89	<0.03	22.90
TB26 @ 7'	7	12/2/2025	SE of tanks	5.27	171.82	0.19	<0.08	13.04	9.98	10.96	1.78	<0.25-RL1	41.98
TB27 @ 4'	4	12/2/2025	SE sidewall	3.25	71.88	0.08	<0.08	9.38	5.62	6.19	1.00	<0.25-RL1	24.60
TB28 @ 3'	3	12/2/2025	S of tanks	3.48	46.43	0.07	<0.08	8.68	5.22	5.46	1.09	<0.03	23.07
TB29 @ 2'	2	12/2/2025	S sidewall	2.55	22.14	0.09	<0.08	6.89	3.82	2.81	0.97	<0.03	13.29
TB30 @ 4'	4	12/2/2025	SW of tanks	3.36	53.19	0.08	0.08	8.38	4.85	5.38	1.16	<0.25-RL1	20.54
TB31 @ 2'	2	12/2/2025	SW sidewall	2.97	20.37	0.07	<0.08	7.08	3.02	2.82	0.83	<0.03	13.61
TB32 @ 6'	6	12/2/2025	N of tanks	5.40	153.39	0.20	<0.08	13.47	10.50	11.47	1.77	<0.25-RL1	41.69
TB33 @ 2'	2	12/2/2025	N sidewall	3.53	70.71	0.07	<0.08	7.97	4.92	5.50	1.16	<0.25-RL1	21.94
TB34 @ 4'	4	12/2/2025	NW of tanks	5.37	183.15	0.21	<0.08	12.44	9.81	10.87	1.80	<0.25-RL1	39.81
TB35 @ 3'	3	12/2/2025	NW sidewall	2.94	50.96	0.08	<0.08	8.45	4.35	4.77	1.05	<0.03	19.56

Concentrations exceeding the CECMC Table 915-1 allowable concentrations are expressed in bold type face

ft bgs - Feet below ground surface

mg/kg - Milligrams per kilogram

ND - Non-detect

NA - Not Analyzed

CECMC - Colorado Energy and Carbon Management Commission

(M) - The letter "(M)" following a protection of Groundwater soil screening level indicates the concentration is derived from the drinking water MCL.

(R) - The letter "(R)" following a protection of Groundwater soil screening level indicates the concentration is derived from a risk-based approach.

Table 4
CECMC Rule 915 Soil Analysis - Polycyclic Aromatic Hydrocarbons (PAHs)

Investment Equipment- Trade Winds 1-28

CECMC Remediation No. 38457

Sample ID	Depth ft bgs	Sample Date	Location Description	PID	Acenaphthene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Pyrene	1-Methylnaphthalene	2-Methylnaphthalene
				ppm	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
<i>CECMC Table 915-1 Protection of Groundwater Soil Screening Level Concentration</i>					0.55 (R)	5.8 (R)	0.011 (R)	0.24 (R)	0.3 (M)	2.9 (R)	9 (R)	0.096 (R)	8.9 (R)	0.54 (R)	0.98 (R)	1.3 (R)	0.006 (R)	0.019 (R)
<i>CECMC Table 915-1 Allowable Residential Soil Screening Level Concentration</i>					360	1800	1.1	0.11	1.1	11	110	0.11	240	240	1.1	180	18	24
Background samples																		
Background 01 @ 1'	1	1/30/2025	NE background	-	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Background 02 @ 1'	1	1/30/2025	NW background	-	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Background 03 @ 1'	1	1/30/2025	SE background	-	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Background 04 @ 1'	1	12/2/2025	SW background	-	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Background 05 @ 1'	1	12/2/2025	NW background	-	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Background 06 @ 1'	1	12/2/2025	SE background	-	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Beneath stockpiled soil																		
SP01 @ 6"	0.5	1/30/2025	North stockpile footprint	1.2	ND	ND	<0.010	ND	ND	ND	<0.010	ND	ND	ND	ND	ND	<0.010	ND
SP02 @ 6"	0.5	1/30/2025	South stockpile footprint	0	ND	ND	<0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.00313	<0.010
Initial soil samples (removed)																		
TB06 @ 6"	0.5	1/30/2025	Base of excavation	4.8	<0.050	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.035 - J	ND
TB06 @ 6"	0.5	1/30/2025	Base of excavation	4.8	ND	ND	ND	ND	ND	ND	ND	ND	<0.010	ND	ND	<0.010	0.0093 - J	<0.010
TB07 @ 6"	0.5	1/30/2025	Sidewall of excavation	17.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.250	0.157 - J	<0.250
TB09 @ 1'	1	1/30/2025	West of tanks	789.2	ND	ND	ND	ND	ND	ND	<0.250	ND	ND	ND	ND	<0.250	8.089	7.528
Samples following first excavation (removed)																		
TB21 @ 3'	3	8/28/2025	North of tanks	14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB20 @ 1'	1	8/28/2025	East of tanks	346.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047	ND	<0.010	0.370	0.400
TB10 @ 2'	2	8/28/2025	West of tanks	59.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB19 @ 1'	1	8/28/2025	East of tanks	39.3	<0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.091	0.065
TB11 @ 3'	3	8/28/2025	West of tanks	3.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB12 @ 1'	1	8/28/2025	West of tanks	52.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.010
TB18 @ 1'	1	8/28/2025	East of tanks	21.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB13 @ 3'	3	8/28/2025	West of tanks	12.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB17 @ 1'	1	8/28/2025	East of tanks	1074.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.406	0.437
TB17 @ 4'	4	8/28/2025	East of tanks	62.9	<0.0110	ND	ND	ND	ND	ND	ND	ND	ND	0.020	ND	<0.010	0.052	ND
TB14 @ 1'	1	8/28/2025	South of tanks	4.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB16 @ 1'	1	8/28/2025	South of tanks	44.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.00313	ND
TB15 @ 1'	1	8/28/2025	South of tanks	3.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Confirmation Samples																		
TB22 @ 5'	5	12/2/2025	NE of tanks	2.2	ND-MS	ND-MS	ND	ND	ND	ND	ND	ND	ND	ND-MS	ND	ND	ND-MS	ND-MS
TB23 @ 3'	3	12/2/2025	NE sidewall	1.5	ND	ND	ND	<0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB24 @ 5'	5	12/2/2025	E of tanks	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB25 @ 3'	3	12/2/2025	E sidewall	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB26 @ 7'	7	12/2/2025	SE of tanks	10.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.010
TB27 @ 4'	4	12/2/2025	SE sidewall	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB28 @ 3'	3	12/2/2025	S of tanks	1.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.000313	ND
TB29 @ 2'	2	12/2/2025	S sidewall	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB30 @ 4'	4	12/2/2025	SW of tanks	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB31 @ 2'	2	12/2/2025	SW sidewall	1.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB32 @ 6'	6	12/2/2025	N of tanks	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB33 @ 2'	2	12/2/2025	N sidewall	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB34 @ 4'	4	12/2/2025	NW of tanks	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TB35 @ 3'	3	12/2/2025	NW sidewall	1.5	ND	ND	<0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Concentrations exceeding the CECMC Table 915-1 allowable concentrations are expressed in **bold** type face

ft bgs - Feet below ground surface

mg/kg - Milligrams per kilogram

ND - Non-detect

NA - Not Analyzed

CECMC - Colorado Energy and Carbon Management Commission

(M) - The letter "(M)" following a protection of Groundwater soil screening level indicates the concentration is derived from the drinking water MCL.

(R) - The letter "(R)" following a protection of Groundwater soil screening level indicates the concentration is derived from a risk-based approach.

J- Sample results less than reporting limit but higher than method detection limit

