

State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



ECMC RECEPTION

Receive Date:

01/14/2026

Document Number:

404492277

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

ECMC Operator Number: 10633 Contact Person: Fred Kayser
Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (970) 396-4900
Address: 555 17TH STREET SUITE 3700 Email: fkayser@civiresources.com
City: DENVER State: CO Zip: 80202
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No [ ]

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 433811 Location Type: Production Facilities
Name: Boyd Number: 19H-M368
County: WELD
Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6
Latitude: 40.206520 Longitude: -105.052980

Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473191 Flowline Type: Process Piping Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Production Facilities   
Name: Boyd Number: 19H-M368  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 03/24/2024

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 478432 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Well Site   
Name: Boyd Number: 19H-M368  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 478443 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Well Site

Name: Boyd Number: 19H-M368

County: WELD No Location ID

Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: Native Materials Date Construction Completed: 10/15/2014

Maximum Anticipated Operating Pressure (PSI): 315 Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 02/13/2026

**Pre-Abandonment 30-day Notice**

Removed per Rule 1105.d.(2)

Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

A. A surface owner agreement executed by a surface owner allows abandonment in place.

B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.

C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.

D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.

E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.

F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.

G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.

H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

Abandoned In Place per Rule 1105.d.(3)

**Description of Pre-Abandonment Notice:**

The flowline serving the BOYD 3D-19H-M368 (05-123-37796) is co-located with other active flowlines. Flowline will be abandoned in place as per Rule 1105.d and verified by a third party. See attached exhibit for flowline path.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 478442 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Well Site

Name: Boyd Number: 19H-M368

County: WELD No Location ID

Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 478439 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Well Site

Name: Boyd Number: 19H-M368

County: WELD No Location ID

Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473178 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Production Facilities

Name: Boyd Number: 19H-M368

County: WELD No Location ID

Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 03/24/2024

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 486612 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Production Facilities   
Name: Boyd Number: 19H-M368  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: Native Materials Date Construction Completed: 10/15/2014  
Maximum Anticipated Operating Pressure (PSI): 100 Testing PSI: 125  
Test Date: 03/05/2024

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 478440 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Well Site

Name: Boyd Number: 19H-M368

County: WELD No Location ID

Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473220 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Production Facilities

Name: Boyd Number: 19H-M368

County: WELD No Location ID

Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 03/24/2024

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473219 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Production Facilities   
Name: Boyd Number: 19H-M368  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 03/24/2024

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 478441 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Well Site   
Name: Boyd Number: 19H-M368  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473183 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Production Facilities   
Name: Boyd Number: 19H-M368  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 03/24/2024

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473221 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 433811 Location Type: Production Facilities   
Name: Boyd Number: 19H-M368  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.206520 Longitude: -105.052980

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/15/2014

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 03/24/2024

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

Flowline has been reassessed and is on-location. Form 44 submitted to inactivate registration.

**OPERATOR COMMENTS AND SUBMITTAL**

Comments Form 44 filed to report PRE-ABANDONMENT notification. The following flowlines will be abandoned in place:  
12337796\_FL: services the BOYD 3D-19H-M368 (05-123-37796)  
12337796\_FL does not have any spill/releases reported on a Form 19.  
GIS data has previously been submitted. It is anticipated that abandonment operations will start on or about 02/13/2026

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 01/14/2026 Email: flowlines@civiresources.com

Print Name: Stephany Olsen Title: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: \_\_\_\_\_ **Director of ECMC** Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY LIST**

**COA Type**

**Description**

--	--

**ATTACHMENT LIST**

**Att Doc Num**

**Name**

404492277	Form44 Submitted
404505080	PROPOSED ABANDONMENT LAYOUT DRAWING
404505081	PRESSURE TEST

Total Attach: 3 Files

**General Comments**

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)