

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

Document Number:
 404489139
 Date Received:

ECMC Operator Number: 10633 Contact Name: Trey Sloan
 Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (303) 312-8742
 Address: 555 17TH STREET SUITE 3700 Fax: _____
 City: DENVER State: CO Zip: 80202 Email: tsloan@civiresources.com
For "Intent" 24 hour notice required, Name: Medina, Justin Tel: (720) 471-0006
ECMC contact: Email: justin.medina@state.co.us

Type of Well Abandonment Report: Notice of Intent to Abandon Subsequent Report of Abandonment

API Number 05-001-08060-00
 Well Name: LINNEBUR Well Number: 44-12
 Location: QtrQtr: SESE Section: 12 Township: 3S Range: 65W Meridian: 6
 County: ADAMS Federal, Indian or State Lease Number: _____
 Field Name: UNNAMED Field Number: 85251

Only Complete the Following Background Information for Intent to Abandon

Latitude: 39.800518 Longitude: -104.606399
 GPS Data: GPS Quality Value: _____ Type of GPS Quality Value: PDOP Date of Measurement: 12/17/2025
 Reason for Abandonment: Dry Production Sub-economic Mechanical Problems
 Other _____
 Casing to be pulled: Yes No Estimated Depth: _____
 Fish in Hole: Yes No If yes, explain details below
 Wellbore has Uncemented Casing leaks: Yes No If yes, explain details below
 Details: _____

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth

Total: 0 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
SURF	12+1/4	8+5/8	N/A	24		219	150	219	0	VISU
OPEN HOLE	7+7/8				219	8243				

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth _____ with _____ sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 150 sks cmt from 7500 ft. to 7150 ft. Plug Type: OPEN HOLE Plug Tagged:
Set 120 sks cmt from 3200 ft. to 2780 ft. Plug Type: OPEN HOLE Plug Tagged:
Set 450 sks cmt from 1900 ft. to 475 ft. Plug Type: OPEN HOLE Plug Tagged:
Set 60 sks cmt from 175 ft. to 0 ft. Plug Type: CASING Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set 600 sacks half in. half out surface casing from 475 ft. to 175 ft. Plug Tagged:
Set _____ sacks at surface
Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: Yes No
Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing
Surface Plug Setting Date: 12/04/2025 Cut and Cap Date: 12/17/2025 Number of Days from Setting Surface Plug to Capping or Sealing the Well: 13

*Wireline Contractor: N/A *Cementing Contractor: Axis Energy Services

Type of Cement and Additives Used: G Neat, E-Thixo

Flowline/Pipeline has been abandoned per Rule 1105 Yes No

Technical Detail/Comments:

Venting health and safety precautions were taken to avoid nuisance and or hazards to the public.

Operator used secondary containment for all tanks and other liquid containment.

- 1) Form 42 was submitted prior to plugging operations, Form 42 Doc #404447592. Form 42 was submitted prior to MIRU for plugging operations, Form 42 Doc #404447593
- 2) No fluids or gas migration was present prior to surface casing shoe plug being set. The plug was cemented to surface with 60 sacks of cement from 175' - 0'.
- 3) At least 100' of cement was left in the wellbore for each plug.
- 4) After cut prior to cap, Operator verified isolation by a 15 minute bubble test and no flow was observed.
- 5) This form 6-SRA addresses all COA's from the Form 6-NOIA.

The GPS data within the form has been updated to reflect as-drilled well location.

Attached to this form:

- 1. Cement tickets
- 2. Operations summary
- 3. Final P&A WBD
- 4. Gyro Test

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Aubrey Noonan
 Title: Sr. Regulatory Analyst Date: _____ Email: regulatory@civiresources.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST

COA Type	Description
0 COA	

ATTACHMENT LIST

Att Doc Num	Name
404491360	CEMENT JOB SUMMARY
404491362	GYRO SURVEY
404491364	OPERATIONS SUMMARY
404491367	WELLBORE DIAGRAM

Total Attach: 4 Files

General Comments

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)