

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>404508176</u>			
Date Received: <u>01/15/2026</u>			

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>69175</u>	Contact Name <u>Raul Sanchez</u>
Name of Operator: <u>PDC ENERGY INC</u>	Phone: <u>(303) 87077300</u>
Address: <u>1099 18TH STREET SUITE 1500</u>	Fax: <u>()</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>DenverRegulatory@chevron.onmicrosoft.com</u>

FORM 4 SUBMITTED FOR:

Facility Type: WELL
 API Number : 05- 001 09909 00 ID Number: 444013
 Name: Ivey LC Number: 26-368HC
 Location QtrQtr: SWSE Section: 11 Township: 1S Range: 68W Meridian: 6
 County: ADAMS Field Name: WATTENBERG

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
442411	Ivey LC Pad

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

- Change of Location for Well * As-Built GPS Location Report As-Built GPS Location Report with Survey

* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude _____ Longitude _____
 GPS Quality Value: _____ Type of GPS Quality Value: _____ Measurement Date: _____
 Well Ground Elevation: _____ feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: _____ (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From**:

Change of **Surface** Footage **To**:

Current Surface Location From	QtrQtr <u>SWSE</u>	Sec <u>11</u>	Twp <u>1S</u>	Range <u>68W</u>	Meridian <u>6</u>
New Surface Location To	QtrQtr <u> </u>	Sec <u> </u>	Twp <u> </u>	Range <u> </u>	Meridian <u> </u>

FNL/FSL		FEL/FWL	
<u>1176</u>	<u>FSL</u>	<u>1694</u>	<u>FEL</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

Change of **Top of Productive Zone** Footage **From:**

460 FNL

2153 FEL

Change of **Top of Productive Zone** Footage **To:**

**

Current **Top of Productive Zone** Location

Sec 14

Twp 1S

Range 68W

New **Top of Productive Zone** Location

Sec

Twp

Range

Change of **Base of Productive Zone** Footage **From:**

FNL

FEL

Change of **Base of Productive Zone** Footage **To:**

**

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

294 FSL

2127 FEL

Change of **Bottomhole** Footage **To:**

**

Current **Bottomhole** Location

Sec 26

Twp 1S

Range 68W

** attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building: _____ Feet
 Building Unit: _____ Feet
 Public Road: _____ Feet
 Above Ground Utility: _____ Feet
 Railroad: _____ Feet
 Property Line: _____ Feet

INSTRUCTIONS:
 - Specify all distances per Rule 308.b.(1).
 - Enter 5280 for distance greater than 1 mile.
 - Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
 - Building Unit – as defined in 100 Series Rules.

SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? _____

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: _____ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

LOCATION CHANGE COMMENTS

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

- Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

Field inspection will be conducted to document Rule 1004.c. compliance

- Route to the Area Reclamation Specialist

Comments:

ENGINEERING AND ENVIRONMENTAL WORK

- REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

- REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned _____

Has Production Equipment been removed from site? _____

Mechanical Integrity Test (MIT) required. Date of last MIT _____

TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

- NOTICE OF INTENT/REQUEST FOR APPROVAL Approximate Start Date _____

- SUBSEQUENT REPORT Date of Activity 01/15/2026

<input checked="" type="checkbox"/> Bradenhead Plan	<input type="checkbox"/> Venting or Flaring (Rule 903)	<input type="checkbox"/> E&P Waste Mangement
<input type="checkbox"/> Change Drilling Plan	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Change		
<input type="checkbox"/> Underground Injection Control		
<input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)		
<input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.)		
<input type="checkbox"/> Other		

- Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID _____ Pit Name _____

(No Sample Provided)

- Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

A form 4 abatement mitigation plan for this well was approved in 2023. The abatement system was opened on 01/07/2023. The most recent approval for the continued use of this mitigation was on 01/08/2025. A gas sample was collected on 12/11/2025, and the composition was 4.721 mol % ethane, 0.005 mol % hydrogen, 24.639 mol % methane, and 45.602 mol % nitrogen. Nitrogen is used to pull fluid from the bradenhead. Because the cement passes the well's producing zone, some residual methane is expected. This gas sample indicates Bradenhead gas to be thermogenic gas with somewhat similar composition as the production sample. A water sample was collected on 12/11/2025, those results have been submitted to ECMC. No flow rate data has been collected in this form 4 period. On 01/02/2026 a form 17 was completed with a starting pressure of 108 psi and an ending pressure 0 psi. The well was shut in for over seven days prior to the form 17 being performed. Gas was present at the start of the test but was not continuous. Fluid was present for the entire test. We will continue to use this mitigation strategy for the next 12 months to maintain bradenhead pressures below the 50-psi threshold. At the end of the period, Chevron will perform another form 17 test, and a follow up Form-4 will be submitted to the ECMC. Note from 12/1/2025 - 12/31/2025 this well experienced valve misalignment issues after pressure testing causing bradenhead psi to rise over the allowable 50-psi threshold. When operating properly the abatement system is a viable strategy to keep bradenhead psi in compliance.

GAS CAPTURE

VENTING AND FLARING:

Operation type: _____ Operational phase requiring venting/flaring: _____

Reason for venting/flaring: _____

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: _____ mcf estimated measured

Total duration of emission event: _____ hours consecutive cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: _____

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

CASING PROGRAM

(No Casing Provided)

POTENTIAL FLOW AND CONFINING FORMATIONS

H2S REPORTING

- Intentional release of H2S gas due to Upset Condition or malfunction.
 Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million) Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID _____ OGDP Name _____

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____		Vapor Recovery Towers _____	

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDP UPDATES

PROPOSED CHANGES TO AN APPROVED OGDP

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- | | |
|--|--|
| <input type="checkbox"/> Add Oil and Gas Location(s) | <input type="checkbox"/> Add Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Amend Oil and Gas Location(s) | <input type="checkbox"/> Amend Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Remove Oil and Gas Location(s) | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDG |
| <input type="checkbox"/> Other | |

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

Operator Best Management Practices

<u>No BMP/COA Type</u>	<u>Description</u>

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Raul Sanchez
 Title: Regulatory Specialist Email: DenverRegulatory@chevron.onmicrosoft. Date: 1/15/2026

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Jacobson, Eric Date: 1/16/2026

CONDITIONS OF APPROVAL, IF ANY LIST

<u>COA Type</u>	<u>Description</u>
1 COA	<ol style="list-style-type: none"> 1. Operator shall implement measures to control venting, to protect health and safety, and to ensure that vapors and odors from well operations do not constitute a nuisance or hazard to public welfare. 2. Bradenhead gas is not to be vented to the atmosphere; any gas from the Bradenhead will be routed to the specified abatement system. Shut in bradenhead pressure shall not exceed 50 psig. Operator shall implement measures to get an estimate of the gas flow rate and/or volume from the bradenhead. 3. Within thirty days of 01/16/2027, submit a Form 4 Sundry that summarizes current well condition. The sundry should include details of the future plans, sample analysis interpretation, bradenhead test description, and the flow rate information and pressure data. 4. Shut well in for at least seven days to monitor build up pressures then conduct a new bradenhead test and submit the Form 17 within ten days of the test. 5. If a sample has not been collected from surface casing within the last twelve months collect bradenhead gas samples for laboratory analysis. Sampling shall comply with Operator Guidance - Bradenhead Testing and Reporting Instructions, Appendix A: Liquid and Gas Sampling. Copies of all final laboratory analytical results shall be provided to the ECMC within three months of collecting the samples.

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	Bradenhead test date 1/2/2026 had 108 psig and had gas at the surface.	01/16/2026
Total: 1 comment(s)		

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
404508176	SUNDRY NOTICE APPROVED-OBJ
404508179	PRESSURE DATA
404508479	FORM 4 SUBMITTED
Total Attach: 3 Files	