



Confluence Compliance Companies, LLC

January 20, 2026

Brody Poss

403 1/2 Rockwood Lane

Grand Junction CO 81507

Project Name - Chevron - Aurora USX AB25-25 Project Number - [none]

Attached are your analytical results for Chevron - Aurora USX AB25-25 received by Origins Laboratory January 07, 2026. This project is associated with Origins project number DJA0048-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

The laboratory is TNI accredited by the Utah DHHS ELAP under certificate number CO010822024.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory
303.433.1322
projectmanager@originslab.com



1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645



Confluence Compliance Companies, LLC
403 1/2 Rockwood Lane
Grand Junction CO 81507

Brody Poss
Project Number: [none]
Project: Chevron - Aurora USX AB25-25

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BKG06@6'	DJA0048-01	Soil	January 7, 2026 9:45	01/07/2026 17:05
BKG07@6'	DJA0048-02	Soil	January 7, 2026 10:15	01/07/2026 17:05
BKG08@6'	DJA0048-03	Soil	January 7, 2026 10:50	01/07/2026 17:05
BKG09@6'	DJA0048-04	Soil	January 7, 2026 11:25	01/07/2026 17:05
BKG10@6'	DJA0048-05	Soil	January 7, 2026 12:30	01/07/2026 17:05
BKG11@6'	DJA0048-06	Soil	January 7, 2026 12:55	01/07/2026 17:05

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager

Client: Confluence Compliance Companies
 Address: 209 Main Street Unite
 Mead, CO 80542
 Telephone Number: (920) 419-7942
 Email Address: cxx-tcms@confluence-cc.com, brody.poss@confluence-cc.com

Project Manager: Brody Poss
 Project Name: AURORA USX AB25-25
 Project Number: CHE0145 (REM# 18240)
 Collected By: Dylan Helt
 Invoice/Billing Info: Noble/Chevron - Lauren Hoff

S=Soil | SO=Solid | O=Oil | A=Air | G=Gas | UNP=Unpres | HCL= Hydrochloric | HNO3=Nitric | H2SO4=Sulfuric | NaOH=Sodium Hydroxide

Sample ID	Date Sampled	Time Sampled	# of Containers	Matrix	Preservative	Analysis			Comments
						pH, EC, SAR	Boron (hot water soluble)	Table 915-1 Metals	
BK G06@6'	1/7/2026	0945	3	S	UNP	X	X	X	
BK G07@6'	1/7/2026	1015	3	S	UNP	X	X	X	
BK G08@6'	1/7/2026	1050	3	S	UNP	X	X	X	
BK G09@6'	1/7/2026	1125	3	S	UNP	X	X	X	
BK G10@6'	1/7/2026	1230	3	S	UNP	X	X	X	
BK G11@6'	1/7/2026	1255	3	S	UNP	X	X	X	

Relinquished By: *[Signature]* Date: 1-7-26 Time: 1420
 Received By: *[Signature]* Date: 1/7/26 Time: 17:05
 Relinquished By: *[Signature]* Date: 1/7/26 Time: 17:05
 Received By: *[Signature]* Date: 01/07/26 Time: 17:05

Temp Received- 0.1°C Received On Ice? Yes No

Turnaround Time
 SAME DAY 24 Hr
 48 Hr 72 Hr
 Standard

Sample Receipt Checklist

Origins Work Order: DJA0048

Client: Confluence Compliance Companies

Client Project ID: Aurora USX AB25-25

Checklist Completed by: JN /

Shipped Via: HD
(UPS, FedEx, Hand Delivered, Pick-up, etc.)

Date/time completed: 1/8/26

Airbill #: N/A

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other: _____

Cooler Number/Temperature: 1/0.1 °C / _____ °C / _____ °C / _____ °C (Describe)

Thermometer ID: _____

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	X			
Is there ice present (document if blue ice is used)	X			
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		X		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		X		
Were all samples received intact ⁽¹⁾ ?	X			
Was adequate sample volume provided ⁽¹⁾ ?	X			
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?			X	
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	X			
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	X			
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	X			
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	X			
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.			X	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO3, HCL, H2SO4) / (pH >10 for samples preserved with NaAsO2+NaOH, ZnAc+NaOH)			X	
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

[Signature]
Reviewed by (Project Manager)

01/09/26
Date/Time Reviewed



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG06@6'

1/7/2026 9:45:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
DJA0048-01 (Soil)									
Enthalpy Orange									
Total Metals by 7199									
Hexavalent Chromium	ND	0.17	0.34	mg/Kg dry	1	392727	01/16/2026	01/16/2026	ND
Origins Laboratory									
Boron (DTPA Sorbitol)									
(DTPA Sorbitol) Boron	0.758		0.116	mg/L dry	1	6A09029	01/09/2026	01/12/2026	
Metals by Saturated Paste by EPA 6010									
Calcium	14.8		0.499	meq/L	10	[CALC]	01/09/2026	01/12/2026	
Magnesium	9.19		0.823	"	"	"	"	"	
Sodium	15.9		0.435	"	"	"	"	"	
Percent Solids									
Total Solids, Percent	86.4			mass percent	1	6A08109	01/08/2026	01/08/2026	
pH in Soil by 9045D									
pH	8.04			pH Units	1	6A09043	01/09/2026	01/10/2026	
SAR by 20B Saturated Paste									
SAR	4.60		0.0100	SAR	1	6A09036	"	01/12/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG06@6'

1/7/2026 9:45:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

DJA0048-01 (Soil)
Origins Laboratory

Specific Conductance Mod. 9050A

Specific Conductance (EC)	2.89		0.00500	mmhos/cm	1	6A09043	"	01/10/2026	
---------------------------	------	--	---------	----------	---	---------	---	------------	--

Table 915 metals by EPA 6020B

Arsenic	2.99		0.224	mg/kg dry	10	6A08090	01/08/2026	01/10/2026	
Barium	ND		63.1	"	"	"	"	"	U
Cadmium	ND		0.292	"	"	"	"	"	U
Copper	ND		35.4	"	"	"	"	"	U
Lead	ND		10.8	"	"	"	"	"	U
Nickel	ND		20.0	"	"	"	"	"	U
Selenium	ND		0.189	"	"	"	"	"	U
Silver	ND		0.615	"	"	"	"	"	U
Zinc	ND		285	"	"	"	"	"	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG07@6'
1/7/2026 10:15:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
DJA0048-02 (Soil)									
Enthalpy Orange									
Total Metals by 7199									
Hexavalent Chromium	ND	0.18	0.35	mg/Kg dry	1	392727	01/16/2026	01/16/2026	ND
Origins Laboratory									
Boron (DTPA Sorbitol)									
(DTPA Sorbitol) Boron	0.898		0.116	mg/L dry	1	6A09029	01/09/2026	01/12/2026	
Metals by Saturated Paste by EPA 6010									
Calcium	3.61		0.499	meq/L	10	[CALC]	01/09/2026	01/12/2026	
Magnesium	4.91		0.823	"	"	"	"	"	
Sodium	16.7		0.435	"	"	"	"	"	
Percent Solids									
Total Solids, Percent	86.3			mass percent	1	6A08109	01/08/2026	01/08/2026	
pH in Soil by 9045D									
pH	8.22			pH Units	1	6A09043	01/09/2026	01/10/2026	
SAR by 20B Saturated Paste									
SAR	8.11		0.0100	SAR	1	6A09036	"	01/12/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG07@6'

1/7/2026 10:15:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
DJA0048-02 (Soil)									
Origins Laboratory									
Specific Conductance Mod. 9050A									
Specific Conductance (EC)	2.28		0.00500	mmhos/cm	1	6A09043	"	01/10/2026	
Table 915 metals by EPA 6020B									
Arsenic	3.27		0.237	mg/kg dry	10	6A08090	01/08/2026	01/10/2026	
Barium	ND		66.8	"	"	"	"	"	U
Cadmium	ND		0.309	"	"	"	"	"	U
Copper	ND		37.4	"	"	"	"	"	U
Lead	ND		11.4	"	"	"	"	"	U
Nickel	ND		21.2	"	"	"	"	"	U
Selenium	ND		0.200	"	"	"	"	"	U
Silver	ND		0.651	"	"	"	"	"	U
Zinc	ND		301	"	"	"	"	"	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG08@6'
1/7/2026 10:50:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

DJA0048-03 (Soil)
Enthalpy Orange

Total Metals by 7199

Hexavalent Chromium	ND	0.18	0.36	mg/Kg dry	1	392727	01/16/2026	01/16/2026	ND
---------------------	----	------	------	-----------	---	--------	------------	------------	----

Origins Laboratory

Boron (DTPA Sorbitol)

(DTPA Sorbitol) Boron	1.08		0.122	mg/L dry	1	6A09029	01/09/2026	01/12/2026	
-----------------------	------	--	-------	----------	---	---------	------------	------------	--

Metals by Saturated Paste by EPA 6010

Calcium	22.9		0.499	meq/L	10	[CALC]	01/09/2026	01/12/2026	
Magnesium	19.4		0.823	"	"	"	"	"	
Sodium	24.7		0.435	"	"	"	"	"	

Percent Solids

Total Solids, Percent	82.5			mass percent	1	6A08109	01/08/2026	01/08/2026	
-----------------------	------	--	--	--------------	---	---------	------------	------------	--

pH in Soil by 9045D

pH	7.96			pH Units	1	6A09043	01/09/2026	01/10/2026	
----	------	--	--	----------	---	---------	------------	------------	--

SAR by 20B Saturated Paste

SAR	5.38		0.0100	SAR	1	6A09036	"	01/12/2026	
-----	------	--	--------	-----	---	---------	---	------------	--

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG08@6'

1/7/2026 10:50:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

DJA0048-03 (Soil)
Origins Laboratory

Specific Conductance Mod. 9050A

Specific Conductance (EC)	4.55		0.00500	mmhos/cm	1	6A09043	"	01/10/2026	
---------------------------	------	--	---------	----------	---	---------	---	------------	--

Table 915 metals by EPA 6020B

Arsenic	8.08		0.252	mg/kg dry	10	6A08090	01/08/2026	01/10/2026	
Barium	365		71.2	"	"	"	"	"	
Cadmium	ND		0.330	"	"	"	"	"	U
Copper	ND		40.0	"	"	"	"	"	U
Lead	16.7		12.2	"	"	"	"	"	
Nickel	ND		22.6	"	"	"	"	"	U
Selenium	0.611		0.214	"	"	"	"	"	
Silver	ND		0.695	"	"	"	"	"	U
Zinc	ND		321	"	"	"	"	"	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG09@6'
1/7/2026 11:25:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

DJA0048-04 (Soil)
Enthalpy Orange

Total Metals by 7199

Hexavalent Chromium	ND	0.16	0.32	mg/Kg dry	1	392727	01/16/2026	01/16/2026	ND
---------------------	----	------	------	-----------	---	--------	------------	------------	----

Origins Laboratory

Boron (DTPA Sorbitol)

(DTPA Sorbitol) Boron	0.464		0.109	mg/L dry	1	6A09029	01/09/2026	01/12/2026	
-----------------------	-------	--	-------	----------	---	---------	------------	------------	--

Metals by Saturated Paste by EPA 6010

Calcium	1.12		0.499	meq/L	10	[CALC]	01/09/2026	01/12/2026	
Magnesium	1.41		0.823	"	"	"	"	"	
Sodium	5.37		0.435	"	"	"	"	"	

Percent Solids

Total Solids, Percent	91.6			mass percent	1	6A08109	01/08/2026	01/08/2026	
-----------------------	------	--	--	--------------	---	---------	------------	------------	--

pH in Soil by 9045D

pH	8.55			pH Units	1	6A09043	01/09/2026	01/10/2026	
----	------	--	--	----------	---	---------	------------	------------	--

SAR by 20B Saturated Paste

SAR	4.78		0.0100	SAR	1	6A09036	"	01/12/2026	
-----	------	--	--------	-----	---	---------	---	------------	--

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG09@6'

1/7/2026 11:25:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
DJA0048-04 (Soil)									
Origins Laboratory									
Specific Conductance Mod. 9050A									
Specific Conductance (EC)	0.762		0.00500	mmhos/cm	1	6A09043	"	01/10/2026	
Table 915 metals by EPA 6020B									
Arsenic	3.15		0.214	mg/kg dry	10	6A08090	01/08/2026	01/10/2026	
Barium	ND		60.5	"	"	"	"	"	U
Cadmium	ND		0.280	"	"	"	"	"	U
Copper	ND		33.9	"	"	"	"	"	U
Lead	ND		10.3	"	"	"	"	"	U
Nickel	ND		19.2	"	"	"	"	"	U
Selenium	ND		0.181	"	"	"	"	"	U
Silver	ND		0.590	"	"	"	"	"	U
Zinc	ND		273	"	"	"	"	"	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG10@6'
1/7/2026 12:30:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
DJA0048-05 (Soil)									
Enthalpy Orange									
Total Metals by 7199									
Hexavalent Chromium	ND	0.18	0.36	mg/Kg dry	1	392727	01/16/2026	01/16/2026	ND
Origins Laboratory									
Boron (DTPA Sorbitol)									
(DTPA Sorbitol) Boron	1.74		1.22	mg/L dry	10	6A09029	01/09/2026	01/13/2026	
Metals by Saturated Paste by EPA 6010									
Calcium	24.5		0.499	meq/L	"	[CALC]	01/09/2026	01/12/2026	
Magnesium	27.5		0.823	"	"	"	"	"	
Sodium	14.8		0.435	"	"	"	"	"	
Percent Solids									
Total Solids, Percent	81.7			mass percent	1	6A08109	01/08/2026	01/08/2026	
pH in Soil by 9045D									
pH	7.12			pH Units	1	6A09043	01/09/2026	01/10/2026	
SAR by 20B Saturated Paste									
SAR	2.89		0.0100	SAR	1	6A09036	"	01/12/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG10@6'

1/7/2026 12:30:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

DJA0048-05 (Soil)
Origins Laboratory

Specific Conductance Mod. 9050A

Specific Conductance (EC)	4.38		0.00500	mmhos/cm	1	6A09043	"	01/10/2026	
---------------------------	------	--	---------	----------	---	---------	---	------------	--

Table 915 metals by EPA 6020B

Arsenic	17.3		0.234	mg/kg dry	10	6A08090	01/08/2026	01/10/2026	
Barium	177		65.9	"	"	"	"	"	
Cadmium	1.18		0.305	"	"	"	"	"	
Copper	74.4		37.0	"	"	"	"	"	
Lead	30.2		11.3	"	"	"	"	"	
Nickel	49.2		20.9	"	"	"	"	"	
Selenium	0.560		0.198	"	"	"	"	"	
Silver	ND		0.643	"	"	"	"	"	U
Zinc	ND		297	"	"	"	"	"	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG11@6'
1/7/2026 12:55:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

DJA0048-06 (Soil)
Enthalpy Orange

Total Metals by 7199

Hexavalent Chromium	ND	0.18	0.36	mg/Kg dry	1	392727	01/16/2026	01/16/2026	ND
---------------------	----	------	------	-----------	---	--------	------------	------------	----

Origins Laboratory

Boron (DTPA Sorbitol)

(DTPA Sorbitol) Boron	1.20		0.120	mg/L dry	1	6A09029	01/09/2026	01/12/2026	
-----------------------	------	--	-------	----------	---	---------	------------	------------	--

Metals by Saturated Paste by EPA 6010

Calcium	7.30		0.499	meq/L	10	[CALC]	01/09/2026	01/12/2026	
Magnesium	7.80		0.823	"	"	"	"	"	"
Sodium	11.6		0.435	"	"	"	"	"	"

Percent Solids

Total Solids, Percent	83.4			mass percent	1	6A08109	01/08/2026	01/08/2026	
-----------------------	------	--	--	--------------	---	---------	------------	------------	--

pH in Soil by 9045D

pH	8.19			pH Units	1	6A09043	01/09/2026	01/10/2026	
----	------	--	--	----------	---	---------	------------	------------	--

SAR by 20B Saturated Paste

SAR	4.24		0.0100	SAR	1	6A09036	"	01/12/2026	
-----	------	--	--------	-----	---	---------	---	------------	--

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

BKG11@6'
1/7/2026 12:55:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
DJA0048-06 (Soil)									
Origins Laboratory									
Specific Conductance Mod. 9050A									
Specific Conductance (EC)	2.03		0.00500	mmhos/cm	1	6A09043	"	01/10/2026	
Table 915 metals by EPA 6020B									
Arsenic	3.48		0.226	mg/kg dry	10	6A08090	01/08/2026	01/10/2026	
Barium	77.8		63.7	"	"	"	"	"	
Cadmium	ND		0.295	"	"	"	"	"	U
Copper	ND		35.8	"	"	"	"	"	U
Lead	ND		10.9	"	"	"	"	"	U
Nickel	ND		20.2	"	"	"	"	"	U
Selenium	ND		0.191	"	"	"	"	"	U
Silver	ND		0.622	"	"	"	"	"	U
Zinc	ND		288	"	"	"	"	"	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

***** DEFAULT GENERAL METHOD *** - Quality Control**
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6A08109 - % Solids

Duplicate (6A08109-DUP1)

Source: DJA0041-01

Prepared: 01/08/2026 Analyzed: 01/08/2026

Total Solids, Percent	77.7		mass percent		77.6			0.0948	20	
-----------------------	------	--	--------------	--	------	--	--	--------	----	--

Duplicate (6A08109-DUP2)

Source: DJA0041-02

Prepared: 01/08/2026 Analyzed: 01/08/2026

Total Solids, Percent	81.7		mass percent		80.4			1.64	20	
-----------------------	------	--	--------------	--	------	--	--	------	----	--

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

Classical Chemistry Parameters - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6A09029 - DTPA Sorbitol Preparation

Blank (6A09029-BLK1)

Prepared: 01/09/2026 Analyzed: 01/12/2026

(DTPA Sorbitol) Boron	ND	0.100	mg/L wet							U
-----------------------	----	-------	----------	--	--	--	--	--	--	---

Duplicate (6A09029-DUP1)

Source: **DJA0048-01**

Prepared: 01/09/2026 Analyzed: 01/12/2026

(DTPA Sorbitol) Boron	0.801	0.116	mg/L dry		0.758			5.43	50	
-----------------------	-------	-------	----------	--	-------	--	--	------	----	--

Batch 6A09036 - Saturated Paste Metals

Blank (6A09036-BLK1)

Prepared: 01/09/2026 Analyzed: 01/12/2026

SAR	ND	0.0100	SAR							U
Calcium PPM	ND	10.0	mg/L							U
Magnesium PPM	ND	10.0	"							U
Sodium PPM	ND	10.0	"							U

Duplicate (6A09036-DUP1)

Source: **DJA0048-01**

Prepared: 01/09/2026 Analyzed: 01/12/2026

SAR	ND	0.0100	SAR	4.60				200		U
Calcium PPM	520	10.0	mg/L	296			54.8	50		QR-DUP
Magnesium PPM	146	10.0	"	112			26.8	50		
Sodium PPM	383	10.0	"	366			4.44	50		

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

Metals by EPA 6000/7000 Series Methods - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6A08090 - EPA 3050B

Blank (6A08090-BLK1)

Prepared: 01/08/2026 Analyzed: 01/10/2026

Arsenic	ND	0.218	mg/kg wet							U
Barium	ND	61.5	"							U
Cadmium	ND	0.285	"							U
Copper	ND	34.5	"							U
Lead	ND	10.5	"							U
Nickel	ND	19.5	"							U
Selenium	ND	0.184	"							U
Silver	ND	0.600	"							U
Zinc	ND	278	"							U

LCS (6A08090-BS1)

Prepared: 01/08/2026 Analyzed: 01/10/2026

Arsenic	5.15	0.218	mg/kg wet	5.00		103	80-120			
Barium	515	61.5	"	500		103	80-120			
Cadmium	5.28	0.285	"	5.00		106	80-120			
Copper	54.0	34.5	"	50.0		108	80-120			
Lead	5.22	10.5	"	5.00		104	80-120			U
Nickel	5.42	19.5	"	5.00		108	80-120			U
Selenium	5.22	0.184	"	5.00		104	80-120			
Silver	5.36	0.600	"	5.00		107	80-120			
Zinc	52.8	278	"	50.0		106	80-120			U

Matrix Spike (6A08090-MS1)

Source: DJA0040-01

Prepared: 01/08/2026 Analyzed: 01/10/2026

Arsenic	11.7	0.224	mg/kg dry	5.13	6.51	101	75-125			
Barium	681	63.1	"	513	125	108	75-125			
Cadmium	5.40	0.292	"	5.13	0.135	103	75-125			
Copper	63.6	35.4	"	51.3	12.5	99.8	75-125			
Lead	16.2	10.8	"	5.13	10.6	109	75-125			

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

Metals by EPA 6000/7000 Series Methods - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6A08090 - EPA 3050B

Matrix Spike (6A08090-MS1)

Source: DJA0040-01

Prepared: 01/08/2026 Analyzed: 01/10/2026

Nickel	21.3	20.0	mg/kg dry	5.13	15.4	114	75-125			
Selenium	5.00	0.189	"	5.13	0.155	94.5	75-125			
Silver	5.15	0.615	"	5.13	0.0350	99.7	75-125			
Zinc	99.4	285	"	51.3	49.9	96.4	75-125			U

Matrix Spike Dup (6A08090-MSD1)

Source: DJA0040-01

Prepared: 01/08/2026 Analyzed: 01/10/2026

Arsenic	12.2	0.240	mg/kg dry	5.51	6.51	103	75-125	4.33	20	
Barium	749	67.8	"	551	125	113	75-125	9.54	20	
Cadmium	5.81	0.314	"	5.51	0.135	103	75-125	7.41	20	
Copper	71.0	38.0	"	55.1	12.5	106	75-125	10.9	20	
Lead	17.1	11.6	"	5.51	10.6	119	75-125	5.75	20	
Nickel	22.8	21.5	"	5.51	15.4	135	75-125	7.14	20	QM-4X
Selenium	5.31	0.203	"	5.51	0.155	93.5	75-125	6.02	20	
Silver	5.64	0.662	"	5.51	0.0350	102	75-125	9.19	20	
Zinc	108	306	"	55.1	49.9	105	75-125	8.06	20	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

Saturated Paste - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6A09043 - Saturated Paste pH/EC

Blank (6A09043-BLK1)

Prepared: 01/09/2026 Analyzed: 01/10/2026

Specific Conductance (EC)	ND	0.00500	mmhos/cm							U
---------------------------	----	---------	----------	--	--	--	--	--	--	---

Duplicate (6A09043-DUP1)

Source: DJA0048-01

Prepared: 01/09/2026 Analyzed: 01/10/2026

pH	7.94		pH Units		8.04			1.25	25	
Specific Conductance (EC)	3.88	0.00500	mmhos/cm		2.89			29.4	25	QR-DUP

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: [none]
 Project: Chevron - Aurora USX AB25-25

**Total Metals by 7199 - Quality Control
 Enthalpy Orange**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 392727 - EPA 3060A										
BLANK (QC1331442)										
					Prepared: 01/16/2026 Analyzed: 01/16/2026					
Hexavalent Chromium	ND	0.30	mg/Kg							ND
LCS (QC1331443)										
					Prepared: 01/16/2026 Analyzed: 01/16/2026					
Hexavalent Chromium	38.67	0.6000	mg/Kg	40.00		97	80-120			
Duplicate (QC1331444)										
					Source: 550713-001 Prepared: 01/16/2026 Analyzed: 01/16/2026					
Hexavalent Chromium	ND	0.3145	mg/Kg dry		0				30	ND
Matrix Spike (QC1331446)										
					Source: 550713-001 Prepared: 01/16/2026 Analyzed: 01/16/2026					
Hexavalent Chromium	40.80	0.6266	mg/Kg dry	41.77	0	98	70-130			

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Kayla Kenyon, Project Manager



Confluence Compliance Companies, LLC
403 1/2 Rockwood Lane
Grand Junction CO 81507

Brody Poss
Project Number: [none]
Project: Chevron - Aurora USX AB25-25

Notes and Definitions

- U Sample is Non-Detect.
- QR-DUP RPD exceeds QC acceptance criteria, this indicates source sample is not homogenous.
- QM-4X The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.
- ND Not Detected
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.