




## Site Diagram - Proposed Sampling

NOBLE ENERGY, INC. (Operator: 100322)  
 name (API/ID): WYSCAVER USX #CC05-25 (05-123-33489)  
 legal description: SESW Sec. 5 T4N-R63W  
 city, county: Unincorporated, Weld  
 lat, long: 40.337200, -104.465900



- Soil Sample: Collected by Previous Consultant (11/17/2023)
- Soil Sample: Collected by Previous Consultant (7/15/2025)
- Background Soil Sample: Collected by Previous Consultant (7/15/2025)
- Proposed Soil Sample
- Proposed Background Soil Sample
- Approximate Flowline Location (Abandoned in Place)
- NRCS Soil Survey: Map Unit Boundary




TABLE 1  
 FIELD DATA SUMMARY TABLE  
 NOBLE 100322  
 Wycaver USX CC05-25, WELD COUNTY, COLORADO  
 REM # 31838

Sample ID	Sample Date	Depth (ft)	GPS Data	
			Latitude	Longitude
31838-WH-01-E-SO-6-20250715	7/15/2025	6	40.3371970	-104.4658590
31838-WH-01-E-SO-8-20250715	7/15/2025	8	40.3371970	-104.4658590
31838-WH-01-E-SO-10-20250715	7/15/2025	10	40.3371970	-104.4658590
31838-WH-01-N-SO-6-20250715	7/15/2025	6	40.3372300	-104.4659020
31838-WH-01-N-SO-8-20250715	7/15/2025	8	40.3372300	-104.4659020
31838-WH-01-N-SO-10-20250715	7/15/2025	10	40.3372300	-104.4659020
31838-WH-01-S-SO-6-20250715	7/15/2025	6	40.3371690	-104.4658950
31838-WH-01-S-SO-8-20250715	7/15/2025	8	40.3371690	-104.4658950
31838-WH-01-S-SO-10-20250715	7/15/2025	10	40.3371690	-104.4658950
31838-WH-01-W-SO-6-20250715	7/15/2025	6	40.3372000	-104.4659380
31838-WH-01-W-SO-8-20250715	7/15/2025	8	40.3372000	-104.4659380
31838-WH-01-W-SO-10-20250715	7/15/2025	10	40.3372000	-104.4659380
31838-FL-01-SO-4-20250715	7/15/2025	4	40.3372020	-104.4658970
31838-FL-01-SO-8-20250715	7/15/2025	8	40.3372020	-104.4658970
31838-FL-01-SO-10-20250715	7/15/2025	10	40.3372020	-104.4658970
31838-FL-02-SO-4-20250715	7/15/2025	4	40.3376050	-104.4650350
31838-FL-03-SO-4-20250715	7/15/2025	4	40.3376190	-104.4639960
31838-FL-04-SO-4-20250715	7/15/2025	4	40.3375900	-104.4630640
31838-FL-05-SO-4-20250715	7/15/2025	4	40.3375970	-104.4618280
31838-FL-06-SO-4-20250715	7/15/2025	4	40.3367550	-104.4618300
31838-BG-01-SO-4-20250715	7/15/2025	4	40.3370310	-104.4650940
31838-BG-01-SO-8-20250715	7/15/2025	8	40.3370310	-104.4650940
31838-BG-02-SO-4-20250715	7/15/2025	4	40.3379910	-104.4639660
31838-BG-02-SO-8-20250715	7/15/2025	8	40.3379910	-104.4639660
31838-BG-03-SO-4-20250715	7/15/2025	4	40.3370970	-104.4630620
31838-BG-03-SO-8-20250715	7/15/2025	8	40.3370970	-104.4630620

1. Global Positioning System (GPS) data is provided in decimal degrees using North American Datum (NAD) 83 UTMZone 13 North.

2. Volatile organic compound (VOC) concentrations are measured in the field using a photoionization detector (PID).

ft = Feet

All samples collected by previous consultants

TABLE 2  
SUMMARY OF VOLATILE ORGANIC SOIL CHEMISTRY DATA  
NOBLE 100322  
Wyscaver USX CC05-25, WELD COUNTY, COLORADO  
REM # 31838

Sample ID	Sample Date	Depth (ft)	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-Benzene (mg/kg)	Xylenes (mg/kg)	1,2,4-Trimethyl-Benzene (mg/kg)	1,3,5-Trimethyl-Benzene (mg/kg)	Naphthalene (mg/kg)	TPH (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			1.2	490	5.8	58	30	27	2	500	500**		
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.0026	0.69	0.78	9.9	0.0081	0.0087	0.0038	500	500**		
31838-WH-01-E-SO-6-20250715	7/15/2025	6	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-WH-01-E-SO-8-20250715	7/15/2025	8	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-WH-01-E-SO-10-20250715	7/15/2025	10	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-WH-01-N-SO-6-20250715	7/15/2025	6	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-WH-01-N-SO-8-20250715	7/15/2025	8	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	6.70	<0.100	<4.00	6.70
31838-WH-01-N-SO-10-20250715	7/15/2025	10	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-WH-01-S-SO-6-20250715	7/15/2025	6	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-WH-01-S-SO-8-20250715	7/15/2025	8	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-WH-01-S-SO-10-20250715	7/15/2025	10	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-WH-01-W-SO-6-20250715	7/15/2025	6	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-WH-01-W-SO-8-20250715	7/15/2025	8	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-WH-01-W-SO-10-20250715	7/15/2025	10	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-FL-01-SO-4-20250715	7/15/2025	4	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	152.5	<0.100	50.5	102
31838-FL-01-SO-8-20250715	7/15/2025	8	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-FL-01-SO-10-20250715	7/15/2025	10	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	15.14	<0.100	4.14	11.0
31838-FL-02-SO-4-20250715	7/15/2025	4	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	7.04	<0.100	<4.00	7.04
31838-FL-03-SO-4-20250715	7/15/2025	4	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	8.97	<0.100	<4.00	8.97
31838-FL-04-SO-4-20250715	7/15/2025	4	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	14.2	<0.100	<4.00	14.2
31838-FL-05-SO-4-20250715	7/15/2025	4	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	<500	<0.100	<4.00	<4.00
31838-FL-06-SO-4-20250715	7/15/2025	4	<0.00100	<0.0100	<0.0100	<0.100	<0.00500	<0.00500	<0.00300	4.57	<0.100	<4.00	4.57

1. Bold values exceed the ECMC Table 915-1 limit(s)  
2. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL)  
3. \* Indicates laboratory minimum detection limit in excess of SSL  
4. \*\* Summation of GRO+DRO+ORO must be less than 500 mg/kg  
ECMC = Energy & Carbon Management Commission  
(-) = Analytical result is less than the indicated laboratory reporting limit.  
TPH-GRO = Total petroleum hydrocarbons - gasoline range organics  
TPH-DRO = Total petroleum hydrocarbons - diesel range organics  
TPH-ORO = Total petroleum hydrocarbons - oil range organics  
mg/kg = Milligrams per kilogram  
ft = Feet  
NA - Not analyzed  
Samples are reported as dry weight unless otherwise indicated in the laboratory PDF report(s).  
All samples collected by previous consultants

TABLE 3  
SUMMARY OF POLYCYCLIC AROMATIC HYDROCARBON SOIL CHEMISTRY DATA  
NOBLE 100322  
Wyscaver USX CC05-25, WELD COUNTY, COLORADO  
REM # 31838

Sample ID	Sample Date	Depth (ft)	Acenaphthene (mg/kg)	Anthracene (mg/kg)	Benzo (a) Anthracene (mg/kg)	Benzo (a) Pyrene (mg/kg)	Benzo (b) Fluoranthene (mg/kg)	Benzo (k) Fluoranthene (mg/kg)	Chrysene (mg/kg)	Dibenzo (a,h) Anthracene (mg/kg)	Fluoranthene (mg/kg)	Fluorene (mg/kg)	Indeno (1,2,3-cd) Pyrene (mg/kg)	Pyrene (mg/kg)	1-Methyl - Naphthalene (mg/kg)	2-Methyl - Naphthalene (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			360	1800	1.1	0.11	1.1	11	110	0.11	240	240	1.1	180	18	24
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.55	5.8	0.011	0.24	0.3	2.9	9	0.096	8.9	0.54	0.98	1.3	0.006	0.019
31838-WH-01-E-SO-6-20250715	7/15/2025	6	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-E-SO-8-20250715	7/15/2025	8	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-E-SO-10-20250715	7/15/2025	10	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-N-SO-6-20250715	7/15/2025	6	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-N-SO-8-20250715	7/15/2025	8	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-N-SO-10-20250715	7/15/2025	10	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-S-SO-6-20250715	7/15/2025	6	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-S-SO-8-20250715	7/15/2025	8	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-S-SO-10-20250715	7/15/2025	10	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-W-SO-6-20250715	7/15/2025	6	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-W-SO-8-20250715	7/15/2025	8	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-WH-01-W-SO-10-20250715	7/15/2025	10	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-FL-01-SO-4-20250715	7/15/2025	4	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-FL-01-SO-8-20250715	7/15/2025	8	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-FL-01-SO-10-20250715	7/15/2025	10	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-FL-02-SO-4-20250715	7/15/2025	4	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-FL-03-SO-4-20250715	7/15/2025	4	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-FL-04-SO-4-20250715	7/15/2025	4	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120
31838-FL-06-SO-4-20250715	7/15/2025	4	<0.0330	<0.0330	<0.00600	<0.0300	<0.0330	<0.0330	<0.0330	<0.0300	<0.0300	<0.0330	<0.0330	<0.0330	<0.00300	<0.0120

1. Bold values exceed the ECMC Table 915-1 limit(s)  
2. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL)  
3. \* Indicates laboratory minimum detection limit in excess of SSL  
(<) = Analytical result is less than the indicated laboratory reporting limit.  
ECMC = Energy & Carbon Management Commission  
mg/kg = Milligrams per kilogram  
ft = Feet  
NA - Not analyzed  
Samples are reported as dry weight unless otherwise indicated in the laboratory PDF report(s).  
All samples collected by previous consultants

TABLE 4  
SUMMARY OF SOIL SUITABILITY FOR RECLAMATION  
NOBLE 100322  
Wyscaver USX CC05-25, WELD COUNTY, COLORADO  
REM # 31838

Sample ID	Sample Date	Depth (ft)	pH (Standard Units)	EC (mmhos/cm)	SAR (Standard Units)	Boron (mg/L)
ECMC Table 915-1 Soil Suitability Limits			6 - 8.3	<4	<6	2
31838-WH-01-E-SO-6-20250715	7/15/2025	6	<b>8.36</b>	0.311	0.561	<0.100
31838-WH-01-E-SO-8-20250715	7/15/2025	8	<b>8.56</b>	0.271	0.343	<0.100
31838-WH-01-E-SO-10-20250715	7/15/2025	10	8.29	0.439	0.930	<0.100
31838-WH-01-N-SO-6-20250715	7/15/2025	6	8.19	0.330	0.616	<0.100
31838-WH-01-N-SO-8-20250715	7/15/2025	8	<b>8.31</b>	0.358	0.442	<0.100
31838-WH-01-N-SO-10-20250715	7/15/2025	10	8.09	0.514	0.608	<0.100
31838-WH-01-S-SO-6-20250715	7/15/2025	6	7.93	0.942	1.75	<0.100
31838-WH-01-S-SO-8-20250715	7/15/2025	8	8.22	0.498	0.326	<0.100
31838-WH-01-S-SO-10-20250715	7/15/2025	10	8.10	0.738	0.852	<0.100
31838-WH-01-W-SO-6-20250715	7/15/2025	6	7.93	0.661	0.557	<0.100
31838-WH-01-W-SO-8-20250715	7/15/2025	8	8.25	0.393	0.304	<0.100
31838-WH-01-W-SO-10-20250715	7/15/2025	10	8.09	0.811	2.11	0.192
31838-FL-01-SO-4-20250715	7/15/2025	4	7.88	1.01	0.745	0.147
31838-FL-01-SO-8-20250715	7/15/2025	8	<b>9.39</b>	1.34	5.92	<0.100
31838-FL-01-SO-10-20250715	7/15/2025	10	<b>9.24</b>	0.491	4.01	0.176
31838-FL-02-SO-4-20250715	7/15/2025	4	7.70	0.0956	0.129	<0.100
31838-FL-03-SO-4-20250715	7/15/2025	4	7.60	0.0967	0.115	<0.100
31838-FL-04-SO-4-20250715	7/15/2025	4	7.29	0.179	0.166	<0.100
31838-FL-05-SO-4-20250715	7/15/2025	4	7.32	0.106	0.154	<0.100
31838-FL-06-SO-4-20250715	7/15/2025	4	8.12	0.218	0.235	<0.100
31838-BG-01-SO-4-20250715	7/15/2025	4	7.70	0.199	0.197	<0.100
31838-BG-01-SO-8-20250715	7/15/2025	8	8.28	0.572	2.18	<0.100
31838-BG-02-SO-4-20250715	7/15/2025	4	8.30	0.220	0.231	<0.100
31838-BG-02-SO-8-20250715	7/15/2025	8	8.08	0.298	0.269	<0.100
31838-BG-03-SO-4-20250715	7/15/2025	4	<b>8.45</b>	0.182	0.0887	<0.100
31838-BG-03-SO-8-20250715	7/15/2025	8	<b>8.81</b>	0.166	0.456	<0.100
Maximum Background Concentration			8.81	0.572	2.18	<0.100

1. **Bold** faced values exceed the ECMC Table 915-1 limit(s), but are within background concentrations.

2. **Red** faced values exceed the ECMC Table 915-1 limit(s) and native background concentrations.

3. **Brown highlighted** soil analytical values indicate a regulatory exceedance.

ECMC = Energy & Carbon Management Commission

EC = Specific Conductance

SAR = Sodium Adsorption Ratio

mg/L = milligrams per liter

mmhos/cm = millimhos per centimeter

ft = Feet

NA - Not analyzed

Samples are reported as dry weight unless otherwise indicated in the laboratory PDF report(s).

*All samples collected by previous consultants*

TABLE 5  
SUMMARY OF METALS IN SOIL CHEMISTRY DATA  
NOBLE 100322  
Wyscaver USX CC05-25, WELD COUNTY, COLORADO  
REM # 31838

Sample ID	Sample Date	Depth (ft)	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			0.68	15000	71	0.3	3100	400	1500	390	390	23000
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
31838-WH-01-E-SO-6-20250715	7/15/2025	6	1.61	66.7	<0.100	<0.200	<10.0	<10.0	<10.0	<0.100	<0.500	<50.0
31838-WH-01-E-SO-8-20250715	7/15/2025	8	1.54	54.2	<0.100	<0.200	<10.0	<10.0	<10.0	0.101	<0.500	<50.0
31838-WH-01-E-SO-10-20250715	7/15/2025	10	3.86	67.3	0.107	<0.200	<10.0	<10.0	<10.0	0.146	<0.500	<50.0
31838-WH-01-N-SO-6-20250715	7/15/2025	6	1.75	78.1	<0.100	<0.200	<10.0	<10.0	<10.0	0.118	<0.500	<50.0
31838-WH-01-N-SO-8-20250715	7/15/2025	8	1.60	43.7	<0.100	<0.200	<10.0	<10.0	<10.0	<0.100	<0.500	<50.0
31838-WH-01-N-SO-10-20250715	7/15/2025	10	3.06	33.9	<0.100	<0.200	<10.0	<10.0	<10.0	<0.100	<0.500	<50.0
31838-WH-01-S-SO-6-20250715	7/15/2025	6	1.42	60.0	<0.100	<0.200	<10.0	<10.0	<10.0	<0.100	<0.500	<50.0
31838-WH-01-S-SO-8-20250715	7/15/2025	8	1.35	41.6	<0.100	<0.200	<10.0	<10.0	<10.0	0.104	<0.500	<50.0
31838-WH-01-S-SO-10-20250715	7/15/2025	10	3.96	87.0	0.110	<0.200	<10.0	<10.0	<10.0	0.134	<0.500	<50.0
31838-WH-01-W-SO-6-20250715	7/15/2025	6	2.04	42.1	<0.100	<0.200	<10.0	<10.0	<10.0	<0.100	<0.500	<50.0
31838-WH-01-W-SO-8-20250715	7/15/2025	8	1.74	49.1	<0.100	<0.200	<10.0	<10.0	<10.0	0.285	<0.500	<50.0
31838-WH-01-W-SO-10-20250715	7/15/2025	10	4.67	99.6	0.144	<0.200	<10.0	<10.0	<10.0	0.393	<0.500	<50.0
31838-FL-01-SO-4-20250715	7/15/2025	4	2.25	178	0.200	0.277	<10.0	<10.0	<10.0	0.255	<0.500	<50.0
31838-FL-01-SO-8-20250715	7/15/2025	8	2.42	147	<0.100	<0.200	<10.0	<10.0	<10.0	0.157	<0.500	<50.0
31838-FL-01-SO-10-20250715	7/15/2025	10	3.58	80.4	0.115	<0.200	<10.0	<10.0	<10.0	0.183	<0.500	<50.0
31838-FL-02-SO-4-20250715	7/15/2025	4	2.14	70.1	<0.100	<0.200	<10.0	<10.0	<10.0	0.141	<0.500	<50.0
31838-FL-03-SO-4-20250715	7/15/2025	4	1.16	35.3	<0.100	<0.200	<10.0	<10.0	<10.0	0.115	<0.500	<50.0
31838-FL-04-SO-4-20250715	7/15/2025	4	1.81	71.7	0.125	<0.200	<10.0	<10.0	<10.0	0.171	<0.500	<50.0
31838-FL-05-SO-4-20250715	7/15/2025	4	1.24	44.4	<0.100	<0.200	<10.0	<10.0	<10.0	<0.100	<0.500	<50.0
31838-FL-06-SO-4-20250715	7/15/2025	4	2.28	74.5	<0.100	<0.200	<10.0	<10.0	<10.0	0.164	<0.500	<50.0
31838-BG-01-SO-4-20250715	7/15/2025	4	1.33	66.8	0.124	<0.200	<10.0	<10.0	<10.0	0.175	<0.500	<50.0
31838-BG-01-SO-8-20250715	7/15/2025	8	2.70	95.7	<0.100	<0.200	<10.0	<10.0	<10.0	0.200	<0.500	<50.0
31838-BG-02-SO-4-20250715	7/15/2025	4	1.49	43.7	<0.100	<0.200	<10.0	<10.0	<10.0	0.160	<0.500	<50.0
31838-BG-02-SO-8-20250715	7/15/2025	8	1.11	34.5	<0.100	<0.200	<10.0	<10.0	<10.0	<0.100	<0.500	<50.0
31838-BG-03-SO-4-20250715	7/15/2025	4	2.54	66.0	<0.100	<0.200	<10.0	<10.0	<10.0	0.169	<0.500	<50.0
31838-BG-03-SO-8-20250715	7/15/2025	8	1.38	35.8	<0.100	<0.200	<10.0	<10.0	<10.0	<0.100	<0.500	<50.0
1.25x Maximum Background Concentration			3.38	119.6	0.155	<0.200	<10.0	<10.0	<10.0	0.250	<0.500	<50.0

1. Bold faced values exceed the ECMC Table 915-1 limit(s), but are within 1.25x background concentrations.

2. Bold faced values exceed the ECMC Table 915-1 limit(s) and native background concentrations.

3. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL).

4. Non-detect background results accounted for in the highest background concentration by using the reporting limit.

ECMC = Energy & Carbon Management Commission

(-) = Analytical result is less than the indicated laboratory reporting limit.

mg/kg = Milligrams per kilogram

ft = Feet

\* Indicates laboratory minimum detection limit in excess of SSL

NA - Not analyzed

Samples are reported as dry weight unless otherwise indicated in the laboratory PDF report(s).

All samples collected by previous consultants