



* * * * *
* SCHLUMBERGER *
* * * * *

HIGH RESOLUTION

DIPMETER

* * * * *
 *
 * DIP FREQUENCY BY AZIMUTH *
 * 0-10 DEGREE DIPS *
 *
 * * * * *



QUALITY CONTRL- LISTED ARE DIPS WITHIN A QUALITY RANGE OF 10% TO 100%

PRESENTATION 210 240 W 300 330 N 30 60 E 120 150 S

200-	300											
300-	400											
400-	500								3			
500-	600											
600-	700											
700-	800											
800-	900											
900-	1000											
1000-	1100											
1100-	1200											
1200-	1300											
1300-	1400											
1400-	1500											
1500-	1600											
1600-	1700											
1700-	1800											
1800-	1900								1			
1900-	2000					2	2					
2000-	2100											
2100-	2200											
2200-	2300											

2300- 2400

2400- 2500

2500- 2600

2600- 2700

2700- 2800

2800- 2900

5

2900- 3000

1 1 1 1 1

3000- 3100

1 1 3 1 1

3100- 3200

1 2 2 3

3200- 3300

1 2 1

3300- 3400

2

3400- 3500

1 2 1 1 2

 *
 * DIP FREQUENCY BY AZIMUTH *
 * 10-90 DEGREE DIPS *
 *

QUALITY CONTROL- LISTED ARE DIPS WITHIN A QUALITY RANGE OF 10% TO 100%

PRESENTATION	210	240	W	300	330	N	30	60	E	120	150	S
200- 300							1	3				
300- 400		5	2		1		5	33	1			1
400- 500						1	25	17	1			
500- 600							40	10				
600- 700							11	37	1			
700- 800							31	17				
800- 900							34	9				
900- 1000							44	3				2
1000- 1100							45	3				
1100- 1200		1				6	41	2				
1200- 1300							46	2				
1300- 1400							48					
1400- 1500							34	7	1		2	
1500- 1600		1		1			3	28				
1600- 1700							34	13		1	1	
1700- 1800	1					2	39	2	1			1
1800- 1900						1	44		1	1		
1900- 2000				1		5	38					
2000- 2100							48					
2100- 2200							48				1	1
2200- 2300	1						45	3				

2300- 2400					1	48							
2400- 2500			3		1		40	3					
2500- 2600				2		15	29	2					
2600- 2700	1	1				12	34						
2700- 2800				1	1	8	39						
2800- 2900	1	1		2	1	10	12	3			1	2	
2900- 3000				4	21	11	2	1			1		
3000- 3100		2		16	18	5							
3100- 3200			11	7	17	3	1						
3200- 3300		2	7		1	12	18			1			
3300- 3400		2	1		3	19	19	2	1				
3400- 3500	2	3	4	3	4	13	10	4	1	1	3	3	

 *
 * DIP FREQUENCY BY AZIMUTH *
 * 0-10 DEGREE DIPS *
 *

QUALITY CONTROL- LISTED ARE DIPS WITHIN A QUALITY RANGE OF 10% TO 100%

PRESENTATION 30 60 E 120 150 S 210 240 W 300 330 N

200-	300											
300-	400											
400-	500			3								
500-	600											
600-	700											
700-	800											
800-	900											
900-	1000											
1000-	1100											
1100-	1200											
1200-	1300											
1300-	1400											
1400-	1500											
1500-	1600											
1600-	1700											
1700-	1800											
1800-	1900	1										
1900-	2000	2										2
2000-	2100											
2100-	2200											
2200-	2300											

2300- 2400

2400- 2500

2500- 2600

2600- 2700

2700- 2800

2800- 2900

5

2900- 3000

1

1

1

1

1

3000- 3100

1

1

3

1

1

3100- 3200

1

2

2

3

3200- 3300

1

1

2

3300- 3400

2

3400- 3500

1

2

1

2

1