

\* \* \* \* \*  
 \* \* \* \* \*  
 \* DIP FREQUENCY BY AZIMUTH \*  
 \* 0-90 DEGREE DIPS \*  
 \* \* \* \* \*  
 \* \* \* \* \*



QUALITY CONTRL- LISTED ARE DIPS WITHIN A QUALITY RANGE OF 10% TO 100%  
 -----

| PRESENTATION | 30 | 60 | E | 120 | 150 | S | 210 | 240 | W | 300 | 330 | N |
|--------------|----|----|---|-----|-----|---|-----|-----|---|-----|-----|---|
| 200- 300     | 1  | 3  |   |     |     |   |     |     |   |     |     |   |
| 300- 400     | 5  | 33 | 1 |     |     | 1 |     | 5   | 2 |     | 1   |   |
| 400- 500     | 25 | 17 | 4 |     |     |   |     |     |   |     |     | 1 |
| 500- 600     | 40 | 10 |   |     |     |   |     |     |   |     |     |   |
| 600- 700     | 11 | 37 | 1 |     |     |   |     |     |   |     |     |   |
| 700- 800     | 31 | 17 |   |     |     |   |     |     |   |     |     |   |
| 800- 900     | 34 | 9  |   |     |     |   |     |     |   |     |     |   |
| 900- 1000    | 44 | 3  |   |     |     | 2 |     |     |   |     |     |   |
| 1000- 1100   | 45 | 3  |   |     |     |   |     |     |   |     |     |   |
| 1100- 1200   | 41 | 2  |   |     |     |   |     | 1   |   |     |     | 6 |
| 1200- 1300   | 46 | 2  |   |     |     |   |     |     |   |     |     |   |
| 1300- 1400   | 48 |    |   |     |     |   |     |     |   |     |     |   |
| 1400- 1500   | 34 | 7  | 1 |     | 2   |   |     |     |   |     |     |   |
| 1500- 1600   | 3  | 28 |   |     |     |   |     | 1   |   | 1   |     |   |
| 1600- 1700   | 34 | 13 |   | 1   | 1   |   |     |     |   |     |     |   |
| 1700- 1800   | 39 | 2  | 1 |     |     | 1 | 1   |     |   |     |     | 2 |
| 1800- 1900   | 45 |    | 1 | 1   |     |   |     |     |   |     |     | 1 |
| 1900- 2000   | 40 |    |   |     |     |   |     |     |   |     | 1   | 7 |
| 2000- 2100   | 48 |    |   |     |     |   |     |     |   |     |     |   |
| 2100- 2200   | 48 |    |   |     | 1   | 1 |     |     |   |     |     |   |
| 2200- 2300   | 45 | 3  |   |     |     |   |     | 1   |   |     |     |   |

|            |    |   |  |  |   |   |   |   |    |    |    |    |   |    |
|------------|----|---|--|--|---|---|---|---|----|----|----|----|---|----|
| 2300- 2400 | 48 |   |  |  |   |   |   |   |    |    |    | 1  |   |    |
| 2400- 2500 | 40 | 3 |  |  |   |   | 3 |   |    | 1  |    |    |   |    |
| 2500- 2600 | 29 | 2 |  |  |   |   |   |   | 2  |    |    | 15 |   |    |
| 2600- 2700 | 34 |   |  |  | 1 | 1 |   |   |    |    |    | 12 |   |    |
| 2700- 2800 | 39 |   |  |  |   |   |   |   | 1  | 1  |    | 8  |   |    |
| 2800- 2900 | 12 | 3 |  |  | 1 | 2 | 1 | 1 |    | 2  | 1  | 15 |   |    |
| 2900- 3000 | 3  | 1 |  |  | 1 | 1 |   |   |    | 5  | 22 | 12 |   |    |
| 3000- 3100 |    |   |  |  |   |   | 1 | 2 | 1  | 19 | 19 | 6  |   |    |
| 3100- 3200 | 1  |   |  |  |   |   |   | 1 | 13 | 9  | 20 | 3  |   |    |
| 3200- 3300 | 19 |   |  |  | 1 |   |   | 2 | 7  | 1  | 1  | 14 |   |    |
| 3300- 3400 | 19 | 2 |  |  | 3 |   |   | 2 | 1  |    | 3  | 19 |   |    |
| 3400- 3500 | 11 | 6 |  |  | 1 | 1 | 3 | 3 | 2  | 4  | 4  | 5  | 4 | 14 |