



00266028

RECEIVED

JUL 5 1973

COLA. OIL & GAS CONS. COMM.

\*\*\*\*\*  
\*  
\*\*\*\*\*  
\* SCHLUMBERGER \*  
\*\*\*\*\*

HIGH RESOLUTION

DIPMETER

\*\*\*\*\*

D-0679 RESULT TAPE

HDT-C 4-ARM EPS 6050 PROGRAM

BURTON-HAWKS EXPLORATION CO. LTD

WILDCAT

29-1 STATE

JACKSON, COLORADO

RUN NUMBER ONE

15 JUNE 73

CORRELATION INTERVAL      4 FEET  
STEP LENGTH                    2 FEET  
SEARCH ANGLE                   45 DEGREES

\*\*\*\*\*

* DEPTH	BIP	DIP	DEV	DEV	DIAM	DIAM	LG	G	PLA	CLR	MAX	*	
*		AZH		AZH	1-3	2-4	GI					*	
*	1426	23.0	39	5.5	234	8.7	8.4		A	100	100	73	*
*	1428	23.7	41	5.5	233	8.6	8.4	**	A	100	100	85	*
*	1430	23.4	42	5.6	233	8.6	8.4	**	A	100	100	84	*
*	1432	22.8	42	5.6	234	8.6	8.4	**	A	100	100	86	*
*	1434	22.8	42	5.6	234	8.6	8.4	**	A	100	100	85	*
*	1436	23.1	41	5.6	233	8.6	8.4	**	A	100	100	82	*
*	1438	23.1	42	5.6	233	8.7	8.4	**	A	100	100	80	*
*	1440	22.6	43	5.7	234	8.7	8.4		A	100	100	55	*
*	1442	22.0	42	5.7	233	8.6	8.4	**	A	100	100	91	*
*	1444	21.9	40	5.7	233	8.9	8.5		D	0	100	57	*
*	1446	64.1	347	5.7	232	9.0	8.6	*	0	0	0	83	*
*	1448	65.7	340	5.8	232	8.8	8.4	*	0	0	0	77	*
*	1450	22.6	37	5.8	232	8.7	8.5	*	0	22	62	62	*
*	1452	42.8	20	5.8	231	8.7	8.5		B	0	100	72	*
*	1454	23.8	45	5.8	232	8.7	8.4	*	0	0	0	79	*
*	1456	26.2	43	5.8	232	8.7	8.4	**	A	64	100	79	*
*	1458	25.7	42	5.8	231	8.6	8.4	**	A	94	100	81	*
*	1460	23.2	41	5.9	231	8.6	8.4	**	A	100	100	87	*
*	1462	23.6	39	5.9	232	8.6	8.4	**	A	100	100	76	*
*	1464	21.0	42	5.8	230	8.6	8.4	**	A	100	100	87	*
*	1466	29.5	42	5.9	231	8.7	8.4		D	100	81	74	*
*	1468	29.1	42	5.9	232	8.9	8.4	*	0	0	0	60	*
*	1470	46.2	164	5.9	231	8.8	8.4		D	0	83	69	*
*	1472	15.5	94	5.9	229	8.7	8.4	*	0	14	77	77	*
*	1474	16.4	34	5.9	230	8.8	8.4	**	D	20	59	21	*
*	1476	NO CORR		5.9	230	8.9	8.5						*
*	1478	26.2	57	5.9	230	8.9	8.5		D	0	100	8	*
*	1480	33.9	65	5.9	230	8.8	8.5	**	A	79	84	53	*
*	1482	36.4	66	5.9	230	8.8	8.5	**	C	58	100	31	*
*	1484	38.8	72	6.0	230	8.8	8.4		C	0	100	45	*
*	1486	37.3	158	6.0	230	8.7	8.4		C	10	100	59	*
*	1488	21.9	40	6.0	229	8.7	8.5		C	10	100	72	*
*	1490	23.6	42	6.0	231	8.7	8.5		A	0	100	87	*
*	1492	24.1	47	6.0	234	8.7	8.4	**	A	100	100	75	*
*	1494	NO CORR		6.0	235	8.7	8.4						*
*	1496	24.5	50	5.9	235	8.7	8.5		A	0	100	41	*
*	1498	34.7	68	6.0	234	8.7	8.5	*	0	46	53	53	*
*	1500	25.1	51	6.1	233	8.7	8.4	**	A	100	100	84	*
*	1502	24.7	51	6.1	234	8.6	8.4	**	A	100	100	76	*
*	1504	24.3	51	6.1	234	8.6	8.4	**	A	100	100	74	*

\*\*\*\*\*

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LB   Q   PLA   CLR   MAX   *
*           AZH           AZH     1-3   2-4   GI           *
*****
*
*   1506   25.0   52   6.1   234   8.7   8.4   **   A   100   100   80   *
*   1508   25.4   52   6.1   233   8.7   8.5   **   A   100   100   88   *
*   1510   26.0   52   6.1   233   8.7   8.5   **   B   100   100   89   *
*   1512   25.0   51   6.1   233   8.7   8.5   **   C   100   100   84   *
*   1514   26.1   52   6.1   234   8.7   8.5   **   A   100   100   93   *
*   1516   26.4   53   6.1   234   8.7   8.5   **   A   100   100   93   *
*   1518   28.5   52   6.2   234   8.8   8.5   **   A   100   100   96   *
*   1520   28.1   52   6.2   234   8.8   8.5   **   A   100   100   94   *
*   1522   25.3   48   6.1   234   8.9   8.5   **   A   100   100   70   *
*   1524   32.8   49   6.1   234   8.9   8.5   **   C   39   100   94   *
*   1526   37.7   57   6.1   235   9.2   8.5   **   B   100   100   89   *
*   1528   37.8   56   6.2   234   9.2   8.5   **   B   100   100   88   *
*   1530   32.3   57   6.2   232   9.0   8.5           A   0   100   57   *
*   1532   34.1   58   6.2   233   9.0   8.4   **   A   100   100   74   *
*   1534   64.2   310  6.2   232   9.4   8.4           C   0   100   35   *
*   1538   44.5   249  6.2   232   10.0   8.5           *   0   28   35   *
*   1540   NB CORR           6.2   230   10.1   8.4           *           *
*   1542   NB CORR           6.2   229   10.2   8.4           *           *
*   1544   NB CORR           6.2   230   10.2   8.4           *           *
*   1546   NB CORR           6.2   233   10.1   8.4           *           *
*   1550   NB CORR           6.3   230   10.0   8.5           *           *
*   1552   NB CORR           6.3   228   10.0   8.5           *           *
*   1554   64.3   53   6.4   230   10.1   8.5           A   0   100   64   *
*   1556   NB CORR           6.4   233   10.2   8.5           *           *
*   1558   NB CORR           6.4   232   10.0   8.5           *           *
*   1560   NB CORR           6.4   227   9.7   8.5           *           *
*   1562   63.9   51   6.4   228   9.5   8.6           A   0   100   42   *
*   1564   NB CORR           6.4   229   9.3   8.5           *           *
*   1566   46.9   3   6.4   228   9.3   8.5           *   0   0   51   *
*   1568   NB CORR           6.5   229   9.3   8.5           *           *
*   1570   NB CORR           6.5   228   9.3   8.5           *           *
*   1572   56.9   54   6.5   228   9.3   8.5           *   0   44   28   *
*   1574   48.2   50   6.5   230   9.3   8.5           A   0   100   59   *
*   1576   51.6   53   6.5   231   9.2   8.5           B   0   60   61   *
*   1578   48.7   45   6.5   232   9.2   8.5           *   0   100   71   *
*   1580   56.8   82   6.6   232   9.3   8.5           *   0   0   12   *
*   1582   NB CORR           6.6   231   9.3   8.5           *           *
*   1584   42.5   48   6.5   229   9.2   8.5   **   C   100   100   57   *
*   1586   40.6   48   6.5   230   9.0   8.5           *   0   100   80   *
*   1588   41.8   46   6.6   229   8.8   8.5   **   *   100   100   83   *
*****
    
```

* DEPTH	DIP	DIP AZH	DEV	DEV AZH	DIAM 1-3	DIAM 2-4	LG	G	PLA	CLB	MAX	*
290	16.5	14	1.0	240	10.8	10.8	**	C	100	100	86	*
292	16.6	27	1.1	254	8.9	9.0	**	D	100	100	77	*
294	17.5	51	1.0	273	8.4	8.4	**	A	100	100	78	*
296	17.5	53	1.0	275	8.3	8.4	**	C	100	100	87	*
298	17.4	53	1.0	273	8.3	8.5		A	100	100	81	*
300	17.4	54	1.0	272	8.3	8.6	**	A	100	100	70	*
302	17.8	52	1.0	276	8.3	8.5	**	A	100	100	78	*
304	20.0	53	1.0	283	8.3	8.4	**	A	59	100	73	*
306	19.0	54	.9	287	8.4	8.5	**	C	58	100	88	*
308	18.0	50	.9	284	8.4	8.5	**	B	100	100	85	*
310	18.2	49	.9	279	8.4	8.4	**	A	100	100	91	*
312	17.3	48	1.0	276	8.3	8.4	**	B	100	100	89	*
314	17.3	47	1.0	275	8.4	8.4	**	A	65	100	94	*
316	17.8	48	1.1	275	8.4	8.5	**	A	100	100	92	*
318	17.4	49	1.0	274	8.4	8.5	**	A	100	100	80	*
320	17.8	47	1.0	272	8.4	8.5		A	0	100	65	*
322	18.1	45	1.0	271	8.4	8.5	**	A	100	100	69	*
324	18.2	46	1.0	273	8.4	8.5	**	A	100	100	79	*
326	17.7	48	1.0	272	8.3	8.5	**	A	100	100	79	*
328	17.7	48	1.0	270	8.3	8.5	**	A	100	100	82	*
330	18.5	49	1.1	270	8.4	8.6	**	A	100	100	81	*
332	18.9	49	1.0	272	8.4	8.7	**	B	100	100	84	*
334	18.6	47	1.1	271	8.5	8.7	**	B	100	100	83	*
336	17.9	47	1.1	272	8.5	8.6	**	C	100	100	92	*
338	18.1	47	1.1	272	8.4	8.5	**	C	100	100	89	*
340	18.1	48	1.0	272	8.4	8.4	**	A	100	100	86	*
342	18.9	46	1.0	272	8.4	8.5	**	B	100	100	97	*
344	21.0	46	1.0	271	8.5	8.6	**	A	70	100	96	*
346	19.7	45	1.1	271	8.6	8.8	**	A	100	100	93	*
348	24.8	32	1.1	271	8.6	8.9		C	0	53	59	*
350	18.9	51	1.1	271	8.5	8.8		A	10	100	59	*
352	20.5	47	1.1	272	8.4	8.6		A	0	100	58	*
354	20.2	49	1.1	271	8.4	8.5	**	A	100	100	76	*
356	20.2	47	1.1	270	8.4	8.6	**	A	100	100	70	*
358	24.1	341	1.1	269	8.4	8.7		*	0	0	51	*
360	23.2	344	1.1	270	8.4	8.6		*	10	34	53	*
362	20.0	48	1.1	270	8.4	8.5	**	B	100	100	82	*
364	20.1	47	1.1	270	8.4	8.5		B	100	100	73	*
366	20.5	49	1.1	270	8.4	8.6		B	70	100	55	*
368	19.7	51	1.1	270	8.5	8.6	**	C	100	100	70	*

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LG   Q   PLA   CLR   MAX   *
*           AZH           AZH   1-3   2-4   GI           *
*****
*
*   370  20.1   50   1.1  271   8.5   8.7   *   C   100  100   54   *
*   372  19.7   42   1.1  271   8.5   8.6   **  B   100  100   68   *
*   374  21.9   40   1.1  271   8.4   8.5   *   *   0   11   54   *
*   376  NB CORR   1.2  270   8.4   8.6           *
*   378  23.7  252   1.2  269   8.3   8.5   *   C   0   96   78   *
*   380  26.1   44   1.2  269   8.3   8.5   **  B   100  100   95   *
*   382  26.1   44   1.2  270   8.4   8.5   **  A   100  100   81   *
*   384  30.5  274   1.2  270   8.4   8.5   **  B   82  100   34   *
*   386  32.0  275   1.2  269   8.4   8.7   *   *   84   38   63   *
*   388  63.8  226   1.2  269   8.4   8.9   *   C   0  100   40   *
*   390  64.7  227   1.2  269   8.5   8.7   *   C   0  100   79   *
*   392  42.8  225   1.2  269   8.4   8.7   *   B   0  100   62   *
*   394  45.0  228   1.2  269   8.5   8.8   **  B   100  100   43   *
*   396  19.3  179   1.2  270   8.6   8.8   *   *   0   27   46   *
*   398  42.1   84   1.2  270   8.7   8.8   *   C   0  100   25   *
*   400  37.9   89   1.2  270   8.6   8.8   *   *   0   14   39   *
*   402  19.5   42   1.2  269   8.5   8.5   **  B   100  100   47   *
*   404   1.1   76   1.2  269   8.4   8.4   **  *  100  100   77   *
*   406   1.1   82   1.2  269   8.4   8.5   **  *  100  100   93   *
*   408   1.2   79   1.2  267   8.4   8.7   **  *  100  100   85   *
*   410  17.3   44   1.2  268   8.5   8.8   **  C   100  100   59   *
*   412  17.9   44   1.2  269   8.4   8.6   **  D   100  100   93   *
*   414  17.7   44   1.2  269   8.4   8.5   **  A   100  100   66   *
*   416  18.1   44   1.2  269   8.4   8.6   **  B   100  100   83   *
*   418  18.7   46   1.3  268   8.4   8.8   **  A   100  100   91   *
*   420  19.5   44   1.2  268   8.5   9.0   **  A   100  100   97   *
*   422  19.1   45   1.3  268   8.7   9.0   **  A   100  100   95   *
*   424  20.0   42   1.3  269   8.6   8.9   *   A   55  100   64   *
*   426  18.8   42   1.3  270   8.6   8.9   **  C   100  100   74   *
*   428  18.4   43   1.3  270   8.7   8.9   **  C   100  100   85   *
*   430  19.1   43   1.3  270   8.6   8.8   **  A   100  100   94   *
*   432  19.2   43   1.3  270   8.5   8.7   **  A   100  100   96   *
*   434  19.0   50   1.3  270   8.5   8.8   *   B   0  100   98   *
*   436  55.6   99   1.3  271   8.5   8.8   *   *   0   0   70   *
*   438  16.7    6   1.4  273   8.5   8.9   *   B   100   52   63   *
*   440  18.6   45   1.4  274   8.6   9.0   **  A   100  100   98   *
*   442  20.9   45   1.5  277   9.0   9.1   **  B   100  100   89   *
*   446  18.6   45   1.6  276   9.2   9.4   **  A   100  100   55   *
*   448  18.7   43   1.5  276   9.3   9.4   **  A   100  100   79   *
*   450  18.4   44   1.6  276   9.3   9.4   **  A   100  100   85   *
*****
    
```

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LG   Q   PLA   CLS   MAX   *
*           AZH           AZH   1-3   2-4   01           *
*****
*
*   452   19.0   45   1.6   275   9.4   9.5   **   A   100   100   77   *
*   454   18.6   45   1.6   276   9.5   9.5   **   A   100   100   84   *
*   456   18.8   43   1.5   275   9.5   9.5   **   A   100   100   88   *
*   458   18.3   45   1.6   275   9.5   9.5   *    A   100   25   55   *
*   460   16.7   47   1.6   275   9.5   9.5   **   A   100   100   44   *
*   462   18.6   45   1.6   277   9.4   9.5   **   A   100   100   73   *
*   464   18.1   47   1.7   278   9.3   9.4   **   A   100   100   73   *
*   466   18.5   45   1.6   277   9.3   9.4   *    A   100   100   82   *
*   468   19.2   43   1.6   277   9.2   9.4   *    A   100   100   68   *
*   470   19.4   43   1.6   278   9.1   9.4   *    100   0   65   *
*   472   19.5   42   1.6   279   9.0   9.3   *    A   0   100   80   *
*   474   17.9   46   1.6   278   9.0   9.3   **   A   100   100   85   *
*   476   17.7   47   1.6   277   9.0   9.2   *    A   100   100   87   *
*   478   18.3   44   1.6   276   8.8   9.1   *    A   100   100   87   *
*   480   18.9   44   1.6   277   8.8   9.1   **   A   100   100   93   *
*   482   19.2   44   1.6   277   8.7   9.1   **   A   100   100   88   *
*   484   19.4   43   1.6   277   8.6   8.8   **   A   100   100   89   *
*   486   19.8   44   1.6   277   8.4   8.6   **   B   100   100   91   *
*   488   19.7   44   1.6   277   8.4   8.5   **   B   100   100   89   *
*   490   19.5   44   1.6   277   8.5   8.6   **   A   100   100   88   *
*   492   19.4   46   1.7   277   8.5   8.7   **   A   100   100   85   *
*   494   20.2   45   1.7   277   8.5   8.8   **   A   100   100   91   *
*   496   20.4   43   1.7   275   8.5   9.0   **   A   100   100   94   *
*   498   20.3   42   1.7   273   8.5   9.0   **   B   100   100   90   *
*   500   19.5   43   1.8   274   8.6   9.0   *    A   100   100   80   *
*   502   28.1   32   1.8   276   8.6   9.0   **   A   100   100   60   *
*   504   28.1   28   1.8   274   8.7   9.0   *    A   100   100   78   *
*   506   18.7   41   1.8   273   8.7   9.0   *    A   100   100   61   *
*   508   18.5   43   1.8   273   8.6   9.0   **   A   100   100   70   *
*   510   18.8   42   1.9   272   8.5   8.9   **   A   100   100   79   *
*   512   19.2   41   1.9   273   8.5   8.9   **   A   100   100   66   *
*   514   18.8   42   1.9   273   8.5   8.9   **   A   100   100   78   *
*   516   18.9   43   2.0   273   8.6   8.9   **   A   100   100   74   *
*   518   19.1   42   2.0   273   8.6   8.9   **   A   100   100   80   *
*   520   19.0   43   2.0   274   8.5   8.8   **   A   100   100   88   *
*   522   19.1   43   2.0   274   8.5   8.7   **   A   100   100   89   *
*   524   18.6   40   2.0   272   8.5   8.7   **   A   100   100   89   *
*   526   18.5   39   2.0   272   8.5   8.7   **   A   100   100   89   *
*   528   18.3   40   2.0   271   8.5   8.7   **   A   100   100   79   *
*   530   18.6   42   2.0   271   8.4   8.7   **   A   100   100   72   *
*****
    
```

\*\*\*\*\*

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	G	PLA	CLD	MAX	*
*		AZH		AZH	1-3	2-4	GI					*
* 532	18.9	41	2.0	272	8.4	8.6	**	A	100	100	80	*
* 534	19.1	42	2.0	271	8.4	8.6	**	A	100	100	91	*
* 536	18.9	41	2.0	271	8.4	8.6	**	A	100	100	89	*
* 538	18.3	41	2.1	272	8.4	8.5	**	A	100	100	78	*
* 540	18.3	42	2.1	271	8.4	8.6	**	A	100	100	71	*
* 542	17.8	44	2.1	271	8.5	8.8	**	A	100	100	54	*
* 544	17.8	44	2.1	271	8.6	8.9	**	A	100	100	81	*
* 546	18.1	44	2.1	271	8.7	8.9	**	A	100	100	80	*
* 548	17.9	44	2.2	272	8.8	9.0	**	A	100	100	85	*
* 550	18.0	44	2.2	272	9.0	9.2	**	A	100	100	80	*
* 552	18.2	44	2.2	272	9.2	9.3	**	A	100	100	84	*
* 554	18.5	43	2.2	271	9.3	9.4	**	A	100	100	92	*
* 556	21.7	42	2.2	269	9.5	9.5	**	B	100	100	97	*
* 558	22.4	41	2.2	268	9.5	9.5	**	A	100	100	97	*
* 560	21.7	43	2.2	269	9.5	9.5	**	A	100	100	96	*
* 562	17.7	44	2.2	270	9.3	9.4		A	100	100	65	*
* 564	17.7	44	2.3	269	9.2	9.4	**	A	100	100	88	*
* 566	17.6	45	2.3	269	9.2	9.3	**	A	100	100	85	*
* 568	17.5	46	2.3	270	9.1	9.3	**	A	100	100	86	*
* 570	17.7	44	2.3	270	9.0	9.2	**	B	100	100	95	*
* 572	18.3	44	2.3	271	8.8	9.1	**	A	100	100	86	*
* 574	18.6	44	2.3	271	8.8	9.0	**	A	100	100	87	*
* 576	18.7	45	2.3	271	8.7	8.9	**	A	100	100	94	*
* 578	19.4	46	2.3	272	8.6	8.8		A	100	100	56	*
* 580	20.5	45	2.2	273	8.6	8.8		A	100	100	39	*
* 582	18.4	45	2.2	271	8.7	8.8	**	A	100	100	72	*
* 584	18.7	44	2.2	270	8.7	8.9	**	A	100	100	66	*
* 586	18.5	43	2.2	270	8.9	9.1	**	A	100	100	57	*
* 588	17.8	43	2.3	268	9.0	9.2	**	A	100	100	67	*
* 590	18.4	44	2.3	268	9.1	9.3	**	A	100	100	76	*
* 592	18.5	45	2.2	268	9.2	9.3	**	A	100	100	81	*
* 594	17.7	46	2.2	267	9.3	9.3		A	100	100	74	*
* 596	19.1	46	2.2	267	9.3	9.4	**	A	100	100	91	*
* 598	19.2	46	2.2	267	9.3	9.4	**	A	100	100	94	*
* 600	18.5	45	2.3	266	9.2	9.3	**	A	100	100	81	*
* 602	18.9	43	2.3	266	8.9	9.1	**	A	100	100	90	*
* 604	19.7	46	2.3	267	8.6	8.8	**	A	100	100	83	*
* 606	17.9	48	2.3	267	8.5	8.6	**	A	100	100	71	*
* 608	16.2	48	2.3	267	8.4	8.4	**	A	100	100	83	*
* 610	15.5	47	2.3	268	8.4	8.4	**	A	100	100	91	*

\*\*\*\*\*

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LO	G	PLA	CLS	MAX	*
*		AZH		AZH	1-3	2-4	GI					*
* 612	16.0	47	2.3	268	8.4	8.4	**	B	100	100	90	*
* 614	16.9	48	2.3	267	8.4	8.5	**	*	100	100	82	*
* 616	28.8	92	2.3	268	8.4	8.4		B	0	100	75	*
* 618	17.8	49	2.3	267	8.4	8.5	**	B	100	100	79	*
* 620	17.8	46	2.3	267	8.4	8.5		A	0	100	76	*
* 622	17.5	46	2.3	266	8.4	8.5	**	A	100	100	77	*
* 624	17.0	45	2.3	265	8.4	8.4	**	A	100	100	75	*
* 626	17.9	47	2.4	264	8.4	8.4	**	A	100	100	80	*
* 628	17.8	46	2.4	263	8.4	8.4	**	B	100	100	73	*
* 630	16.7	40	2.4	262	8.4	8.4	**	B	100	100	78	*
* 632	17.9	46	2.4	263	8.4	8.4	**	A	100	100	91	*
* 634	17.8	47	2.4	263	8.4	8.4	**	A	100	100	91	*
* 636	17.9	45	2.4	264	8.4	8.4	**	A	100	100	87	*
* 638	18.2	45	2.4	264	8.4	8.3	**	A	100	100	82	*
* 640	18.1	45	2.4	265	8.4	8.3	**	A	100	100	83	*
* 642	19.4	44	2.4	265	8.4	8.3	**	A	100	100	86	*
* 644	20.1	43	2.4	264	8.4	8.3	**	A	100	100	81	*
* 648	16.9	45	2.4	262	8.4	8.4	**	A	100	100	76	*
* 650	17.1	44	2.4	262	8.4	8.4	**	A	100	100	78	*
* 652	17.9	45	2.4	264	8.4	8.4	**	A	100	100	84	*
* 654	18.1	46	2.4	264	8.4	8.4	**	A	100	100	82	*
* 656	18.2	45	2.4	263	8.4	8.4	**	A	100	100	79	*
* 658	18.3	44	2.4	262	8.4	8.4	**	A	100	100	79	*
* 660	18.5	45	2.4	262	8.4	8.3		A	0	100	77	*
* 662	18.6	45	2.4	263	8.4	8.3	**	A	100	100	77	*
* 664	19.4	44	2.4	263	8.4	8.4		C	0	100	73	*
* 666	19.8	45	2.4	263	8.4	8.4	**	A	100	100	46	*
* 668	19.9	41	2.4	263	8.4	8.4	**	A	100	100	65	*
* 670	19.2	44	2.4	263	8.4	8.3	**	A	100	100	75	*
* 672	18.7	45	2.4	264	8.4	8.3		A	10	100	87	*
* 674	19.0	45	2.5	264	8.4	8.3	**	A	100	100	84	*
* 676	18.8	46	2.5	263	8.4	8.3	**	A	100	100	86	*
* 678	17.7	45	2.5	262	8.4	8.4	**	A	100	100	80	*
* 680	17.2	45	2.5	262	8.4	8.4	**	A	100	100	85	*
* 682	17.7	45	2.5	263	8.5	8.4	**	A	100	100	90	*
* 684	18.7	45	2.5	262	8.4	8.4	**	A	100	100	88	*
* 686	18.5	47	2.6	261	8.4	8.4	**	A	100	100	81	*
* 688	18.6	47	2.6	261	8.5	8.4	**	C	100	100	82	*
* 690	18.8	45	2.6	262	8.4	8.4	**	A	100	100	71	*
* 692	18.4	49	2.6	261	8.4	8.4	**	A	100	100	39	*

*****												
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLB	MAX	*
*		AZH		AZH	1-3	2-4	GI					*
*****												
* 694	18.9	51	2.6	262	8.4	8.4		A	0	100	43	*
* 696	18.5	44	2.5	261	8.4	8.4	**	A	100	100	92	*
* 698	18.1	44	2.6	261	8.4	8.3	**	A	100	100	80	*
* 700	17.6	44	2.6	262	8.4	8.3	**	A	100	100	79	*
* 702	17.6	44	2.6	262	8.4	8.3	**	A	100	100	86	*
* 704	18.4	44	2.6	262	8.4	8.3	**	A	100	100	86	*
* 706	18.8	46	2.6	262	8.4	8.3	**	A	100	100	88	*
* 708	18.6	46	2.6	262	8.4	8.3	**	A	100	100	90	*
* 710	18.0	44	2.6	261	8.4	8.3		A	0	100	75	*
* 712	18.1	45	2.6	261	8.4	8.3	**	A	100	100	82	*
* 714	19.0	45	2.6	261	8.4	8.3	**	A	100	100	88	*
* 716	18.6	45	2.6	261	8.4	8.4	**	A	100	100	88	*
* 718	18.3	46	2.6	261	8.4	8.4	**	A	100	100	84	*
* 720	17.6	45	2.6	260	8.4	8.3		A	100	100	84	*
* 722	17.7	43	2.6	259	8.4	8.3		A	100	100	82	*
* 724	18.3	44	2.6	259	8.4	8.3	**	A	100	100	74	*
* 726	18.0	45	2.6	260	8.4	8.3	**	A	100	100	75	*
* 728	18.5	42	2.6	260	8.4	8.3		C	100	100	81	*
* 730	18.7	41	2.6	260	8.4	8.3		C	100	100	70	*
* 732	18.6	42	2.6	261	8.4	8.3		A	100	100	76	*
* 734	18.1	43	2.6	262	8.4	8.3	**	A	100	100	50	*
* 736	17.8	41	2.6	261	8.4	8.3		A	100	100	64	*
* 738	16.7	40	2.6	260	8.4	8.4		A	100	100	83	*
* 740	17.6	42	2.6	260	8.4	8.3	**	A	100	100	81	*
* 742	18.3	43	2.7	260	8.4	8.3	**	A	100	100	81	*
* 744	19.1	47	2.7	260	8.4	8.3	**	A	100	100	72	*
* 746	19.3	49	2.6	260	8.4	8.3		A	100	100	78	*
* 748	16.9	45	2.7	260	8.4	8.3		A	0	100	47	*
* 750	17.9	42	2.7	260	8.4	8.3		B	100	100	65	*
* 752	18.7	41	2.7	259	8.4	8.3	**	A	100	100	81	*
* 754	18.8	43	2.7	260	8.3	8.3	**	A	100	100	82	*
* 756	18.3	44	2.7	260	8.3	8.3	**	A	100	100	78	*
* 758	18.5	43	2.7	259	8.3	8.3	**	A	100	100	77	*
* 760	18.5	41	2.5	259	8.3	8.3	**	A	100	100	72	*
* 762	18.9	41	2.7	259	8.3	8.3	**	A	100	100	73	*
* 764	18.9	43	2.7	259	8.3	8.3	**	A	100	100	80	*
* 766	19.0	43	2.7	259	8.3	8.3		A	0	100	81	*
* 768	17.5	42	2.7	258	8.4	8.3	**	A	100	100	59	*
* 770	17.2	44	2.7	257	8.4	8.4	**	B	100	100	71	*
* 772	18.7	46	2.7	259	8.3	8.3	**	A	100	100	85	*
*****												

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	G	PLA	CLR	MAX	*
		AZH		AZH	1-3	2-4	GI					
* 776	18.0	47	2.7	259	8.3	8.3	**	A	100	100	78	*
* 778	18.8	46	2.7	258	8.3	8.3	**	A	100	100	83	*
* 780	18.2	45	2.7	258	8.3	8.3	**	A	100	100	76	*
* 782	18.1	45	2.7	257	8.3	8.3	**	A	100	100	72	*
* 784	19.3	43	2.8	257	8.3	8.3		A	100	100	61	*
* 786	18.9	42	2.7	257	8.3	8.3	**	A	100	100	71	*
* 788	18.5	43	2.7	256	8.3	8.3	**	A	100	100	66	*
* 790	18.5	44	2.7	257	8.3	8.3	**	A	100	100	59	*
* 792	17.3	44	2.8	257	8.3	8.3		A	100	100	59	*
* 794	NO CORR		2.8	257	8.3	8.3						*
* 796	17.8	45	2.7	256	8.3	8.3		A	100	100	74	*
* 798	19.6	43	2.8	256	8.3	8.3	**	A	100	100	78	*
* 800	19.3	42	2.8	255	8.3	8.3		A	0	100	74	*
* 802	18.2	44	2.8	256	8.3	8.3		A	0	100	79	*
* 804	18.1	44	2.8	258	8.3	8.3	**	A	100	100	81	*
* 806	19.0	43	2.8	257	8.3	8.3	**	B	100	100	84	*
* 808	18.8	41	2.8	255	8.3	8.3	**	A	100	100	83	*
* 810	18.7	42	2.8	255	8.3	8.3	**	A	100	100	87	*
* 812	18.8	44	2.8	254	8.3	8.3	**	A	100	100	88	*
* 814	19.1	43	2.8	253	8.3	8.3	**	A	100	100	71	*
* 816	18.5	42	2.8	253	8.3	8.3	**	B	100	100	74	*
* 818	18.6	40	2.8	253	8.3	8.3	**	*	100	100	97	*
* 820	22.8	35	2.7	253	8.3	8.3	**	C	100	100	94	*
* 822	26.6	32	2.8	253	8.3	8.3	**	A	96	100	97	*
* 824	18.5	43	2.8	253	8.3	8.3	**	C	100	100	79	*
* 828	18.5	45	2.8	253	8.3	8.3	**	A	100	100	82	*
* 830	17.8	43	2.8	252	8.3	8.3	**	A	100	100	76	*
* 832	17.9	43	2.8	252	8.3	8.3	**	A	100	100	62	*
* 834	19.7	46	2.8	254	8.3	8.3	**	A	100	100	95	*
* 836	19.5	45	2.8	254	8.3	8.3	**	A	100	100	96	*
* 838	19.3	44	2.8	253	8.3	8.3		A	0	100	76	*
* 840	19.6	45	2.8	253	8.3	8.3	**	A	100	100	84	*
* 842	18.8	46	2.8	253	8.3	8.3	**	A	100	100	73	*
* 844	18.1	46	2.8	252	8.3	8.3		A	0	100	78	*
* 846	18.2	48	2.9	252	8.3	8.3	**	A	100	100	81	*
* 848	20.8	45	2.9	252	8.3	8.3	**	A	100	100	93	*
* 850	20.9	42	2.9	250	8.3	8.3	**	A	100	100	96	*
* 852	18.1	43	2.9	251	8.3	8.3	**	A	89	100	75	*
* 854	NO CORR		2.9	251	8.3	8.3						*
* 856	17.9	44	2.9	251	8.3	8.3	**	A	100	100	82	*

\*\*\*\*\*

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LO	G	PLA	CLG	MAX	*	
*		AZM		AZM	1-3	2-4	GI					*	
*	858	17.8	43	2.8	251	8.3	8.3	**	A	100	100	82	*
*	860	17.9	44	2.9	251	8.3	8.3	**	A	100	100	81	*
*	862	17.4	43	2.9	251	8.3	8.3	**	A	100	100	86	*
*	864	17.3	43	2.9	251	8.3	8.4	**	A	100	100	84	*
*	866	20.0	53	2.9	252	8.3	8.4	**	A	66	100	44	*
*	868	19.5	45	2.9	252	8.3	8.4	*		63	0	55	*
*	870	18.9	42	2.9	251	8.3	8.3		A	100	100	66	*
*	872	17.0	41	2.9	250	8.3	8.3	**	A	100	100	75	*
*	874	16.6	43	2.9	250	8.3	8.3	**	A	100	100	77	*
*	876	17.8	43	2.9	250	8.3	8.3	**	A	100	100	80	*
*	878	18.3	42	2.9	248	8.3	8.3	**	A	100	100	78	*
*	880	17.8	42	2.9	249	8.3	8.3	**	A	100	100	77	*
*	882	18.3	43	2.9	250	8.3	8.3	**	A	100	100	81	*
*	884	18.0	43	2.9	249	8.3	8.3	**	A	100	100	78	*
*	886	18.4	42	2.9	249	8.3	8.3		A	0	100	83	*
*	888	18.1	43	2.9	249	8.3	8.4	**	A	100	100	84	*
*	890	18.6	43	2.9	249	8.4	8.4		A	0	100	50	*
*	892	NB CORR		2.9	248	8.6	8.6						*
*	894	NB CORR		3.0	249	8.8	9.1						*
*	896	NB CORR		2.9	249	8.6	9.0						*
*	898	22.1	38	2.9	249	8.4	8.4	*		0	0	51	*
*	900	20.3	44	2.9	250	8.4	8.4		A	100	100	73	*
*	902	19.7	45	2.9	249	8.3	8.4	*		100	100	53	*
*	904	20.3	46	2.9	248	8.3	8.3	**	*	100	100	30	*
*	906	20.0	41	3.0	248	8.3	8.3	**	A	100	100	64	*
*	908	19.3	42	3.0	248	8.3	8.3		A	0	100	75	*
*	910	20.0	42	3.0	249	8.3	8.3		A	10	100	74	*
*	912	16.9	41	3.0	249	8.3	8.3		A	63	100	52	*
*	914	19.4	42	3.0	249	8.3	8.3	**	A	100	100	76	*
*	916	19.4	39	3.0	248	8.3	8.3	**	A	100	100	81	*
*	918	18.8	40	3.0	248	8.3	8.4	**	A	100	100	81	*
*	922	19.3	42	3.0	247	8.3	8.3	**	A	100	100	79	*
*	924	18.7	43	3.0	248	8.3	8.4	**	A	100	100	85	*
*	926	18.5	42	3.0	247	8.3	8.4	**	A	100	100	86	*
*	928	18.6	43	3.0	247	8.3	8.3	**	A	100	100	81	*
*	930	19.2	44	3.0	248	8.3	8.3		A	100	100	79	*
*	932	19.0	42	3.0	248	8.3	8.3	**	A	100	100	80	*
*	934	19.2	42	3.0	248	8.3	8.3	**	A	100	100	86	*
*	936	19.3	44	3.0	249	8.3	8.3	**	A	100	100	84	*
*	938	18.3	43	3.0	248	8.3	8.3	**	A	100	100	81	*

\*\*\*\*\*

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	G	PLA	CLB	MAX	*
*		AZM		AZM	1-3	2-4	GI					*
* 940	18.2	43	3.0	248	8.3	8.3	**	A	100	100	82	*
* 942	18.0	44	3.0	248	8.3	8.3	**	A	100	100	83	*
* 944	18.9	41	3.0	248	8.3	8.3	**	A	100	100	89	*
* 946	19.0	41	3.0	249	8.3	8.3	**	A	100	100	85	*
* 948	19.6	44	3.0	248	8.3	8.3	**	C	100	100	72	*
* 950	20.0	43	3.1	248	8.3	8.3		A	100	100	62	*
* 952	21.5	44	3.0	249	8.3	8.3	**	A	100	100	89	*
* 954	21.2	43	3.0	248	8.3	8.3	**	A	100	100	93	*
* 956	19.5	42	3.0	247	8.3	8.3		A	100	100	64	*
* 958	19.5	42	3.0	247	8.3	8.3		A	0	100	62	*
* 960	19.2	42	3.0	248	8.3	8.3		A	0	100	73	*
* 962	19.1	44	3.1	249	8.3	8.3	**	A	100	100	84	*
* 964	19.1	44	3.1	250	8.3	8.3	**	A	100	100	72	*
* 966	31.2	167	3.1	250	8.3	8.3	*	0	0	10	64	*
* 968	34.7	170	3.1	250	8.3	8.3	*	0	0	10	60	*
* 970	19.0	44	3.1	250	8.3	8.3	**	A	100	100	85	*
* 972	19.2	45	3.1	251	8.3	8.3	**	C	100	100	82	*
* 974	19.7	44	3.0	252	8.3	8.3		A	0	100	92	*
* 976	19.3	43	3.0	251	8.3	8.3	**	A	100	100	79	*
* 978	19.2	42	3.1	249	8.3	8.3	**	A	100	100	76	*
* 980	19.7	41	3.1	248	8.3	8.3	**	A	100	100	73	*
* 982	21.1	44	3.1	249	8.3	8.3		A	50	100	84	*
* 984	19.8	42	3.1	250	8.3	8.3		A	100	100	84	*
* 986	19.6	39	3.1	248	8.3	8.3		A	100	100	75	*
* 988	19.4	41	3.1	248	8.3	8.3		A	100	100	88	*
* 990	18.0	43	3.1	249	8.3	8.3	**	A	100	100	85	*
* 992	18.3	43	3.1	249	8.3	8.3	**	A	100	100	77	*
* 994	18.9	41	3.1	249	8.3	8.3	**	A	100	100	84	*
* 996	19.0	42	3.1	250	8.3	8.3	**	A	100	100	93	*
* 998	19.4	44	3.1	251	8.3	8.3	**	C	100	100	96	*
* 1000	20.1	44	3.1	252	8.3	8.3	**	B	100	100	99	*
* 1002	19.2	41	3.1	251	8.3	8.3	**	A	79	100	97	*
* 1006	19.0	42	3.1	250	8.3	8.3	**	A	100	100	84	*
* 1008	19.6	42	3.1	249	8.3	8.3	**	*	100	100	96	*
* 1010	20.1	42	3.1	249	8.3	8.3	**	A	100	100	97	*
* 1012	20.0	44	3.1	250	8.3	8.3	**	A	100	100	97	*
* 1014	17.8	42	3.1	250	8.3	8.3	**	A	100	100	72	*
* 1016	17.7	41	3.1	248	8.3	8.4	**	A	74	100	62	*
* 1018	19.5	41	3.1	247	8.3	8.4		C	44	100	62	*
* 1020	30.7	45	3.1	248	8.3	8.4		C	0	100	41	*

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LB   Q   PLA   CLS   MAX   *
*           AZH           AZH     1-3   2-4   BT           *
*****
*
*   1022   19.3   43   3.2   249   8.3   8.3           A     0   100   70   *
*   1024   19.4   43   3.2   250   8.3   8.3          **   A   100   100   66   *
*   1026   19.4   42   3.2   250   8.3   8.3          **   A   100   100   77   *
*   1028   19.1   42   3.2   250   8.3   8.3          **   A   100   100   80   *
*   1030   19.3   44   3.2   250   8.3   8.3           C   100   100   83   *
*   1032   17.2   42   3.2   249   8.3   8.3           C    71   100   76   *
*   1034   19.6   43   3.2   248   8.3   8.3           A   100   100   95   *
*   1036   19.5   43   3.2   247   8.3   8.3           A   100   100   96   *
*   1038   18.6   43   3.2   247   8.3   8.3          **   C   100   100   88   *
*   1040   18.3   47   3.2   249   8.3   8.3          **   A   100   100   82   *
*   1042   20.2   49   3.2   250   8.2   8.3          **   C   100   100   91   *
*   1044   21.8   43   3.2   249   8.2   8.3          **   C   100   100   92   *
*   1046   19.3   39   3.2   247   8.3   8.3          **   A   100   100   58   *
*   1048   18.1   43   3.2   247   8.3   8.3          **   A   100   100   82   *
*   1050   19.3   42   3.2   247   8.2   8.3          **   A   100   100   84   *
*   1052   20.4   42   3.2   248   8.2   8.3          **   A   100   100   83   *
*   1054   20.1   42   3.2   248   8.2   8.3           A     0   100   77   *
*   1056   19.0   41   3.2   248   8.2   8.3           *     0    24   15   *
*   1058   19.5   44   3.3   248   8.2   8.3          **   A   100   100   85   *
*   1060   20.4   43   3.3   247   8.3   8.3          **   A   100   100   75   *
*   1062   20.5   42   3.2   247   8.3   8.3          **   A   100   100   75   *
*   1064   20.2   41   3.2   246   8.3   8.3          **   A   100   100   94   *
*   1066   19.8   40   3.3   245   8.3   8.3          **   A   100   100   91   *
*   1068   19.1   41   3.3   244   8.3   8.3          **   A   100   100   90   *
*   1070   20.1   41   3.3   246   8.3   8.3          **   A   100   100   88   *
*   1072   20.0   41   3.3   247   8.3   8.3          **   A   100   100   86   *
*   1074   20.5   41   3.3   246   8.3   8.3          **   A   100   100   87   *
*   1076   20.6   40   3.3   245   8.3   8.3          **   A   100   100   91   *
*   1078   20.4   41   3.3   245   8.3   8.4          **   D   100   100   96   *
*   1080   22.4   41   3.3   246   8.3   8.4          **   C   100   100   94   *
*   1082   21.9   41   3.3   246   8.2   8.3          **   C   100   100   95   *
*   1084   19.8   41   3.3   245   8.2   8.3          **   *   100   100   93   *
*   1086   19.6   39   3.4   245   8.2   8.3          **   D   100   100   92   *
*   1088   19.5   39   3.4   246   8.2   8.3          **   C   100   100   86   *
*   1090   20.1   39   3.3   246   8.3   8.3          **   A   100   100   86   *
*   1094   20.7   37   3.4   244   8.3   8.3          **   A   100   100   94   *
*   1096   20.6   37   3.4   244   8.3   8.3          **   A   100   100   95   *
*   1098   19.5   39   3.4   244   8.3   8.3          **   B   100   100   96   *
*   1100   19.9   40   3.4   244   8.3   8.3          **   A   100   100   82   *
*   1102   19.9   41   3.4   244   8.3   8.3          **   A   100   100   80   *
*****
    
```

\*\*\*\*\*

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LO	Q	PLA	CLD	MAX	*
		AZH		AZH	1=3	2=4	GI					*
* 1104	18.8	40	3.4	244	8.3	8.3	**	A	100	100	77	*
* 1106	19.2	38	3.5	243	8.3	8.3		A	0	100	76	*
* 1108	20.3	38	3.5	244	8.3	8.3	**	A	100	100	82	*
* 1110	20.9	37	3.5	243	8.2	8.3	**	A	100	100	95	*
* 1112	21.1	37	3.5	243	8.2	8.3	**	A	100	100	95	*
* 1114	20.6	38	3.8	243	8.2	8.3	**	A	100	100	73	*
* 1116	19.5	38	3.5	243	8.2	8.3	**	A	100	100	75	*
* 1118	18.8	37	3.6	243	8.2	8.3	**	A	100	100	94	*
* 1120	18.2	36	3.5	244	8.3	8.3		A	85	100	94	*
* 1122	17.6	36	3.5	244	8.3	8.3		B	0	100	94	*
* 1124	16.3	33	3.5	244	8.3	8.4	**	C	100	100	63	*
* 1126	14.2	18	3.6	244	8.3	8.4		*	24	26	71	*
* 1128	19.3	42	3.6	244	8.2	8.4		A	0	100	76	*
* 1130	26.1	29	3.6	244	8.2	8.4	**	B	100	100	91	*
* 1132	25.6	31	3.6	244	8.2	8.3	**	B	100	100	95	*
* 1134	22.1	21	3.6	244	8.3	8.3	**	A	100	100	63	*
* 1136	21.7	20	3.6	244	8.3	8.3	**	*	61	100	81	*
* 1138	21.2	232	3.6	244	8.3	8.3	**	A	10	100	51	*
* 1140	20.3	17	3.6	244	8.3	8.3		B	0	100	20	*
* 1142	21.6	11	3.6	243	8.3	8.3		B	0	100	61	*
* 1144	21.4	8	3.6	243	8.3	8.3	**	A	100	100	88	*
* 1146	21.7	9	3.7	243	8.3	8.3	**	A	100	100	82	*
* 1148	21.3	11	3.6	243	8.3	8.3	**	A	100	100	75	*
* 1150	19.5	12	3.6	243	8.3	8.3		A	0	100	60	*
* 1152	20.6	14	3.7	243	8.3	8.4	**	A	100	100	77	*
* 1154	20.4	16	3.7	243	8.3	8.4	**	A	100	100	85	*
* 1156	18.0	27	3.6	243	8.3	8.4		A	0	100	47	*
* 1158	51.6	53	3.7	242	8.3	8.4	**	B	64	60	27	*
* 1160	26.1	38	3.7	243	8.3	8.4		*	41	26	62	*
* 1162	21.6	46	3.6	243	8.3	8.3	**	A	100	100	85	*
* 1164	21.4	44	3.7	242	8.3	8.3	**	B	100	100	82	*
* 1166	22.2	41	3.7	242	8.3	8.3	**	B	100	100	77	*
* 1168	21.6	41	3.7	243	8.3	8.3		A	100	100	80	*
* 1170	21.0	41	3.7	243	8.3	8.3	**	A	100	100	74	*
* 1172	21.9	40	3.7	242	8.3	8.3	**	A	100	100	76	*
* 1174	21.3	39	3.7	243	8.3	8.3	**	A	100	100	68	*
* 1176	21.8	39	3.8	243	8.3	8.3	**	A	100	100	83	*
* 1178	22.1	37	3.8	243	8.3	8.3	**	A	100	100	90	*
* 1180	22.1	38	3.8	243	8.3	8.3	**	A	100	100	81	*
* 1182	23.1	37	3.8	243	8.3	8.3	**	A	100	100	78	*

\*\*\*\*\*

```

*****
*   DEPTH   DIP   DEV   DEV   DIAM   DIAM   LB   G   PLA   CLR   MAX   *
*           AZM   AZM   1=3   2=4   GI                                     *
*****
*
*   1184   23.5   37   3.8   242   8.3   8.3   A   100   100   88   *
*   1186   23.8   38   3.8   242   8.3   8.3   A   100   100   84   *
*   1188   23.1   39   3.8   242   8.3   8.3   **  A   100   100   82   *
*   1190   22.1   40   3.8   243   8.3   8.3   **  A   100   100   69   *
*   1192   22.3   42   3.9   244   8.3   8.3   A   100   100   69   *
*   1194   23.3   40   3.9   243   8.3   8.3   **  A   100   100   79   *
*   1196   23.6   39   3.9   242   8.3   8.3   **  B   100   100   88   *
*   1198   23.1   38   4.0   241   8.3   8.3   **  A   100   100   87   *
*   1200   22.9   39   4.0   241   8.3   8.3   **  A   100   100   89   *
*   1202   22.5   39   4.0   242   8.3   8.3   **  A   100   100   90   *
*   1204   22.1   39   4.0   242   8.3   8.3   **  A   100   100   90   *
*   1206   22.0   41   4.0   243   8.3   8.4   **  *   100   100   98   *
*   1208   25.6   38   4.0   244   8.3   8.4   **  C   85   100   93   *
*   1210   25.4   40   4.0   244   8.3   8.4   **  C   100   100   94   *
*   1212   22.5   42   4.0   244   8.3   8.3   **  A   100   100   82   *
*   1214   22.4   41   4.1   243   8.3   8.3   **  *   100   100   92   *
*   1216   22.4   42   4.1   243   8.3   8.3   **  A   100   100   86   *
*   1218   22.7   41   4.2   242   8.3   8.3   A   100   100   91   *
*   1220   22.2   41   4.2   241   8.3   8.4   A   100   100   91   *
*   1224   21.6   40   4.2   242   8.3   8.4   **  A   100   100   94   *
*   1226   22.0   40   4.2   242   8.3   8.4   **  A   100   100   94   *
*   1228   21.0   38   4.3   242   8.3   8.4   **  A   100   100   88   *
*   1230   21.2   37   4.3   242   8.3   8.3   **  A   100   100   86   *
*   1232   21.6   40   4.3   242   8.3   8.3   **  A   100   100   86   *
*   1234   21.3   39   4.3   242   8.3   8.3   **  A   100   100   83   *
*   1236   21.7   40   4.3   242   8.3   8.3   **  A   100   100   94   *
*   1238   22.2   40   4.3   242   8.3   8.3   **  A   100   100   99   *
*   1240   25.6   42   4.4   242   8.3   8.4   **  B   100   100   95   *
*   1242   25.6   41   4.4   241   8.3   8.4   **  A   100   100   91   *
*   1244   21.8   39   4.4   240   8.3   8.4   **  A   100   100   84   *
*   1246   21.9   39   4.4   241   8.3   8.4   **  A   100   100   79   *
*   1248   21.8   40   4.5   241   8.3   8.3   A   0   100   85   *
*   1250   22.7   40   4.5   241   8.3   8.4   **  A   100   100   78   *
*   1252   23.2   41   4.5   241   8.3   8.4   **  A   100   100   88   *
*   1254   20.6   31   4.5   240   8.3   8.4   **  *   21   85   91   *
*   1256   18.2   34   4.5   240   8.3   8.4   **  *   13   100   96   *
*   1258   24.3   38   4.6   240   8.3   8.4   **  D   100   100   95   *
*   1260   27.0   42   4.6   240   8.3   8.4   A   100   100   73   *
*   1262   25.7   48   4.6   240   8.3   8.3   *   0   24   71   *
*   1264   28.4   40   4.7   239   8.3   8.4   **  B   100   100   92   *
*****
    
```

\*\*\*\*\*

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLG	MAX	*
		AZH		AZH	1-3	2-4	GI					
* 1266	28.2	39	4.7	240	8.3	8.4	**	B	100	100	95	*
* 1268	23.0	42	4.7	240	8.3	8.3	**	A	100	100	76	*
* 1270	23.0	41	4.7	239	8.3	8.3	**	A	100	100	71	*
* 1272	22.4	41	4.8	239	8.3	8.3	**	A	100	100	80	*
* 1274	22.3	40	4.8	238	8.3	8.3	**	*	100	100	89	*
* 1276	22.9	41	4.8	238	8.4	8.3	**	A	100	100	85	*
* 1278	22.7	39	4.8	239	8.4	8.3		A	100	100	73	*
* 1280	21.4	48	4.9	239	8.4	8.4		*	97	0	73	*
* 1282	21.6	45	4.9	237	8.4	8.4	**	A	100	100	75	*
* 1284	22.1	41	4.9	237	8.4	8.4	**	A	100	100	80	*
* 1286	21.7	40	4.9	237	8.4	8.4	**	A	100	100	62	*
* 1288	21.4	42	4.9	237	8.4	8.4		A	100	100	59	*
* 1290	16.1	18	5.0	238	8.4	8.4		*	0	35	42	*
* 1292	22.4	39	5.0	237	8.3	8.4	**	A	100	100	73	*
* 1294	22.2	40	5.0	237	8.4	8.4	**	B	100	100	85	*
* 1296	22.1	40	5.0	236	8.4	8.4	**	A	100	100	89	*
* 1298	22.2	40	5.0	235	8.4	8.4		A	0	100	79	*
* 1300	22.5	40	5.0	235	8.3	8.4		A	21	100	54	*
* 1302	21.9	39	5.0	235	8.3	8.4	**	C	100	100	91	*
* 1304	21.4	39	5.0	235	8.3	8.4	**	C	100	100	80	*
* 1306	21.2	39	5.0	235	8.3	8.4	**	A	100	100	79	*
* 1308	22.2	38	5.1	235	8.3	8.4	**	A	100	100	87	*
* 1310	22.5	39	5.1	235	8.3	8.4		A	100	100	82	*
* 1312	22.1	43	4.6	239	8.6	8.4	**	A	100	100	65	*
* 1314	21.3	42	4.6	238	8.6	8.4	**	A	100	100	77	*
* 1316	21.2	41	4.6	238	8.6	8.4		A	0	100	87	*
* 1318	21.4	40	4.6	239	8.6	8.3	**	A	100	100	83	*
* 1320	21.5	43	4.7	239	8.6	8.4	**	B	100	100	82	*
* 1322	22.3	42	4.7	238	8.7	8.4	**	B	100	100	77	*
* 1324	22.1	42	4.7	238	8.7	8.4	**	*	100	100	85	*
* 1326	23.0	39	4.7	238	8.7	8.4	**	A	100	100	95	*
* 1328	22.8	40	4.7	236	8.6	8.4	**	A	100	100	94	*
* 1330	22.0	41	4.7	237	8.6	8.3	**	A	100	100	84	*
* 1332	22.1	40	4.7	238	8.7	8.4		A	0	100	82	*
* 1334	23.1	38	4.7	237	8.7	8.4	**	A	100	100	80	*
* 1336	22.9	39	4.8	238	8.7	8.4	**	B	100	100	79	*
* 1338	21.6	42	4.8	239	8.7	8.4		B	0	100	46	*
* 1340	22.0	43	4.7	240	8.7	8.4	**	A	100	100	76	*
* 1342	22.6	41	4.8	239	8.7	8.4	**	A	100	100	81	*
* 1344	23.4	39	4.8	237	8.7	8.4	**	A	100	100	77	*

\*\*\*\*\*

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LG  O  PLA  CLS  MAX  *
*          AZH          AZH  1-3  2-4  GI          *
*****
*
* 1346 22.0  41  4.8  237  8.7  8.4  A 100 100 71 *
* 1348 21.3  42  4.8  237  8.7  8.4 ** C 100 100 78 *
* 1350 22.4  42  4.9  237  8.7  8.4 ** A 100 100 81 *
* 1352 23.3  42  4.9  237  8.7  8.4 ** A 100 100 81 *
* 1354 23.1  39  4.9  237  8.6  8.3  A 100 100 88 *
* 1356 22.9  40  4.9  238  8.6  8.3 ** A 100 100 75 *
* 1358 23.1  39  4.9  237  8.6  8.3 ** A 100 100 87 *
* 1360 25.1  36  4.9  237  8.6  8.3 ** A 100 100 79 *
* 1362 NO CORR 5.0 237 8.7 8.4 *
* 1364 NO CORR 5.0 237 8.7 8.4 *
* 1366 21.9  38  5.0  237  8.7  8.4 ** A 100 100 81 *
* 1368 21.8  37  5.0  237  8.7  8.4 ** A 100 100 91 *
* 1370 21.9  38  5.0  238  8.7  8.3 ** A 100 100 96 *
* 1372 23.2  39  5.0  238  8.7  8.3 ** B 100 100 88 *
* 1374 22.6  37  5.0  236  8.7  8.3  A 100 100 83 *
* 1376 22.8  38  5.0  237  8.7  8.4 ** A 100 100 89 *
* 1378 22.9  37  5.0  239  8.7  8.4 ** A 100 100 88 *
* 1380 24.8  40  5.0  240  8.8  8.4  A 0 100 59 *
* 1382 23.1  41  5.0  238  8.7  8.4  A 100 100 80 *
* 1384 22.4  42  5.0  237  8.6  8.4 ** A 100 100 90 *
* 1386 23.2  42  5.0  237  8.6  8.4 ** B 100 100 84 *
* 1388 23.1  40  5.1  235  8.6  8.4 ** A 100 100 78 *
* 1390 22.1  39  5.1  235  8.6  8.4  A 100 100 93 *
* 1392 22.0  39  5.1  235  8.7  8.4  A 100 100 94 *
* 1394 22.2  40  5.1  235  8.7  8.4 ** A 100 100 86 *
* 1396 22.6  41  5.1  236  8.7  8.4 ** A 100 100 70 *
* 1398 23.0  36  5.2  235  8.6  8.4  A 0 100 66 *
* 1400 22.3  38  5.2  235  8.6  8.4 ** * 100 100 87 *
* 1402 22.4  41  5.2  236  8.6  8.4 ** * 100 100 96 *
* 1404 22.5  40  5.2  235  8.6  8.4 ** B 100 100 95 *
* 1406 21.9  39  5.2  235  8.6  8.4 ** C 100 100 81 *
* 1408 22.7  37  5.3  235  8.6  8.4 ** * 100 100 81 *
* 1410 24.2  38  5.3  234  8.6  8.4 ** C 100 100 84 *
* 1412 22.5  39  5.4  235  8.6  8.4  C 100 100 77 *
* 1414 21.4  41  5.4  236  8.6  8.4  B 0 100 62 *
* 1416 22.0  43  5.4  236  8.6  8.4  A 0 100 76 *
* 1418 22.3  41  5.4  235  8.6  8.4 ** A 100 100 94 *
* 1420 22.4  41  5.4  236  8.6  8.4 ** A 100 100 85 *
* 1422 22.9  43  5.5  236  8.6  8.4 ** A 100 100 76 *
* 1424 22.5  42  5.5  235  8.7  8.5  A 100 100 90 *
*****
    
```

```

*****
*   DEPTH   BIP   DIP   DEV   DEV   DIAM   DIAM   LB   Q   PLA   CLS   MAX   *
*           AZH           AZH   1-3   2-4   GI           *
*****
*
*   1590   42.9   46   6.6   229   8.7   8.4   **   C   100   100   85   *
*   1592   40.8   43   6.6   229   8.7   8.4   **   *   100   100   81   *
*   1594   38.4   42   6.6   228   8.8   8.5           B   66   100   83   *
*   1596   38.4   44   6.6   228   8.7   8.5   **   D   100   100   90   *
*   1598   41.0   45   6.6   228   8.7   8.5   **   A   100   100   79   *
*   1600   41.1   46   6.6   228   8.7   8.5   **   A   100   100   78   *
*   1602   36.4   45   6.6   228   8.7   8.8   **   *   100   100   85   *
*   1604   36.0   46   6.6   228   8.7   8.8           *   0   100   77   *
*   1606   NO CORR   6.6   229   8.7   8.5           *
*   1608   45.3   50   6.6   230   8.8   8.5   **   B   100   100   81   *
*   1610   44.9   48   6.6   230   8.8   8.5   **   B   100   100   75   *
*   1612   36.1   43   6.7   231   8.8   8.5           C   0   100   76   *
*   1614   34.6   43   6.7   233   8.7   8.5           B   100   100   37   *
*   1616   32.6   50   6.7   235   8.7   8.5   **   A   64   100   89   *
*   1618   32.4   50   6.7   236   8.7   8.5   **   A   63   100   89   *
*   1620   28.1   46   6.7   236   8.7   8.8           C   0   100   23   *
*   1622   37.7   58   6.7   236   8.7   8.5   **   A   21   100   63   *
*   1624   31.5   63   6.7   236   8.8   8.5           A   23   100   64   *
*   1626   32.8   40   6.7   234   8.8   8.5   **   A   100   100   85   *
*   1628   32.8   40   6.8   233   8.8   8.5   **   A   100   100   85   *
*   1630   28.0   39   6.8   233   8.8   8.5           A   0   69   50   *
*   1632   26.4   39   6.8   232   8.7   8.5   **   C   100   100   85   *
*   1634   25.8   40   6.8   232   8.7   8.5   **   A   100   100   91   *
*   1636   26.2   40   6.8   232   8.6   8.5   **   B   100   100   91   *
*   1638   27.3   39   6.8   231   8.6   8.5           *   0   100   79   *
*   1640   24.7   39   6.8   230   8.6   8.5   **   *   100   100   89   *
*   1642   24.8   40   6.9   231   8.6   8.5   **   C   100   100   92   *
*   1644   27.0   39   6.9   231   8.7   8.5   **   A   100   100   96   *
*   1646   26.8   39   6.9   230   8.7   8.5   **   A   100   100   90   *
*   1648   25.6   32   6.9   229   8.7   8.5           *   0   10   29   *
*   1650   25.1   33   6.9   229   8.6   8.5           A   100   100   51   *
*   1652   23.2   37   6.9   230   8.6   8.5   **   A   100   100   92   *
*   1654   24.3   36   6.9   230   8.7   8.5           A   0   100   55   *
*   1656   42.6   159 6.9   231   8.7   8.5           *   0   33   39   *
*   1658   24.5   38   6.9   231   8.7   8.5           A   100   100   89   *
*   1660   23.6   38   6.9   231   8.7   8.5   **   B   100   100   81   *
*   1662   23.4   38   6.9   231   8.7   8.5   **   A   100   100   78   *
*   1664   23.0   38   6.9   230   8.6   8.4   **   D   100   100   92   *
*   1666   22.7   37   6.9   230   8.7   8.4   **   B   100   100   92   *
*   1668   23.4   39   6.9   230   8.7   8.4   **   A   100   100   88   *
*****

```

*****												
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LB	G	PLA	CLD	MAX	*
*		AZH		AZH	1-3	2-4	G1					*
*****												
* 1670	22.1	39	6.9	231	8.7	8.4	**	A	100	100	85	*
* 1672	22.0	41	6.9	231	8.7	8.4		D	0	100	41	*
* 1674	43.4	112	6.9	231	8.7	8.4		*	0	100	52	*
* 1676	22.4	41	6.9	231	8.7	8.4	**	D	100	100	84	*
* 1678	22.5	39	6.9	231	8.7	8.4	**	B	100	100	95	*
* 1680	22.8	41	7.0	232	8.6	8.4	**	A	100	100	98	*
* 1682	21.5	43	7.0	232	8.7	8.4	**	A	100	100	93	*
* 1684	22.3	39	7.0	231	8.7	8.5	**	A	100	100	92	*
* 1686	22.4	40	7.0	230	8.7	8.5	**	D	100	100	84	*
* 1688	35.2	50	7.0	231	8.7	8.5	**	C	64	66	92	*
* 1690	39.3	38	7.0	231	8.7	8.5	**	C	100	100	94	*
* 1692	25.5	47	7.0	231	8.7	8.5	**	A	97	100	89	*
* 1694	25.5	47	7.0	231	8.7	8.4	**	A	100	100	91	*
* 1696	22.9	41	7.0	231	8.7	8.4	**	A	100	100	98	*
* 1698	22.9	41	7.0	232	8.7	8.4	**	A	100	100	98	*
* 1700	22.2	43	7.0	231	8.6	8.4	**	A	100	100	95	*
* 1702	22.6	41	7.0	231	8.6	8.5	**	B	100	100	46	*
* 1704	48.8	353	7.0	231	8.6	8.5		B	44	100	80	*
* 1706	34.6	34	7.0	231	8.6	8.5		C	0	100	21	*
* 1708	42.1	71	7.0	231	8.6	8.4		*	0	49	49	*
* 1710	18.7	41	7.0	232	8.5	8.4		A	0	100	65	*
* 1712	19.4	41	7.0	232	8.6	8.4	**	A	100	100	83	*
* 1714	19.5	40	7.0	233	8.6	8.4	**	A	100	100	83	*
* 1716	19.8	37	7.0	232	8.6	8.5	**	C	100	100	91	*
* 1718	20.0	37	7.1	232	8.6	8.5	**	A	100	100	83	*
* 1720	19.6	36	7.1	232	8.6	8.5	**	A	100	100	70	*
* 1722	19.5	35	7.1	233	8.6	8.5	**	A	100	100	84	*
* 1724	20.8	33	7.1	233	8.6	8.5	**	A	100	100	90	*
* 1726	20.7	34	7.1	233	8.6	8.5	**	A	100	100	91	*
* 1728	20.2	36	7.1	233	8.6	8.5	**	*	100	100	93	*
* 1730	20.0	36	7.1	233	8.6	8.5	**	C	100	100	83	*
* 1732	19.8	33	7.1	232	8.6	8.5	**	A	100	100	95	*
* 1734	19.8	32	7.1	233	8.6	8.5	**	A	100	100	94	*
* 1736	19.7	36	7.1	234	8.6	8.5	**	A	100	100	91	*
* 1738	19.3	36	7.1	235	8.6	8.5	**	*	100	100	88	*
* 1740	19.3	38	7.1	236	8.6	8.4	**	C	100	100	86	*
* 1742	19.2	38	7.1	237	8.6	8.4	**	A	100	100	86	*
* 1744	19.1	40	7.1	238	8.6	8.5		B	100	100	51	*
* 1746	44.9	173	7.1	238	9.1	8.5		*	0	10	17	*
* 1748	49.6	349	7.1	234	9.9	9.0		D	0	100	56	*
*****												

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LG  Q  PLA  CLR  MAX  *
*          AZM          AZM  1-3  2-4  GI          *
*****
*
* 1750  NB CORR      7.1  232  10.3  9.3
* 1752  34.7  87  7.1  233  9.7  9.0      D  0  100  72  *
* 1754  18.3  51  7.2  233  8.8  8.5      *  0  21  67  *
* 1756  26.5  29  7.2  233  8.7  8.5      A  100  100  77  *
* 1758  27.3  30  7.2  234  8.6  8.5     ** B  100  100  68  *
* 1760  29.1  27  7.1  235  8.6  8.5      A  43  100  85  *
* 1762  35.9  37  7.1  234  9.0  8.5      B  0  100  30  *
* 1764  32.4  206  7.2  235  9.5  8.5      C  0  100  42  *
* 1766  63.1  109  7.2  234  9.9  8.5      *  0  0  12  *
* 1768  NB CORR      7.2  233  9.5  8.5
* 1770  14.5  32  7.2  233  8.8  8.5     ** B  34  100  77  *
* 1772  21.3  29  7.2  233  8.6  8.5     ** A  100  100  91  *
* 1774  23.4  29  7.2  232  8.7  8.5     ** A  98  100  98  *
* 1776  18.6  32  7.2  232  8.7  8.5     ** A  100  100  80  *
* 1778  18.1  31  7.2  231  8.6  8.5     ** A  100  100  76  *
* 1780  17.7  33  7.2  232  8.6  8.4     ** A  100  100  78  *
* 1782  17.5  31  7.2  232  8.6  8.4     ** A  100  100  96  *
* 1784  17.8  31  7.2  232  8.6  8.4     ** A  100  100  95  *
* 1786  17.5  30  7.3  232  8.6  8.4     ** A  100  100  82  *
* 1788  17.1  33  7.2  232  8.6  8.4     ** A  100  100  87  *
* 1790  17.6  33  7.2  232  8.6  8.5     ** A  100  100  78  *
* 1792  17.1  33  7.2  233  8.6  8.4     ** D  100  100  94  *
* 1794  17.1  35  7.2  234  8.5  8.4     ** C  100  100  98  *
* 1796  16.8  34  7.2  233  8.6  8.4     ** D  100  100  95  *
* 1798  53.9  8  7.2  232  8.6  8.4      *  0  0  59  *
* 1800  35.7  20  7.2  232  8.6  8.4     ** C  100  100  4  *
* 1802  35.4  22  7.2  233  8.6  8.5      C  0  100  12  *
* 1804  19.2  28  7.2  232  8.6  8.5     ** D  100  100  90  *
* 1806  19.1  31  7.2  232  8.6  8.5     ** A  100  100  79  *
* 1808  19.1  31  7.2  232  8.6  8.5     ** A  100  100  76  *
* 1812  19.6  30  7.2  232  8.6  8.5     ** A  100  100  98  *
* 1814  19.7  30  7.2  232  8.6  8.4     ** A  100  100  98  *
* 1816  19.6  30  7.2  232  8.6  8.4     ** D  100  100  95  *
* 1818  19.8  33  7.2  232  8.6  8.4     ** D  100  100  84  *
* 1820  NB CORR      7.2  232  8.6  8.4
* 1822  56.8  9  7.3  231  8.6  8.4      *  0  16  34  *
* 1824  19.4  33  7.3  231  8.6  8.5     ** A  100  100  44  *
* 1826  18.3  37  7.3  231  8.5  8.5     ** A  100  100  65  *
* 1828  18.4  37  7.3  232  8.5  8.4      B  100  100  78  *
* 1830  19.0  35  7.3  232  8.6  8.4     ** C  100  100  92  *
*****
    
```

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	G	PLA	CLG	MAX	*
		AZH		AZH	1-3	2-4	GI					
* 1832	19.1	35	7.3	231	8.6	8.4	**	C	100	100	91	*
* 1834	19.3	37	7.3	231	8.6	8.5	*	D	14	84	84	*
* 1836	19.4	40	7.3	232	8.6	8.5	*	A	0	100	89	*
* 1838	18.4	38	7.3	233	8.6	8.5	**	A	100	100	87	*
* 1840	19.3	40	7.3	232	8.6	8.5	**	A	100	100	92	*
* 1842	19.7	39	7.3	232	8.6	8.5	**	A	100	100	92	*
* 1844	19.5	36	7.3	232	8.6	8.5	**	A	100	100	77	*
* 1846	19.9	37	7.3	232	8.6	8.5	**	A	100	100	70	*
* 1848	20.5	38	7.4	232	8.6	8.5	**	*	89	100	68	*
* 1850	19.8	38	7.4	232	8.6	8.5	**	*	100	100	64	*
* 1852	20.3	39	7.4	232	8.7	8.5	**	D	100	100	89	*
* 1854	19.9	39	7.4	232	8.7	8.5	**	A	100	100	91	*
* 1856	19.4	39	7.4	233	8.6	8.5	**	B	100	100	87	*
* 1858	19.4	40	7.4	233	8.6	8.5	**	C	100	100	85	*
* 1860	20.0	40	7.4	232	8.6	8.5	**	*	100	100	97	*
* 1862	2.7	24	7.4	232	8.6	8.5	*	D	10	75	75	*
* 1864	30.7	85	7.5	232	8.6	8.5	*	0	11	26	26	*
* 1866	47.8	34	7.5	232	8.6	8.5	*	0	10	6	6	*
* 1868	45.7	44	7.4	232	8.6	8.5	*	0	100	32	32	*
* 1870	41.8	132	7.4	232	8.6	8.5	*	0	21	26	26	*
* 1872	22.0	38	7.4	232	8.6	8.5	**	D	100	100	94	*
* 1874	22.2	38	7.5	231	8.6	8.5	**	A	100	100	98	*
* 1876	22.6	37	7.5	231	8.6	8.4	**	A	100	100	99	*
* 1878	22.5	37	7.5	231	8.6	8.4	**	A	100	100	98	*
* 1880	21.9	38	7.4	231	8.6	8.4	**	B	100	100	95	*
* 1882	21.4	37	7.5	232	8.6	8.4	**	D	100	100	95	*
* 1884	21.2	35	7.5	231	8.6	8.4	**	*	100	100	91	*
* 1886	21.3	37	7.5	231	8.6	8.4	**	A	100	100	87	*
* 1888	21.5	37	7.5	231	8.6	8.4	**	A	100	100	87	*
* 1890	21.3	35	7.5	231	8.6	8.4	**	A	100	100	93	*
* 1892	21.0	36	7.6	231	8.6	8.4	**	B	100	100	92	*
* 1894	20.7	34	7.6	231	8.6	8.5	**	C	67	100	88	*
* 1896	21.3	36	7.6	231	8.6	8.5	**	B	100	100	97	*
* 1898	21.1	37	7.6	231	8.6	8.5	**	A	100	100	97	*
* 1900	21.3	39	7.6	233	8.6	8.5	**	A	100	100	95	*
* 1902	21.3	35	7.6	233	8.6	8.5	**	C	100	100	88	*
* 1904	20.2	29	7.6	231	8.6	8.5		C	0	100	91	*
* 1906	19.3	31	7.6	231	8.6	8.5		D	0	100	74	*
* 1908	23.6	357	7.6	232	8.6	8.5		A	0	100	63	*
* 1910	22.3	357	7.6	231	8.6	8.5		A	0	100	74	*

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	G	PLA	CLR	MAX	*
		AZH	AZH		1-3	2-4	GI					*
* 1912	21.2	359	7.7	231	8.6	8.5		A	25	100	78	*
* 1914	9.9	14	7.7	232	8.5	8.4	**	A	100	100	67	*
* 1916	9.7	10	7.7	231	8.5	8.4		C	0	100	81	*
* 1918	15.3	12	7.7	230	8.5	8.4		A	100	100	79	*
* 1920	15.9	15	7.7	231	8.5	8.4	**	A	100	100	83	*
* 1922	16.1	19	7.8	231	8.5	8.4	**	A	100	100	77	*
* 1924	16.0	22	7.8	231	8.5	8.4		A	100	100	71	*
* 1926	NR CORR		7.8	231	8.5	8.4						*
* 1928	35.1	339	7.8	230	8.5	8.5		D	0	100	60	*
* 1930	20.8	9	7.8	230	8.6	8.5		C	100	100	79	*
* 1932	7.5	29	7.8	230	8.5	8.4		*	0	16	45	*
* 1934	8.2	40	7.8	231	8.5	8.4		*	0	13	38	*
* 1936	22.1	38	7.8	231	8.5	8.4	**	D	17	100	83	*
* 1938	22.5	34	7.9	230	8.5	8.4	**	C	100	100	94	*
* 1940	21.9	31	7.9	230	8.6	8.4	**	A	100	100	95	*
* 1942	23.1	27	7.9	230	8.6	8.4	**	A	100	100	90	*
* 1944	24.1	27	7.9	230	8.6	8.4	**	A	100	100	91	*
* 1946	25.1	26	7.9	230	8.6	8.4	**	A	100	100	92	*
* 1948	24.9	27	7.9	230	8.6	8.4	**	A	100	100	89	*
* 1950	24.3	30	7.9	230	8.6	8.4		C	100	100	70	*
* 1952	NR CORR		7.9	230	8.6	8.4						*
* 1954	20.0	44	8.0	230	8.5	8.4	**	A	100	100	83	*
* 1956	19.1	43	8.0	230	8.5	8.4	**	A	100	100	91	*
* 1958	19.2	42	8.0	230	8.5	8.4	**	A	100	100	91	*
* 1960	19.7	41	8.0	229	8.5	8.4	**	A	100	100	90	*
* 1962	19.3	40	8.0	229	8.5	8.4	**	B	100	100	92	*
* 1964	20.2	40	8.0	228	8.5	8.4	**	B	100	100	87	*
* 1966	19.2	39	8.0	229	8.5	8.4	**	C	99	100	91	*
* 1968	19.3	40	8.0	230	8.5	8.4		A	100	100	84	*
* 1970	20.1	41	8.1	230	8.6	8.4		A	100	100	73	*
* 1972	22.1	42	8.1	230	8.6	8.4		B	100	100	72	*
* 1974	20.9	42	8.1	230	8.6	8.4	**	C	100	100	79	*
* 1976	20.5	40	8.1	229	8.6	8.4	**	D	100	100	81	*
* 1978	21.1	43	8.1	229	8.6	8.4	**	C	100	100	79	*
* 1980	21.1	43	8.1	229	8.6	8.4		C	100	100	77	*
* 1982	20.0	43	8.1	229	8.6	8.4	**	B	100	100	56	*
* 1984	20.1	37	8.2	229	8.6	8.4	**	C	100	100	78	*
* 1986	20.9	39	8.2	229	8.6	8.4	**	C	100	100	88	*
* 1988	20.6	42	8.2	229	8.5	8.4	**	A	100	100	80	*
* 1990	21.1	42	8.2	229	8.5	8.4		A	100	100	83	*

\*\*\*\*\*

* DEPTH	DIP	BIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLB	MAX	*
		AZH		AZH	1-3	2-4	GI					*
* 1992	20.5	44	8.2	230	8.5	8.4		A	0	100	59	*
* 1994	20.9	40	8.2	230	8.5	8.4	**	A	100	100	80	*
* 1996	21.3	39	8.2	230	8.5	8.4	**	A	100	100	84	*
* 1998	21.9	41	8.2	229	8.5	8.4	**	A	100	100	77	*
* 2000	21.8	41	8.3	229	8.5	8.4	**	A	100	100	74	*
* 2002	21.5	37	8.3	229	8.6	8.4	**	*	100	100	91	*
* 2004	21.9	37	8.3	229	8.5	8.4	**	C	100	100	92	*
* 2006	21.6	41	8.3	229	8.5	8.3	**	A	100	100	86	*
* 2008	21.5	40	8.3	230	8.5	8.3		D	100	100	77	*
* 2010	19.2	41	8.3	230	8.5	8.4		A	99	100	63	*
* 2012	20.6	41	8.3	229	8.5	8.4		A	88	100	71	*
* 2014	22.7	38	8.3	229	8.5	8.4		A	100	100	65	*
* 2016	22.4	39	8.3	229	8.5	8.4	**	B	100	100	72	*
* 2018	22.5	39	8.4	228	8.5	8.4	**	B	100	100	89	*
* 2020	21.6	41	8.4	229	8.5	8.4	**	A	100	100	88	*
* 2022	21.4	42	8.4	229	8.5	8.3	**	A	100	100	81	*
* 2024	23.8	39	8.4	229	8.5	8.3	**	C	100	100	82	*
* 2026	22.9	39	8.4	228	8.5	8.3	**	D	100	100	77	*
* 2028	22.7	41	8.4	229	8.5	8.4	**	A	100	100	64	*
* 2030	23.2	41	8.4	228	8.5	8.4		A	100	100	86	*
* 2032	22.7	39	8.5	228	8.5	8.3		C	0	100	94	*
* 2034	22.2	40	8.5	228	8.5	8.3	**	A	100	100	86	*
* 2036	22.5	40	8.5	228	8.5	8.3	**	A	100	100	81	*
* 2038	24.6	34	8.5	228	8.5	8.3		A	100	100	59	*
* 2040	23.6	39	8.5	229	8.5	8.3	**	A	100	100	78	*
* 2042	23.3	39	8.5	229	8.5	8.3	**	A	100	100	80	*
* 2044	23.7	38	8.6	229	8.5	8.3		A	100	100	74	*
* 2046	24.0	38	8.6	228	8.5	8.3	**	C	100	100	88	*
* 2048	23.3	38	8.6	228	8.5	8.3	**	A	100	100	85	*
* 2050	23.3	39	8.6	228	8.5	8.3	**	*	100	100	86	*
* 2052	24.2	38	8.6	228	8.5	8.3	**	*	100	100	77	*
* 2056	24.1	40	8.7	229	8.5	8.3	**	D	100	100	90	*
* 2058	23.7	39	8.7	229	8.5	8.4	**	*	100	100	91	*
* 2060	23.7	39	8.7	228	8.5	8.4	**	A	100	100	92	*
* 2062	23.5	38	8.7	228	8.5	8.4	**	A	100	100	88	*
* 2064	23.3	37	8.7	227	8.5	8.4	**	B	100	100	90	*
* 2066	23.7	39	8.8	227	8.5	8.3	**	B	100	100	79	*
* 2068	24.7	39	8.8	227	8.5	8.3		A	100	100	82	*
* 2070	24.2	38	8.8	227	8.5	8.4		A	0	100	92	*
* 2072	24.3	36	8.8	226	8.5	8.4	**	*	100	100	89	*

\*\*\*\*\*

\*\*\*\*\*

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	G	PLA	CLB	MAX	*
*		AZH		AZH	1-3	2-4	GI					*
* 2074	24.0	36	8.8	226	8.6	8.4	**	A	100	100	85	*
* 2076	24.5	37	8.8	226	8.5	8.4	**	C	100	100	93	*
* 2078	23.5	36	8.8	226	8.5	8.4	**	C	100	100	94	*
* 2080	23.4	37	8.8	227	8.5	8.4	**	A	100	100	82	*
* 2082	24.5	36	8.8	227	8.6	8.4	**	*	100	100	93	*
* 2084	23.5	36	8.9	227	8.6	8.4	**	C	100	100	94	*
* 2086	23.0	35	8.9	227	8.6	8.4	**	*	100	100	94	*
* 2088	24.0	36	8.9	226	8.5	8.4	**	*	100	100	99	*
* 2090	24.7	37	8.9	227	8.5	8.3	**	D	100	100	97	*
* 2092	23.0	38	8.9	226	8.5	8.3	**	D	100	100	84	*
* 2094	23.3	37	8.9	227	8.5	8.3	**	A	100	100	85	*
* 2096	23.5	38	8.9	227	8.5	8.4	**	A	100	100	89	*
* 2100	23.5	35	8.9	226	8.6	8.4	**	C	100	100	91	*
* 2102	22.7	33	9.0	227	8.6	8.4	**	A	100	100	96	*
* 2104	22.7	34	9.0	227	8.6	8.4	**	A	100	100	95	*
* 2106	23.2	37	9.0	227	8.6	8.4	**	*	100	100	85	*
* 2108	24.0	36	9.0	227	8.6	8.4	**	B	100	100	76	*
* 2110	24.1	36	9.0	227	8.6	8.4	**	C	100	100	89	*
* 2112	23.3	36	9.0	227	8.6	8.4	**	A	100	100	93	*
* 2114	23.3	36	9.0	226	8.6	8.3	**	A	100	100	91	*
* 2116	22.6	34	9.0	227	8.6	8.4		A	100	100	84	*
* 2118	22.6	36	9.1	228	8.6	8.4		B	100	100	76	*
* 2120	23.0	37	9.1	228	8.5	8.4	**	*	100	100	82	*
* 2122	24.1	37	9.1	227	8.5	8.4		*	0	100	72	*
* 2124	23.6	36	9.1	226	8.5	8.4		*	0	100	71	*
* 2126	21.8	35	9.1	227	8.5	8.4		*	100	100	73	*
* 2128	21.3	26	9.2	226	8.5	8.4	**	A	100	53	73	*
* 2130	22.6	33	9.2	227	8.5	8.4	**	*	100	100	78	*
* 2132	22.6	37	9.2	227	8.5	8.4		D	0	100	49	*
* 2134	22.7	35	9.2	226	8.5	8.4		D	0	100	89	*
* 2136	23.6	35	9.2	226	8.5	8.4	**	*	100	100	82	*
* 2138	22.8	34	9.2	227	8.5	8.4		A	0	100	76	*
* 2140	22.3	34	9.2	227	8.5	8.4	**	*	100	100	70	*
* 2142	23.0	32	9.2	227	8.5	8.4	**	A	100	100	90	*
* 2144	23.2	31	9.2	227	8.6	8.4	**	A	100	100	85	*
* 2146	21.9	34	9.3	227	8.6	8.4	**	*	100	100	65	*
* 2148	22.5	32	9.3	227	8.5	8.4		A	100	100	85	*
* 2150	22.0	34	9.2	226	8.5	8.4		A	100	100	76	*
* 2152	21.8	31	9.2	225	8.5	8.4	**	A	100	100	70	*
* 2154	22.1	32	9.2	225	8.5	8.4	**	A	100	100	69	*

\*\*\*\*\*

\*\*\*\*\*

* DEPTH	BIP	DIP	DEV	DEV	DIAM	DIAM	LB	Q	PLA	CLR	MAX	*
*		AZH		AZH	1-3	2-4	GI					*
* 2156	22.7	34	9.2	226	8.5	8.4	**	A	100	100	89	*
* 2158	22.7	34	9.3	227	8.5	8.4	**	A	100	100	85	*
* 2160	21.7	34	9.3	226	8.5	8.4	**	A	100	100	80	*
* 2162	21.8	34	9.3	226	8.5	8.4	**	A	100	100	86	*
* 2164	22.1	37	9.3	227	8.5	8.4		A	100	100	74	*
* 2166	21.7	34	9.4	227	8.5	8.4		B	100	100	74	*
* 2168	21.8	35	9.4	227	8.5	8.4	**	C	100	100	70	*
* 2170	22.2	34	9.4	228	8.5	8.4	**	B	100	100	78	*
* 2172	22.4	36	9.4	229	8.5	8.4	**	C	100	100	80	*
* 2174	21.5	35	9.4	229	8.4	8.4	**	A	100	100	84	*
* 2176	21.7	35	9.4	229	8.4	8.4	**	A	100	100	87	*
* 2178	22.4	37	9.4	230	8.4	8.4	**	A	100	100	93	*
* 2180	23.1	37	9.4	230	8.4	8.4	**	A	100	100	92	*
* 2182	21.7	36	9.4	231	8.4	8.4	**	A	100	100	77	*
* 2184	21.1	34	9.4	229	8.4	8.4	**	A	95	100	80	*
* 2186	22.2	34	9.4	227	8.5	8.4	**	A	100	100	86	*
* 2188	21.7	32	9.4	225	8.4	8.4	**	A	100	100	88	*
* 2190	21.9	33	9.4	226	8.4	8.4		A	100	100	81	*
* 2192	22.2	31	9.5	226	8.4	8.4		A	0	100	77	*
* 2194	21.9	32	9.5	225	8.5	8.4	**	A	100	100	77	*
* 2196	16.5	151	9.5	225	8.5	8.4	*		0	10	25	*
* 2198	37.9	166	9.5	225	8.5	8.4	*		0	12	49	*
* 2200	33.4	220	9.5	226	8.4	8.4		A	10	100	67	*
* 2202	22.5	32	9.5	225	8.4	8.4		A	100	100	78	*
* 2204	22.7	35	9.5	227	8.4	8.4		A	100	100	76	*
* 2206	22.8	48	9.5	227	8.4	8.5		A	0	100	54	*
* 2208	24.6	35	9.5	225	8.4	8.5		A	0	100	45	*
* 2210	23.1	32	9.5	224	8.5	8.5		C	0	100	78	*
* 2212	23.7	31	9.5	224	8.5	8.5		B	100	100	85	*
* 2214	23.2	30	9.5	225	8.6	8.5		A	100	100	79	*
* 2216	25.2	30	9.5	225	8.7	8.5	**	A	50	100	71	*
* 2218	24.8	30	9.5	225	8.6	8.5	**	A	57	100	83	*
* 2220	24.6	30	9.5	225	8.6	8.5	**	A	100	100	86	*
* 2222	25.5	29	9.5	224	8.6	8.5	**	A	100	100	80	*
* 2224	24.7	27	9.5	224	8.7	8.5	**	A	100	100	94	*
* 2226	23.5	29	9.5	223	8.7	8.5	**	A	100	100	76	*
* 2228	22.0	29	9.5	223	8.6	8.5	**	A	100	100	78	*
* 2230	21.4	30	9.6	224	8.6	8.5	**	A	100	100	82	*
* 2232	22.2	30	9.6	223	8.5	8.4		A	100	100	88	*
* 2234	23.2	29	9.6	222	8.5	8.4	**	A	100	100	83	*

\*\*\*\*\*

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLQ	MAX	*
		AZH		AZH	1-3	2-4	BI					
* 2236	23.3	29	9.6	223	8.6	8.4	**	A	100	100	92	*
* 2238	21.3	29	9.6	224	8.6	8.4	**	C	100	100	78	*
* 2240	21.8	32	9.6	224	8.6	8.4	**	A	100	100	71	*
* 2242	21.5	32	9.6	224	8.6	8.5	**	A	100	100	84	*
* 2244	22.3	26	9.6	224	8.6	8.5	**	A	86	100	80	*
* 2246	22.3	28	9.6	225	8.7	8.5	**	A	98	100	80	*
* 2248	22.7	32	9.6	225	8.6	8.4	**	A	100	100	85	*
* 2250	22.5	30	9.6	224	8.6	8.4	**	A	100	100	50	*
* 2252	20.9	34	9.6	224	8.6	8.5		A	100	100	80	*
* 2254	21.4	31	9.6	224	8.7	8.5	**	A	100	100	92	*
* 2256	22.2	30	9.6	224	8.7	8.5	**	A	100	100	89	*
* 2258	22.1	29	9.6	223	8.7	8.5	**	A	100	100	86	*
* 2260	22.5	28	9.6	224	8.7	8.5	**	A	100	100	90	*
* 2262	22.6	29	9.6	225	8.6	8.5	**	A	100	100	97	*
* 2266	25.2	32	9.6	226	8.6	8.4		A	0	100	58	*
* 2268	23.5	32	9.7	226	8.6	8.4	**	A	100	100	98	*
* 2270	23.5	31	9.6	225	8.6	8.4	**	A	100	100	98	*
* 2272	22.5	29	9.7	224	8.7	8.5	**	A	100	100	80	*
* 2274	22.5	30	9.7	223	8.7	8.5		B	0	100	84	*
* 2276	22.7	30	9.7	222	8.7	8.5		A	0	100	76	*
* 2278	22.8	30	9.7	223	8.7	8.5	**	A	100	100	84	*
* 2280	11.2	68	9.7	224	8.7	8.5		B	10	100	84	*
* 2282	11.5	56	9.7	224	8.8	8.5		A	0	100	71	*
* 2284	17.3	33	9.7	225	8.8	8.5		A	0	80	77	*
* 2286	23.6	33	9.7	225	8.7	8.5		A	93	100	72	*
* 2288	22.5	34	9.8	227	8.7	8.5		A	100	100	63	*
* 2290	31.0	35	9.8	228	8.7	8.5	**	A	50	100	77	*
* 2292	29.7	36	9.8	228	8.7	8.6	**	A	50	100	90	*
* 2294	29.4	34	9.8	227	8.7	8.6	**	A	55	100	91	*
* 2296	30.4	27	9.8	228	8.7	8.6	**	A	100	100	92	*
* 2298	31.4	26	9.8	230	8.7	8.5	**	A	100	100	95	*
* 2300	28.2	29	9.8	230	8.8	8.5		C	0	100	72	*
* 2302	23.8	341	9.8	229	8.8	8.5		*	78	0	53	*
* 2304	25.8	34	9.8	229	8.8	8.5	**	A	88	100	56	*
* 2306	23.5	33	9.8	228	8.7	8.5		A	100	100	88	*
* 2308	23.8	30	9.8	225	8.7	8.5	**	A	100	100	44	*
* 2310	32.1	357	9.8	225	8.7	8.5		C	0	55	23	*
* 2312	24.7	29	9.8	226	8.7	8.5	**	A	94	100	93	*
* 2314	25.0	28	9.8	225	8.7	8.5	**	A	100	100	96	*
* 2316	23.6	31	9.8	224	8.7	8.5	**	D	100	100	98	*

*****												
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLG	MAX	*
*		AZM		AZM	1-3	2-4	GI					*
*****												
* 2318	24.5	32	9.8	224	8.6	8.4	**	D	100	100	72	*
* 2320	25.2	30	9.8	224	8.6	8.4	**	*	100	100	85	*
* 2322	22.7	32	9.8	224	8.6	8.5	**	*	100	100	92	*
* 2324	23.8	32	9.9	225	8.6	8.5	**	A	100	100	86	*
* 2326	23.8	31	9.9	225	8.7	8.5	**	A	100	100	93	*
* 2328	22.9	31	9.9	225	8.7	8.5	**	A	100	100	78	*
* 2330	24.0	31	9.9	226	8.7	8.5	**	A	100	100	81	*
* 2332	27.2	32	9.9	227	8.5	8.5	**	A	100	100	92	*
* 2334	23.2	33	9.9	226	8.5	8.5	**	A	100	100	94	*
* 2336	23.1	32	9.9	226	8.5	8.5	**	A	100	100	92	*
* 2338	22.4	32	9.9	227	8.5	8.5	**	A	100	100	87	*
* 2340	23.3	34	9.9	227	8.5	8.5	**	A	100	100	92	*
* 2342	24.0	34	9.9	226	8.5	8.5	**	B	100	100	84	*
* 2344	23.3	34	9.9	225	8.5	8.5	**	C	100	100	74	*
* 2346	22.7	34	9.9	225	8.5	8.4	**	A	100	100	77	*
* 2348	22.7	32	10.0	225	8.5	8.4	**	A	100	100	82	*
* 2350	22.6	32	10.0	226	8.5	8.4	**	A	100	100	78	*
* 2352	22.6	31	10.0	226	8.5	8.4	**	A	100	100	83	*
* 2354	23.0	32	10.0	226	8.5	8.4	**	A	100	100	81	*
* 2356	22.3	32	10.0	226	8.5	8.4		C	0	100	91	*
* 2358	22.4	31	10.0	225	8.5	8.4	**	A	100	100	91	*
* 2360	22.8	31	10.0	225	8.5	8.4	**	B	100	100	79	*
* 2362	23.5	33	10.0	226	8.5	8.5	**	A	100	100	69	*
* 2364	23.9	35	10.0	225	8.5	8.4	**	A	100	100	69	*
* 2366	23.7	35	10.0	225	8.5	8.4	**	A	100	100	87	*
* 2368	23.4	31	10.0	225	8.5	8.5	**	A	100	100	97	*
* 2370	23.1	30	10.1	225	8.5	8.5	**	B	100	100	85	*
* 2372	23.1	30	10.1	224	8.5	8.5		A	100	100	87	*
* 2374	23.3	30	10.1	224	8.5	8.5	**	A	100	100	74	*
* 2376	20.9	30	10.1	224	8.5	8.4		A	100	100	73	*
* 2378	20.2	35	10.1	223	8.5	8.4		A	0	100	73	*
* 2380	24.0	27	10.1	223	8.5	8.4	**	A	65	100	80	*
* 2382	24.6	25	10.1	224	8.5	8.4	**	A	42	100	92	*
* 2384	21.3	41	10.1	224	8.5	8.4		C	91	89	66	*
* 2386	23.4	35	10.2	224	8.5	8.4		C	0	100	72	*
* 2388	24.3	29	10.2	224	8.5	8.5		A	100	100	74	*
* 2390	24.2	30	10.2	224	8.6	8.5		A	92	100	76	*
* 2392	21.5	31	10.2	224	8.5	8.5	**	A	100	100	88	*
* 2394	22.3	29	10.2	223	8.5	8.5	**	A	100	100	94	*
* 2396	23.5	25	10.2	224	8.5	8.5	**	C	100	100	74	*
*****												

```

*****
*  DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LG  Q  PLA  CLR  MAX  *
*          AZM      AZM  1-3  2-4  01          *
*****
*
*  2398  24.2  31 10.2  224  8.5  8.5      A  100  100  84  *
*  2400  23.8  30 10.2  224  8.6  8.5      A  100  100  70  *
*  2402  22.9  33 10.2  224  8.6  8.5  **  B  100  100  75  *
*  2404  23.7  31 10.2  225  8.6  8.5  **  A  100  100  89  *
*  2406  23.2  29 10.2  224  8.5  8.5  **  A  100  100  97  *
*  2408  23.4  28 10.3  224  8.5  8.5  **  A  100  100  97  *
*  2410  24.4  31 10.3  225  8.5  8.5      A  100  100  73  *
*  2412  24.3  31 10.3  225  8.5  8.5      C   0  100  66  *
*  2414  21.3  25 10.3  224  8.5  8.5      C   0   87  84  *
*  2416  24.2  30 10.4  224  8.5  8.5  **  A  100  100  76  *
*  2418  24.3  32 10.4  225  8.5  8.5  **  A  100  100  97  *
*  2420  23.9  32 10.4  224  8.5  8.5  **  C  100  100  98  *
*  2422  23.9  30 10.4  224  8.5  8.4  **  C  100  100  59  *
*  2424  23.7  30 10.4  224  8.5  8.5  **  C  100  100  70  *
*  2426  23.8  31 10.4  223  8.5  8.5  **  B  100  100  85  *
*  2428  24.1  31 10.4  223  8.5  8.5  **  B  100  100  89  *
*  2430  23.9  31 10.4  223  8.5  8.5  **  A  100  100  95  *
*  2432  25.3  31 10.5  224  8.5  8.5  **  A  100  100  75  *
*  2434  24.2  30 10.5  223  8.5  8.5      *   0   0  79  *
*  2436  24.5  33 10.5  223  8.5  8.5      A  100  100  75  *
*  2438  22.5  31 10.5  222  8.5  8.5  **  B  100  100  87  *
*  2440  24.5  29 10.5  222  8.5  8.5  **  B  100  100  83  *
*  2442  23.8  28 10.5  222  8.5  8.4  **  A  100  100  89  *
*  2444  23.7  30 10.6  222  8.5  8.4  **  A  100  100  91  *
*  2446  23.6  33 10.6  224  8.6  8.4  **  D  100  100  95  *
*  2448  23.7  35 10.6  226  8.8  8.5  **  B  100  100  90  *
*  2450  15.8  36 10.6  226  8.9  8.3  **  B   13   57  77  *
*  2452  14.7  46 10.6  225  8.8  8.6      B   0   57  61  *
*  2454  19.3  31 10.6  225  8.8  8.6      *   0   24  69  *
*  2456  21.9  37 10.6  226  8.8  8.6  **  A   61  100  84  *
*  2458  22.4  36 10.6  226  8.8  8.6  **  A   68  100  89  *
*  2460  22.6  36 10.6  227  8.9  8.6  **  A  100  100  75  *
*  2462  16.6  33 10.6  227  8.9  8.6      B   30  100  69  *
*  2466  17.3  34 10.6  228  8.8  8.6      B   0  100  40  *
*  2468  19.1  22 10.7  228  8.9  8.6  **  B   61  100  77  *
*  2470  15.6  27 10.7  228  8.9  8.6  **  B   14   61  71  *
*  2472  27.0  272 10.7  228  9.0  8.6      *   0   15  49  *
*  2474  42.3  273 10.7  228  9.1  8.6      C   0  100  26  *
*  2476  40.4  269 10.7  228  9.2  8.6      C   0  100  25  *
*  2478  23.5  49 10.7  227  9.2  8.6  **  B   13  100  44  *
*****

```

*****														
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LB	Q	PLA	CLP	MAX	*		
*		AZH		AZH	1-3	2-4	GI					*		
*****														
*												*		
*	2480	19.4	39	10.7	228	9.3	8.6	*	27	37	68	*		
*	2482	19.3	40	10.7	228	9.2	8.6	*	27	41	67	*		
*	2484	22.8	45	10.7	227	9.1	8.6	B	48	100	59	*		
*	2486	21.3	33	10.7	225	9.0	8.6	A	100	100	81	*		
*	2488	21.8	32	10.7	225	9.0	8.6	**	A	100	100	89	*	
*	2490	28.0	37	10.7	225	8.9	8.6	**	A	56	100	94	*	
*	2494	25.8	41	10.8	226	8.8	8.6	**	A	100	100	94	*	
*	2496	25.5	43	10.8	226	8.8	8.6	A	100	100	86	*		
*	2498	24.5	40	10.8	226	8.8	8.5	A	0	100	83	*		
*	2500	30.7	35	10.7	224	8.8	8.5	**	*	100	100	85	*	
*	2502	53.0	66	10.8	223	8.7	8.3	**	C	100	100	64	*	
*	2504	NR CORR		10.8	225	8.8	8.5					*		
*	2506	34.3	43	10.8	227	8.9	8.6	**	B	100	100	77	*	
*	2508	33.7	43	10.8	227	8.9	8.6	**	B	100	100	74	*	
*	2510	39.6	37	10.8	226	9.0	8.6	**	B	100	100	72	*	
*	2512	40.6	37	10.8	226	9.0	8.6	**	B	100	100	79	*	
*	2514	51.6	293	10.8	226	8.9	8.6	B	0	77	11	*		
*	2516	43.7	289	10.8	226	8.9	8.6	C	0	100	42	*		
*	2518	17.2	9	10.7	225	8.9	8.6	**	A	100	100	84	*	
*	2520	16.7	13	10.8	224	8.8	8.5	**	A	100	100	97	*	
*	2522	18.0	13	10.7	223	8.8	8.6	**	A	100	100	95	*	
*	2524	18.0	14	10.7	223	8.8	8.6	**	A	100	100	95	*	
*	2526	16.5	20	10.8	223	8.7	8.6	A	0	100	71	*		
*	2528	16.5	12	10.8	224	8.7	8.6	A	10	100	90	*		
*	2530	20.2	24	10.9	224	8.8	8.6	A	0	52	67	*		
*	2532	20.2	23	10.9	223	8.8	8.6	B	0	60	70	*		
*	2534	20.6	15	10.8	223	8.8	8.6	C	0	100	94	*		
*	2536	20.8	20	10.8	223	8.8	8.6	**	B	70	100	74	*	
*	2538	18.5	16	10.8	223	8.8	8.6	A	77	65	78	*		
*	2540	43.0	67	10.8	223	8.8	8.5	*	0	15	46	*		
*	2542	19.1	16	10.6	223	8.8	8.6	**	C	100	100	79	*	
*	2544	19.9	26	10.8	223	8.8	8.5	**	C	48	68	66	*	
*	2546	18.9	13	10.8	223	8.8	8.6	**	A	100	100	52	*	
*	2548	19.4	15	10.8	224	8.8	8.6	A	100	100	72	*		
*	2550	20.4	17	10.8	224	8.8	8.6	A	0	100	39	*		
*	2552	17.9	16	10.8	223	8.7	8.6	**	*	49	52	47	*	
*	2554	17.7	13	10.8	223	8.7	8.6	*	100	30	56	*		
*	2556	NR CORR		10.9	223	8.7	8.6					*		
*	2558	12.6	13	10.8	224	8.7	8.6	*	0	15	13	*		
*	2560	19.4	3	10.8	223	8.8	8.6	**	A	78	100	49	*	
*****														

```

*****
*   DEPTH   DIP   BEV   DEV   DIAM   DIAM   LG   Q   PLA   CLS   MAX   *
*           AZH           AZH   1=3   2=4   GI           *
*****
*
*   2562   29.0   30 10.9   223   8.8   8.6   *   A   0   56   35   *
*   2564   20.9   23 10.9   222   8.8   8.6   **  D  100  56   66   *
*   2566   18.9   22 10.9   222   8.8   8.6   *   C   0  100  65   *
*   2568   18.9   16 10.9   223   8.8   8.6   *   A   0  100  39   *
*   2570   22.5   8 10.9   223   8.8   8.6   **  A  100  100  49   *
*   2572   23.8   1 10.9   223   8.8   8.6   *   A   0  100  47   *
*   2574   19.9   1 10.9   223   8.8   8.6   **  C   37  100  68   *
*   2576   19.1   2 10.9   222   8.8   8.6   **  B   35  100  72   *
*   2578   19.1   18 10.9   222   8.8   8.6   **  B  100  100  87   *
*   2580   18.8   23 10.9   223   8.8   8.6   **  B  100   86  82   *
*   2582   16.8   12 10.9   223   8.8   8.6   *   A   23  100  86   *
*   2584   15.9   28 10.9   223   8.8   8.6   **  A   20   65  72   *
*   2586   17.7   5 10.9   224   8.3   8.6   **  A   51   69  72   *
*   2588   19.0   17 10.9   223   8.8   8.6   **  B  100  100  76   *
*   2590   19.5   17 10.9   223   8.8   8.6   **  C  100   75  68   *
*   2592   17.9   19 10.9   223   8.8   8.6   *   A   0  100  73   *
*   2594   18.8   20 10.9   223   8.8   8.6   *   B   0  100  76   *
*   2596   18.9   21 11.0   223   8.7   8.6   **  A  100  100  73   *
*   2598   18.1   19 11.0   223   8.7   8.6   **  B   63  100  62   *
*   2600   21.0   38 11.0   223   8.8   8.6   **  A   17  100  45   *
*   2602   22.2   15 11.0   223   8.8   8.6   *   A   0  100  54   *
*   2604   19.5   16 11.0   223   8.8   8.6   *   A  100  100  64   *
*   2606   19.1   16 11.0   223   8.8   8.6   *   A  100  100  68   *
*   2608   17.0   12 11.0   223   8.8   8.6   *   A   0  100  48   *
*   2610   17.4   17 11.0   223   8.3   8.6   *   A   0   65  55   *
*   2612   20.2   236 11.0   223   8.8   8.6   **  A   10  100  31   *
*   2614   18.3   11 11.0   223   8.8   8.6   *   *   0   0   56   *
*   2616   19.5   21 11.0   224   8.8   8.6   **  C  100  100  72   *
*   2618   18.9   22 11.0   225   8.8   8.6   *   B  100  100  77   *
*   2620   31.8   3 11.0   226   8.8   8.6   **  C   81   51  66   *
*   2622   18.2   26 11.0   226   8.8   8.6   *   *   0   10  82   *
*   2624   16.3   19 11.0   227   8.8   8.6   **  D  100  100  66   *
*   2626   19.4   21 11.0   227   8.8   8.6   *   *   0   0   49   *
*   2628   18.0   26 11.0   227   8.8   8.6   **  A   78  100  91   *
*   2630   18.1   26 11.0   226   8.8   8.6   **  A   81  100  91   *
*   2632   18.7   24 11.0   226   8.8   8.6   *   A   0  100  71   *
*   2634   18.5   18 11.0   224   8.9   8.6   *   A   0  100  65   *
*   2636   18.5   16 11.0   223   8.9   8.6   *   A   0  100  72   *
*   2638   18.2   19 11.0   224   8.8   8.6   *   A  100  100  60   *
*   2640   18.6   17 11.0   228   8.8   8.6   *   A  100  100  67   *
*****

```

```

*****
*   DEPTH   DIP  DIP  DEV  DEV  DIAM  DIAM  LG  Q  PLA  CLS  MAX  *
*           AZM      AZM  1-3  2-4  GI          *
*****
*
*   2642  19.4   24  11.0  230   8.8   8.6  **  A  100  100  70  *
*   2644  20.0   26  11.0  229   8.7   8.6  **  A  100  100  73  *
*   2646  19.1   22  11.0  228   8.7   8.6  **  A  100  100  78  *
*   2648  18.6   23  11.0  226   8.7   8.6  **  A  100  100  66  *
*   2650  19.6   20  11.0  223   8.7   8.6  **  A  100  100  50  *
*   2652  20.0   19  11.0  222   8.7   8.6  **  A  100  100  41  *
*   2654  31.2  206  11.0  221   8.7   8.7   *   0   10  46  *
*   2656  19.8   13  11.0  221   8.7   8.8   *   0  100  79  *
*   2658  19.8   14  11.0  221   8.7   8.8  **  A  100  100  56  *
*   2660  18.6   15  11.0  222   8.7   8.8  **  A   75  100  92  *
*   2662  18.4   15  11.0  221   8.7   8.8  **  A   69  100  94  *
*   2664  19.2   19  11.0  222   8.6   8.8  **  A  100  100  78  *
*   2666  19.7   19  11.0  224   8.5   8.8  **  A  100  100  55  *
*   2668  20.2   19  11.1  224   8.5   8.9  **  A  100  100  47  *
*   2670  19.6   15  11.1  223   8.4   9.0   A  100  100  77  *
*   2672  17.5   26  11.2  222   8.3   9.1   C   39  100  70  *
*   2674  18.3    5  11.2  222   8.3   9.0   B    0   54  69  *
*   2676  18.0   18  11.3  222   8.2   9.0  **  A   63  100  86  *
*   2678  18.1   18  11.4  221   8.2   9.0  **  A   63  100  81  *
*   2680  18.2   11  11.4  219   8.2   8.9   C    0  100  49  *
*   2682  18.7   13  11.5  217   8.2   8.8  **  A  100  100  72  *
*   2684  18.9   15  11.5  216   8.2   8.7   *  100  100  82  *
*   2686  19.5   15  11.6  217   8.2   8.7   A    0  100  50  *
*   2688  19.5   16  11.7  217   8.3   8.5   A   13  100  58  *
*   2690  19.6   14  11.8  216   8.3   8.6   A    0  100  49  *
*   2692  20.1   11  11.8  216   8.4   8.6  **  B   28   67  73  *
*   2694  18.9   13  11.9  216   8.4   8.6   A  100  100  74  *
*   2696  19.5   14  11.9  214   8.4   8.6  **  A  100  100  73  *
*   2698  19.9   13  12.0  214   8.4   8.6  **  A  100  100  82  *
*   2700  19.9   14  12.0  214   8.4   8.6  **  A  100  100  82  *
*   2702  19.5   16  12.1  216   8.4   8.5  **  A  100  100  79  *
*   2704  19.3   18  12.1  219   8.3   8.5  **  B  100  100  94  *
*   2706  19.8   17  12.2  219   8.4   8.5  **  *   71  100  88  *
*   2708  19.9   18  12.2  219   8.4   8.5  **  A  100  100  85  *
*   2710  19.4   19  12.2  222   8.3   8.5  **  A  100  100  92  *
*   2712  19.7   18  12.2  223   8.2   8.5  **  B  100  100  90  *
*   2714  22.6   19  12.2  220   8.1   8.5  **  B  100  100  97  *
*   2716  25.0   22  12.2  220   8.0   8.5  **  B   76  100  82  *
*   2718  22.7   20  12.2  220   8.0   8.5  **  A  100  100  87  *
*   2720  20.2   22  12.2  220   8.0   8.5  **  A   81  100  89  *
*****
    
```

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLS	MAX	*
		AZH		AZH	1-3	2-4	G1					
* 2722	18.8	19	12.2	220	8.0	8.5	**	B	25	55	94	*
* 2724	20.6	22	12.2	221	8.0	8.5	**	B	100	100	92	*
* 2726	20.7	18	12.2	222	8.0	8.4	**	*	100	100	93	*
* 2728	20.8	19	12.2	222	7.9	8.5	**	A	100	100	84	*
* 2730	21.3	20	12.3	222	7.8	8.6	**	*	100	100	73	*
* 2732	20.3	21	12.4	221	7.8	8.5	**	D	85	100	84	*
* 2734	20.6	17	12.4	219	7.9	8.5	**	C	100	100	85	*
* 2736	19.7	12	12.5	215	7.9	8.4		C	100	100	52	*
* 2738	20.2	9	12.5	213	7.9	8.4		*	0	24	34	*
* 2740	20.8	10	12.6	213	7.8	8.5	**	B	82	100	70	*
* 2742	21.1	14	12.7	213	7.7	8.6	**	A	100	100	83	*
* 2744	19.5	19	12.7	214	7.9	8.5	**	A	100	100	80	*
* 2746	18.6	23	12.8	215	8.0	8.5	**	A	100	100	73	*
* 2748	18.4	24	12.8	214	8.0	8.5		A	100	100	76	*
* 2750	18.7	22	12.8	212	8.0	8.5	**	A	100	100	59	*
* 2752	20.4	16	12.9	211	8.0	8.4		A	100	100	60	*
* 2754	19.9	17	12.9	211	7.9	8.4		A	100	100	66	*
* 2756	19.2	14	12.9	210	7.9	8.5		A	0	100	77	*
* 2758	19.2	13	13.0	208	7.9	8.4	**	*	100	100	84	*
* 2760	18.8	20	13.0	208	8.0	8.3	**	A	100	100	77	*
* 2762	19.3	24	13.0	209	8.2	8.4		A	100	100	72	*
* 2764	19.7	29	13.1	211	8.3	8.4		A	0	100	53	*
* 2766	20.8	26	13.2	211	8.4	8.3	**	A	100	100	68	*
* 2768	19.8	18	13.3	211	8.3	8.4		A	100	100	73	*
* 2770	18.2	27	13.3	211	8.2	8.4	**	A	100	100	80	*
* 2772	18.1	28	13.4	211	8.3	8.5	**	A	100	100	89	*
* 2774	19.2	17	13.5	210	8.5	8.5	**	*	100	100	80	*
* 2776	19.2	18	13.6	210	8.6	8.5	**	A	100	100	71	*
* 2778	18.1	16	13.7	211	8.6	8.5	**	B	18	100	86	*
* 2780	21.3	9	13.8	211	8.6	8.5		A	0	100	97	*
* 2782	18.3	17	13.9	211	8.5	8.5	**	A	100	100	88	*
* 2784	18.3	16	14.1	210	8.5	8.5	**	A	100	100	80	*
* 2786	17.8	17	14.1	210	8.5	8.5	**	A	100	100	87	*
* 2788	18.4	17	14.2	210	8.5	8.5	**	B	100	100	92	*
* 2790	19.0	15	14.3	210	8.6	8.5	**	D	100	100	97	*
* 2794	19.0	16	14.4	211	8.6	8.4	**	A	100	100	91	*
* 2796	53.3	309	14.4	210	8.6	8.4		B	0	100	51	*
* 2798	59.4	318	14.4	210	8.6	8.4		B	0	100	31	*
* 2800	38.8	301	14.4	210	8.6	8.4		B	0	52	32	*
* 2802	24.8	289	14.4	210	8.6	8.4		*	0	10	26	*

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LB  B  PLA  CLB  MAX  *
*          AZH          AZH  1-3  2-4  GI          *
*****
*
* 2804 59.1  28 14.4  210  8.7  8.4  *  A  0  100  26  *
* 2806 56.2  22 14.4  210  8.8  8.5  ** C  86  100  30  *
* 2808 NB CORR  14.4  210  8.9  8.5  *
* 2810 NB CORR  14.4  210  8.9  8.5  *
* 2812 NB CORR  14.4  212  8.8  8.5  *
* 2814 13.6  30 14.3  213  8.8  8.5  *  A  0  100  49  *
* 2816 11.3  24 14.2  211  8.7  8.5  *  A  0  100  43  *
* 2818 11.5  19 14.2  208  8.7  8.5  *  *  0  24  67  *
* 2820 10.6  58 14.2  208  8.6  8.5  *  *  0  41  39  *
* 2822 54.3  348 14.2  209  8.6  8.5  *  B  0  100  2  *
* 2824 NB CORR  14.1  212  8.6  8.5  *
* 2826 14.7  30 14.0  215  8.6  8.5  *  *  0  10  9  *
* 2828 NB CORR  14.0  215  8.7  8.5  *
* 2830 NB CORR  14.0  214  8.6  8.5  *
* 2832 15.8  32 13.9  214  8.6  8.4  *  A  0  100  56  *
* 2834 16.0  35 13.9  215  8.7  8.4  ** A  100  100  80  *
* 2836 16.1  35 13.9  214  8.6  8.4  ** A  100  100  93  *
* 2838 16.3  33 13.8  212  8.6  8.4  ** A  100  100  86  *
* 2840 13.0  30 13.9  210  8.6  8.5  *  B  0  100  90  *
* 2842 15.0  47 13.9  209  8.6  8.5  ** B  29  100  89  *
* 2844 17.8  49 14.0  211  8.6  8.5  ** B  24  100  74  *
* 2846 34.9  34 14.1  213  8.6  8.5  *  A  0  100  24  *
* 2848 12.5  8  14.1  215  8.6  8.5  *  A  0  100  49  *
* 2850 NB CORR  14.2  215  8.6  8.5  *
* 2852 NB CORR  14.2  214  8.7  8.6  *
* 2854 34.8  141 14.3  214  8.6  8.5  *  *  0  15  15  *
* 2856 NB CORR  14.3  215  8.5  8.6  *
* 2858 11.5  336 14.3  215  8.4  8.5  *  C  0  100  43  *
* 2860 NB CORR  14.3  215  8.4  8.5  *
* 2862 46.2  232 14.3  215  8.4  8.5  *  *  0  21  21  *
* 2864 41.9  205 14.4  212  8.5  8.6  *  *  0  12  26  *
* 2866 NB CORR  14.3  210  8.5  8.6  *
* 2868 28.2  161 14.2  211  8.6  8.6  *  *  0  0  32  *
* 2870 43.2  183 14.2  212  8.6  8.6  *  *  0  11  31  *
* 2872 46.3  4  14.2  210  8.6  8.6  *  *  0  12  33  *
* 2874 11.2  3  14.2  209  8.6  8.5  ** B  100  100  82  *
* 2876 10.9  3  14.2  209  8.6  8.5  ** A  100  100  87  *
* 2878 39.5  185 14.1  211  8.5  8.5  *  C  0  100  66  *
* 2880 10.7  3  14.1  212  8.5  8.5  *  B  0  100  69  *
* 2882 10.9  7  14.1  213  8.6  8.5  ** A  100  100  74  *
*****
    
```

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LG  Q  PLA  CLS  MAX  *
*          AZM    AZM    1-3  2-4  01          *
*****
*
* 2884  10.7   7 14.1  213  8.5  8.5  **  A  100  100  68  *
* 2886  10.5   5 14.0  213  8.5  8.4   A   0  100  50  *
* 2888   8.8  359 13.9  212  8.4  8.4  **  B  100  100  85  *
* 2890   8.1  360 14.0  213  8.3  8.3  **  A  100  100  94  *
* 2892   9.4   8 14.0  213  8.2  8.3  **  A  100  100  95  *
* 2894   9.7   8 13.9  214  8.2  8.3  **  B  100  100  97  *
* 2896   9.2  13 13.8  214  8.2  8.2  **  A  100  100  99  *
* 2898  10.6  359 13.8  213  8.2  8.2  **  C  79  100  85  *
* 2900  10.3  355 13.9  212  8.3  8.3  **  B  100  100  83  *
* 2902   9.8  347 13.8  210  8.4  8.5  **  A  85  100  95  *
* 2904  11.6  327 13.8  208  8.6  8.6  **  C  100  100  98  *
* 2906  11.3  334 13.9  207  8.6  8.6  **  A  56  100  96  *
* 2908  10.5  335 13.9  208  8.7  8.6  **  A  69  100  95  *
* 2910  10.2  335 14.0  208  8.6  8.5  **  A  83  100  91  *
* 2912  11.8  349 14.0  208  8.6  8.6  **  B  100  100  91  *
* 2916  10.7   54 14.0  207  8.6  8.6   *   0  10  49  *
* 2918  10.2  350 14.1  208  8.6  8.6  **  A  100  100  83  *
* 2920  10.5  350 14.1  208  8.6  8.6  **  A  100  100  92  *
* 2922  11.3  353 14.1  208  8.6  8.6  **  A  100  100  71  *
* 2924  11.3  353 14.1  208  8.6  8.6  **  A  100  100  68  *
* 2926  11.9  359 14.1  209  8.6  8.6   A  100  100  62  *
* 2928  10.9   3 14.0  210  8.6  8.5  **  *  100  100  63  *
* 2930  11.3   4 14.0  208  8.6  8.5   A   0  100  44  *
* 2932  13.3  18 14.0  207  8.6  8.5  **  A  20  100  90  *
* 2934  12.7  19 13.9  207  8.7  8.6  **  A  20  100  72  *
* 2936  NB CBRR  13.9  208  8.7  8.6   *
* 2938  11.5  321 13.9  209  8.7  8.6  **  A  100  100  70  *
* 2940  12.1  314 13.9  209  8.7  8.6  **  A  100  100  97  *
* 2942  12.7  314 13.9  208  8.7  8.6  **  A  100  100  96  *
* 2944  12.1  316 14.0  207  8.7  8.6   *   0   0  82  *
* 2946  12.0  315 14.1  207  8.7  8.5  **  *  100  100  64  *
* 2948  12.5  315 14.1  207  8.7  8.6   A  100  100  68  *
* 2950  13.4  310 14.2  207  8.7  8.6   A   0  100  57  *
* 2952  12.9  309 14.3  208  8.7  8.5   A   0  100  56  *
* 2954  11.3  323 14.4  209  8.6  8.5  **  A  100  100  72  *
* 2956  11.1  333 14.5  208  8.6  8.6  **  A  100  100  74  *
* 2958  10.7  338 14.6  207  8.5  8.5  **  A  100  100  72  *
* 2960   9.8  313 14.7  207  8.5  8.5  **  A  100  100  95  *
* 2962   7.6  325 14.6  208  8.5  8.5  **  C  100  100  97  *
* 2964   4.6   44 14.6  207  8.5  8.5  **  C  40  100  94  *
*****
    
```

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LG   Q   PLA   CLS   MAX   *
*           AZH           AZH     1-3   2-4   GI           *
*****
*
*   2966    5.1   115  14.7  208   8.6   8.5   **  C   100  100   75   *
*   2968    15.6  160  14.7  209   8.6   8.5   *   0   40   60   *
*   2970    14.8  334  14.8  208   8.6   8.6   B   0   100  48   *
*   2972    16.4  332  14.8  208   8.6   8.6   **  A   100  100  93   *
*   2974    17.8  330  14.8  208   8.6   8.6   *   0   15   42   *
*   2976    19.6  331  14.8  208   8.6   8.6   *   0   0   56   *
*   2978    20.6  332  14.8  207   8.6   8.6   **  A   100  100  83   *
*   2980    19.9  330  14.7  207   8.6   8.6   **  A   100  100  84   *
*   2984    18.3  334  14.7  209   8.6   8.6   **  A   100  100  97   *
*   2986    18.2  338  14.8  210   8.6   8.6   **  A   100  100  78   *
*   2988    19.5  336  14.8  209   8.6   8.6   **  A   100  100  79   *
*   2990    20.6  338  14.8  208   8.5   8.5   **  A   100  100  78   *
*   2992    20.7  343  14.8  209   8.5   8.5   **  A   100  100  79   *
*   2994    21.5  344  14.8  208   8.6   8.5   A   0   100  56   *
*   2996    21.3  349  14.8  208   8.6   8.5   C   100  100  60   *
*   2998    20.7  347  14.9  208   8.6   8.5   **  A   100  100  75   *
*   3000    20.4  343  14.9  209   8.7   8.6   **  A   100  100  86   *
*   3002    24.0  331  15.0  210   8.8   8.6   **  C   100  100  74   *
*   3004    20.2  325  15.0  210   8.7   8.6   **  C   100   67  28   *
*   3006    16.4  313  15.1  211   8.7   8.7   *   0   0   27   *
*   3008    12.3  289  15.1  210   8.6   8.8   C   0   100  34   *
*   3010     4.5  200  15.1  210   8.6   8.8   **  C   14  100  44   *
*   3012    17.0  249  15.2  210   8.5   8.8   **  B   100  100  87   *
*   3014    16.1  248  15.2  210   8.5   8.7   **  B   100  100  94   *
*   3016    11.9  288  15.2  212   8.5   8.6   **  A   100  100  90   *
*   3018    13.2  290  15.3  212   8.5   8.6   **  A   100  100  91   *
*   3020    13.1  289  15.3  210   8.5   8.5   **  A   100  100  92   *
*   3022    12.0  294  15.3  210   8.5   8.5   **  A   100  100  86   *
*   3024    10.7  293  15.2  209   8.6   8.5   **  A   100  100  87   *
*   3026    10.1  293  15.1  209   8.6   8.5   **  A   100  100  93   *
*   3028    11.8  317  15.0  209   8.5   8.6   D   0   72  84   *
*   3030    12.5  306  15.0  209   8.5   8.6   C   0   100  75   *
*   3032    11.7  292  15.0  209   8.4   8.5   A   0   100  69   *
*   3034    10.2  310  15.0  208   8.4   8.5   A   0   100  62   *
*   3036     8.9  311  15.0  208   8.5   8.5   **  A   100  100  79   *
*   3038     7.4  301  14.9  208   8.5   8.5   **  A   100  100  73   *
*   3040     7.2  270  14.9  208   8.5   8.5   A   100  100  83   *
*   3042    17.9  319  14.9  208   8.5   8.5   A   100  100  81   *
*   3044    16.3  315  14.9  208   8.5   8.5   **  A   100  100  78   *
*   3046    17.5  315  14.9  207   8.6   8.5   **  A   100  100  88   *
*****

```

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LG   O   PLA   CLR   MAX   *
*           AZH           AZH   1-3   2-4   GI                                     *
*****
*
*   3048   16.9   312  14.8   207   8.6   8.5   **  A   100  100   83   *
*   3050   18.1   310  14.8   205   8.5   8.5   **  A   100  100   76   *
*   3052   16.2   307  14.8   204   8.4   8.4   **  A   100  100   78   *
*   3056   17.8   300  14.8   204   8.4   8.4   **  A   100  100   80   *
*   3058   24.0   299  14.7   203   8.5   8.4           B   10  100   60   *
*   3060   34.2   307  14.8   204   8.6   8.5   **  B   10  100   53   *
*   3062   17.5   354  14.8   202   8.7   8.5           A   0  100   90   *
*   3064   16.7   346  14.8   200   8.7   8.5   **  A   100  100   92   *
*   3066   15.3   345  14.7   202   8.7   8.4           A   100  100   84   *
*   3068   15.5   343  14.7   203   8.7   8.4           C   0  100   39   *
*   3070   15.0   335  14.7   198   8.7   8.5           B   0  100   39   *
*   3072   14.0   342  14.7   193   8.7   8.5   **  A   100  100   90   *
*   3074   12.2   340  14.7   194   8.7   8.5   **  A   100  100   86   *
*   3076   9.9    330  14.7   193   8.6   8.5   **  A   100  100   75   *
*   3078   6.5    310  14.7   194   8.6   8.5   **  A   100  100   94   *
*   3080   9.0    348  14.8   194   8.6   8.6   **  B   100  100   76   *
*   3082   14.2   358  14.7   194   8.6   8.6           A   0  100   54   *
*   3084   19.5   349  14.7   196   8.6   8.6           D   0  100   66   *
*   3086   18.8   340  14.8   196   8.5   8.6   **  A   100  100   53   *
*   3088   16.9   330  14.8   196   8.5   8.6           B   100  100   65   *
*   3090   17.5   333  14.9   196   8.4   8.6   **  A   100  100   74   *
*   3092   17.9   338  14.8   196   8.4   8.6   **  A   100  100   73   *
*   3094   15.7   339  14.8   197   8.5   8.6           A   0  100   66   *
*   3096   18.1   339  14.8   198   8.5   8.6           A   0  100   55   *
*   3098   19.6   332  14.9   198   8.4   8.6           B   0  100   76   *
*   3100   16.3   334  14.8   197   8.4   8.6   **  B   83  63   68   *
*   3102   15.0   341  14.9   197   8.4   8.6   **  D   100  100   86   *
*   3104   17.4           335  14.9   197   8.4   8.6           C   100  93   82   *
*   3106   14.2           5  14.9   197   8.4   8.6           *   0   0   57   *
*   3108   NB CORR           14.8   198   8.3   8.6           *
*   3110   36.4   358  14.8   198   8.2   8.6           A   26  100   77   *
*   3112   36.1   355  14.8   197   8.2   8.6           A   25  100   78   *
*   3114   16.8   324  14.8   196   8.3   8.6           B   40  100   37   *
*   3116   19.2   349  14.9   196   8.4   8.6           A   0  100   87   *
*   3118   20.4   15  14.9   197   8.4   8.6           *   10  19   66   *
*   3120   21.3   341  14.9   197   8.4   8.6           *   76  27   68   *
*   3122   27.6   325  14.8   196   8.4   8.6   **  B   35  100   82   *
*   3124   26.5   322  14.8   197   8.4   8.6   **  A   26  100   94   *
*   3126   18.8   334  14.9   200   8.4   8.6   **  A   100  100   89   *
*   3128   18.5   333  14.9   201   8.4   8.6   **  A   100  100   87   *
*****
    
```

*****												
* DEPTH	BIP	BIP	DEV	DEV	DIAM	DIAM	LG	G	PLA	CLG	MAX	*
*		AZM		AZM	1-3	2-4	GI					*
*****												
* 3130	20.3	330	14.8	200	8.4	8.6	**	A	100	100	76	*
* 3132	19.9	327	14.8	198	8.5	8.6		A	11	100	51	*
* 3134	16.9	324	14.8	199	8.8	8.7		B	0	100	65	*
* 3136	13.4	318	14.7	203	8.4	8.6	**	B	71	100	88	*
* 3138	12.7	316	14.7	204	8.2	8.4	**	A	68	100	96	*
* 3140	17.4	301	14.7	203	8.2	8.4		*	0	42	91	*
* 3142	34.3	294	14.7	203	8.3	8.4	**	C	48	100	94	*
* 3144	8.1	336	14.8	203	8.2	8.3	**	C	100	100	81	*
* 3148	9.2	326	14.9	203	8.3	8.4	**	D	100	100	76	*
* 3150	9.5	319	14.9	201	8.1	8.4	**	C	100	100	96	*
* 3152	8.9	311	15.0	201	8.1	8.2	**	A	100	100	97	*
* 3154	10.1	313	14.9	202	8.1	8.1	**	C	91	100	79	*
* 3156	8.7	304	14.9	203	8.2	8.3		C	0	100	53	*
* 3158	8.6	242	15.0	202	8.5	8.4	**	B	64	67	48	*
* 3160	12.1	320	15.2	201	8.5	8.4		A	0	100	36	*
* 3162	12.2	316	15.2	202	8.4	8.4	**	A	100	100	78	*
* 3164	13.6	316	15.3	206	8.4	8.3	**	A	100	100	85	*
* 3166	12.8	313	15.2	209	8.4	8.3	**	A	100	100	96	*
* 3168	11.4	311	15.2	209	8.2	8.2	**	A	100	100	97	*
* 3170	12.4	302	15.1	208	8.1	8.1	**	B	100	100	88	*
* 3172	14.1	294	15.0	207	8.2	8.1	**	A	100	100	94	*
* 3174	12.6	282	15.1	204	8.3	8.2	**	A	100	100	91	*
* 3176	11.3	272	15.1	203	8.3	8.3	**	C	100	100	94	*
* 3178	9.2	260	15.0	204	8.3	8.2	**	C	10	100	89	*
* 3180	10.9	284	14.9	206	8.4	8.2		A	18	100	78	*
* 3182	9.4	262	14.9	209	8.4	8.2	**	A	32	100	73	*
* 3184	11.8	269	15.0	209	8.3	8.2	**	A	100	100	95	*
* 3186	12.8	263	14.9	207	8.2	8.1	**	A	100	100	93	*
* 3188	13.1	267	14.9	206	8.3	8.0	**	A	100	100	91	*
* 3190	13.4	270	14.8	204	8.2	8.0	**	C	100	100	96	*
* 3192	13.5	270	14.8	203	8.2	8.1	**	A	100	100	83	*
* 3194	13.1	268	14.8	202	8.2	8.3	**	A	100	100	81	*
* 3196	13.2	261	14.7	203	8.2	8.2		A	100	100	57	*
* 3198	12.9	264	14.5	204	8.2	8.2		C	100	100	64	*
* 3200	12.5	268	14.3	205	8.2	8.3	**	B	100	100	79	*
* 3202	14.0	254	14.2	206	8.2	8.3	**	B	100	100	69	*
* 3204	11.4	247	14.1	206	8.2	8.2	**	B	100	100	90	*
* 3206	10.5	266	14.0	208	8.2	8.2	**	A	100	100	95	*
* 3208	10.9	268	13.9	207	8.2	8.2	**	A	100	100	94	*
* 3210	11.5	268	13.8	206	8.2	8.1	**	A	100	100	89	*
*****												

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LO  O  PLA  CLS  MAX  *
*          AZM    AZM    1-3  2-4  G1          *
*****
*
* 3212  12.9  271  13.6  206  8.3  8.1  **  C  100  100  68  *
* 3214  11.3  263  13.5  205  8.3  8.1  **  B  100  100  76  *
* 3216  7.2   307  13.4  205  8.3  8.2   A   0  100  66  *
* 3218  9.8    6  13.3  204  8.3  8.3  **  A  16  100  46  *
* 3220  8.4    2  13.2  202  8.3  8.3   B   0  100  79  *
* 3222  10.8  359  13.2  199  8.3  8.3   *   0  10  37  *
* 3224  57.2  343  13.2  198  8.3  8.3   *   0   0  64  *
* 3226  57.6   55  13.2  199  8.3  8.3   *   0   0  31  *
* 3228  43.1   42  13.2  201  8.5  8.4   B   0  100  38  *
* 3230  42.6   35  13.2  203  8.5  8.5   A   0  100  62  *
* 3232  36.7   87  13.3  203  8.4  8.5   *   0  10  36  *
* 3234  30.8   23  13.3  203  8.5  8.5   C   0   0  19  *
* 3236  NO CORR  13.3  203  8.4  8.5   *   *   *   *
* 3238  21.9  340  13.4  204  8.3  8.5  **  C  100  100  23  *
* 3240  19.1  345  13.4  203  8.2  8.4   B   22  100  55  *
* 3242  15.8  345  13.4  202  8.2  8.4   B  100   60  60  *
* 3244  11.7   13  13.3  201  8.2  8.3   B   0  100  74  *
* 3246  10.8   12  13.3  199  8.2  8.3  **  C  100  100  86  *
* 3248  10.4   21  13.3  197  8.2  8.4  **  A  100  100  70  *
* 3250  11.4   20  13.3  198  8.2  8.5  **  A  100  100  71  *
* 3252  11.6   12  13.3  200  8.2  8.5  **  A  100  100  84  *
* 3254  11.4    2  13.2  201  8.1  8.4  **  A  100  100  96  *
* 3256  11.7    9  13.1  201  8.2  8.3  **  A  100  100  97  *
* 3258  11.9   12  13.1  200  8.2  8.3  **  C  100  100  91  *
* 3260  25.0  280  13.1  200  8.4  8.4   C   0  100  63  *
* 3262   9.3   29  13.0  201  8.4  8.4   C   0   61  76  *
* 3264  12.7   35  13.1  201  8.3  8.4  **  B  100  100  82  *
* 3266  15.1   27  13.1  201  8.3  8.4  **  A  100  100  85  *
* 3268  15.0   27  13.1  201  8.4  8.4  **  A  100  100  89  *
* 3270  13.9   23  13.1  201  8.4  8.4  **  A  100  100  94  *
* 3272  13.5   22  13.1  201  8.4  8.4  **  A  100  100  94  *
* 3274  12.9   25  13.1  200  8.3  8.3  **  A  100  100  96  *
* 3276  13.1   23  13.1  200  8.4  8.4  **  A  100  100  98  *
* 3278  13.3   23  13.1  200  8.4  8.4  **  B  100  100  98  *
* 3280  13.8   23  13.1  201  8.4  8.4  **  A  10  100  94  *
* 3282  13.8   24  13.1  201  8.5  8.5  **  A  10  100  93  *
* 3286  17.0   17  13.0  201  8.5  8.5   C   0  100  93  *
* 3288  31.7   34  13.0  201  8.4  8.5   *   0   31  80  *
* 3290  13.4  354  13.0  201  8.3  8.4  **  A  100  100  75  *
* 3292  13.2    3  13.0  200  8.4  8.4  **  A  100  100  66  *
*****
    
```

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LB	Q	PLA	CLD	MAX	*
		AZH		AZH	1-3	2-4	BT					
* 3294	12.9	12	13.0	197	8.4	8.5	**	A	100	100	83	*
* 3298	12.8	17	13.0	195	8.5	8.6	**	A	100	100	94	*
* 3300	12.2	17	13.0	195	8.6	8.6	**	A	100	100	91	*
* 3302	12.3	15	13.0	193	8.7	8.6	**	*	10	100	94	*
* 3304	12.5	15	13.0	193	8.8	8.6	**	A	10	100	89	*
* 3306	12.9	14	12.9	193	8.8	8.6	**	C	100	100	75	*
* 3308	12.3	14	12.9	193	8.8	8.7	**	C	100	100	86	*
* 3310	13.0	15	12.9	193	8.9	8.7	**	B	100	100	77	*
* 3312	14.1	18	12.8	193	8.8	8.7	**	C	100	100	83	*
* 3314	13.8	16	12.8	192	8.8	8.6	**	B	100	100	79	*
* 3316	13.6	12	12.8	188	8.7	8.6	**	A	10	100	81	*
* 3318	13.5	8	12.7	183	8.7	8.6	**	B	100	100	86	*
* 3320	12.8	3	12.7	184	8.6	8.5	**	D	100	100	95	*
* 3322	13.4	360	12.8	184	8.4	8.5	**	A	100	100	87	*
* 3324	13.5	360	12.8	183	8.5	8.6	**	D	100	100	98	*
* 3326	10.9	18	12.7	185	8.8	8.9		A	100	100	76	*
* 3328	8.6	94	12.7	187	9.0	9.1		*	0	10	70	*
* 3330	16.6	14	12.7	185	8.9	9.1		A	100	100	74	*
* 3332	14.5	10	12.6	185	8.8	8.9	**	A	12	100	73	*
* 3334	12.4	5	12.6	188	8.8	8.8		A	10	100	68	*
* 3336	12.7	8	12.5	189	8.7	8.7	**	D	100	100	85	*
* 3338	11.3	10	12.5	187	8.5	8.6		C	0	100	93	*
* 3340	17.0	21	12.6	188	8.4	8.5		*	0	41	55	*
* 3342	15.4	24	12.5	192	8.3	8.5	**	A	10	66	66	*
* 3344	23.2	45	12.5	195	8.3	8.4		A	0	100	69	*
* 3346	24.1	40	12.5	193	8.3	8.4		D	57	100	60	*
* 3348	15.0	228	12.5	191	8.3	8.3		*	11	10	77	*
* 3350	28.4	88	12.5	191	8.3	8.3		*	0	24	45	*
* 3352	24.6	23	12.5	192	8.3	8.3		*	0	21	77	*
* 3354	16.0	14	12.5	195	8.2	8.3		*	0	0	52	*
* 3356	5.9	92	12.4	199	8.3	8.3		*	0	22	58	*
* 3358	15.2	65	12.4	199	8.3	8.3		*	0	33	60	*
* 3360	12.3	355	12.4	196	8.3	8.4	**	C	100	100	88	*
* 3362	12.0	353	12.3	194	8.3	8.4	**	C	100	100	86	*
* 3364	11.0	17	12.3	195	8.4	8.3	**	A	10	100	70	*
* 3366	17.0	348	12.2	198	8.3	8.3		A	0	100	65	*
* 3368	15.4	33	12.2	199	8.3	8.3		A	0	100	42	*
* 3370	16.5	37	12.1	200	8.4	8.4		A	100	100	69	*
* 3372	15.8	5	12.2	199	8.4	8.4		C	26	100	78	*
* 3374	14.3	11	12.2	200	8.5	8.4	**	B	100	100	81	*

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAH  DIAH  LO  Q  PLA  CLS  MAX  *
*          AZH          AZH    1-3  2-4  GI          *
*****
*
* 3376  12.5  19  12.2  202  8.7  8.4  **  B  10  100  89  *
* 3378  15.7  28  12.2  203  8.8  8.5  *   B  0  100  71  *
* 3380  11.7  40  12.2  203  8.8  8.6  C   0  100  83  *
* 3382  14.6  12  12.1  202  8.8  8.6  *   0  24  89  *
* 3384  23.5  343 12.1  201  8.7  8.6  C   0  100  83  *
* 3386  20.6  317 12.1  201  8.7  8.6  C   0  64  56  *
* 3388  19.0  321 12.0  200  8.8  8.6  C  100 100  76  *
* 3390  16.2  29  12.0  198  8.8  8.6  **  C  28 100  79  *
* 3392  28.4  357 12.0  200  8.8  8.6  **  D  10  58  83  *
* 3394  11.8  35  11.9  198  8.8  8.6  **  D  10  58  84  *
* 3396  39.9  277 11.9  197  8.9  8.6  B   0  100  91  *
* 3398  28.8  249 11.9  199  9.0  8.6  A   0  100  51  *
* 3400  71.9  37  11.9  201  9.1  8.7  *   0  15  31  *
* 3402  NB CORR  12.0  200  9.3  8.8  *
* 3404  34.6  219 11.9  197  9.4  8.8  D   0  75  53  *
* 3406  NB CORR  11.8  193  9.3  8.7  *
* 3408  12.6  256 11.9  193  9.0  8.5  C   0  100  64  *
* 3410  22.8  234 11.8  195  8.7  8.5  *   0  0  22  *
* 3414  NB CORR  11.8  193  8.6  8.5  *
* 3416  51.5  4  11.8  193  8.5  8.4  *   0  35  11  *
* 3418  NB CORR  11.8  195  8.1  8.2  *
* 3420  54.0  110 11.7  195  8.0  8.0  *   0  0  9  *
* 3422  NB CORR  11.8  195  7.9  7.9  *
* 3424  33.8  273 11.8  195  7.9  7.9  *   0  21  15  *
* 3426  21.8  302 11.8  195  7.9  8.0  *   0  0  29  *
* 3428  22.9  299 11.7  195  7.9  8.0  *   0  0  36  *
* 3430  34.9  131 11.7  196  7.9  8.0  *   0  0  34  *
* 3432  34.7  39  11.8  196  7.8  8.0  *   0  0  38  *
* 3434  44.4  26  11.7  197  7.8  8.1  C   0  100  43  *
* 3436  45.2  343 11.7  197  7.7  8.2  *   0  0  32  *
* 3438  11.5  355 11.7  197  7.7  8.1  **  C  100 100  25  *
* 3440  11.3  360 11.7  195  7.9  7.8  B   0  100  34  *
* 3442  15.0  334 11.7  195  7.8  7.7  *   0  34  45  *
* 3444  57.2  4  11.7  196  7.7  7.8  D   0  100  46  *
* 3446  10.1  38  11.6  196  7.6  7.9  *   0  42  75  *
* 3448  24.5  103 11.6  195  7.6  7.8  *   0  10  14  *
* 3450  3.3  59  11.6  195  7.7  7.8  **  C  100 100  74  *
* 3452  10.8  12  11.6  193  7.9  7.8  C   0  100  83  *
* 3454  15.3  11  11.6  194  7.8  7.8  A   0  100  78  *
* 3456  18.9  16  11.6  190  7.8  7.8  *   0  31  71  *
*****
    
```

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LG   G   PLA   CLR   MAX   *
*           AZM           AZM   1-3   2-4   G1
*****
*
*   3455   39.0   17  11.7  184   7.7   7.7           C   0   93   67   *
*   3460   27.4   66  11.7  184   7.7   7.8           *   0   0   74   *
*   3462   NO CORR           11.6  185   7.7   7.7           *
*   3464   26.9   119 11.6  186   7.7   7.6           *   0   0   32   *
*   3466   49.4   43  11.6  186   7.7   7.6           C   0  100  22   *
*   3468   35.7   56  11.6  185   7.7   7.5           C   0  100  18   *
*   3470   57.4   134 11.6  187   7.8   7.6           C   0  100  25   *
*   3472   50.0   270 11.6  186   7.9   7.6           D   0   69  19   *
*   3474   34.0   158 11.4  186   7.8   7.5           *   0   27  56   *
*   3476   10.4    9  11.2  188   7.7   7.5           *   0   10  44   *
*   3480   72.8    35 11.0  187   7.7   7.8           *   0  100  84   *
*   3482   35.2   173 10.9  189   7.9   8.2           *   0  100  91   *
*   3484   50.9   333 10.9  189   8.3   8.5           C   0  100  64   *
*   3485   28.5   268 10.9  189   8.5   8.5           D   0  100  94   *
*   3488    2.0   285 10.8  189   8.2   7.9           *   0   31  96   *
*   3490   40.7    57 10.7  190   7.0   6.0           ** D  100  73  28   *
*****
    
```

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LB	O	PLA	CLB	MAX	*
		AZH		AZH	1=3	2=4	GI					*
* 3292	12.9	352	13.0	198	8.4	8.3	**	A	100	100	76	*
* 3294	12.6	360	13.0	196	8.4	8.4	**	A	100	100	76	*
* 3296	12.5	13	13.0	195	8.4	8.4	**	A	100	100	85	*
* 3298	12.5	16	13.0	194	8.5	8.5	**	A	100	100	92	*
* 3300	12.0	18	13.0	195	8.5	8.5	**	A	100	100	92	*
* 3302	12.1	25	13.0	196	8.5	8.6	**	A	10	100	87	*
* 3304	13.9	19	13.0	195	8.6	8.5	**	A	10	100	84	*
* 3306	12.7	18	12.9	195	8.6	8.7	**	A	100	100	89	*
* 3308	12.3	19	12.9	194	8.7	8.8	**	C	100	100	95	*
* 3310	12.9	13	12.9	191	8.7	9.0	**	C	100	100	88	*
* 3312	14.0	14	12.9	190	8.6	8.8	**	C	10	100	90	*
* 3314	13.8	15	12.8	191	8.5	8.6	**	A	100	100	90	*
* 3316	13.4	16	12.8	192	8.5	8.5	**	A	100	100	85	*
* 3318	13.3	18	12.7	191	8.5	8.5	**	B	100	100	79	*
* 3320	13.5	17	12.7	191	8.5	8.5	**	D	100	100	92	*
* 3322	16.3	8	12.7	187	8.4	8.4	**	A	27	100	77	*
* 3324	14.9	2	12.7	184	8.6	8.5	**	D	12	100	96	*
* 3326	12.5	351	12.7	183	8.9	8.7	**	B	100	100	70	*
* 3328	26.9	28	12.7	182	9.2	8.8	*		0	10	48	*
* 3330	16.7	9	12.7	182	9.2	8.8	**	A	100	100	67	*
* 3332	15.3	3	12.6	182	9.1	8.6	**	A	100	100	75	*
* 3334	14.2	1	12.5	180	8.9	8.5		A	100	100	76	*
* 3336	12.2	355	12.5	183	8.8	8.5	**	C	12	100	86	*
* 3338	10.6	357	12.4	185	8.6	8.4	**	C	10	100	97	*
* 3340	16.8	14	12.4	183	8.5	8.3	*		17	45	46	*
* 3342	32.4	278	12.4	186	8.4	8.3	*		0	10	50	*
* 3344	20.8	29	12.4	190	8.3	8.3	**	A	100	64	62	*
* 3346	20.9	30	12.4	189	8.3	8.3		C	0	100	38	*
* 3348	67.4	351	12.4	188	8.3	8.2		D	0	53	57	*
* 3350	15.9	1	12.4	189	8.3	8.3		C	0	100	73	*
* 3352	31.3	36	12.4	193	8.3	8.3		D	0	100	75	*
* 3354	NO CORR		12.4	192	8.3	8.3						*
* 3356	9.8	192	12.3	194	8.3	8.3	*		0	0	57	*
* 3358	8.8	53	12.3	199	8.3	8.3	**	D	11	67	72	*
* 3360	14.0	353	12.2	198	8.3	8.3		C	0	100	92	*
* 3362	12.2	355	12.2	195	8.3	8.3	**	B	100	100	86	*
* 3364	13.9	348	12.2	194	8.4	8.3	*		0	14	59	*
* 3366	17.8	345	12.2	195	8.3	8.2		A	10	100	67	*
* 3368	NO CORR		12.1	198	8.3	8.2						*
* 3370	16.6	39	12.1	200	8.4	8.3		A	100	100	63	*

*****												
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLB	MAX	*
*		AZM		AZM	1-3	2-4	BT					*
*****												
* 3372	16.2	1	12.1	199	8.4	8.3		C	0	100	77	*
* 3376	13.4	18	12.2	202	8.6	8.3	**	C	100	100	83	*
* 3378	24.3	37	12.1	203	8.6	8.4		*	0	21	85	*
* 3380	13.8	4	12.1	204	8.6	8.4		C	0	100	84	*
* 3382	25.2	105	12.1	202	8.6	8.4	**	*	100	100	83	*
* 3384	26.6	326	12.1	200	8.6	8.4	**	*	54	100	86	*
* 3386	23.7	338	12.0	200	8.6	8.4		C	52	100	85	*
* 3388	19.2	315	12.0	200	8.6	8.4		C	100	100	52	*
* 3390	14.0	36	12.0	198	8.6	8.5		*	0	12	91	*
* 3392	20.0	27	12.0	199	8.6	8.5	**	D	100	100	89	*
* 3394	18.7	21	12.0	199	8.8	8.5		D	0	100	79	*
* 3396	13.0	314	12.0	195	8.9	8.5	**	D	17	100	90	*
* 3398	35.9	248	12.0	196	9.0	8.6	**	B	100	53	54	*
* 3400	28.1	252	12.0	198	9.1	8.6		B	0	100	48	*
* 3402	NO CORR		11.9	199	9.3	8.7						*
* 3404	40.1	212	11.9	197	9.4	8.7		D	0	100	48	*
* 3406	NO CORR		11.9	195	9.4	8.7						*
* 3408	33.2	185	11.9	193	9.0	8.5		C	0	52	57	*
* 3410	21.9	228	11.9	194	8.7	8.3		C	0	100	29	*
* 3412	NO CORR		11.9	194	8.5	8.3						*
* 3414	NO CORR		11.9	192	8.5	8.3						*
* 3416	66.4	309	11.9	191	8.5	8.2		*	0	27	11	*
* 3418	44.2	356	11.8	192	8.3	8.0		*	0	0	38	*
* 3420	67.2	47	11.8	194	8.1	7.9		D	0	100	44	*
* 3422	23.1	157	11.8	193	8.0	7.8		*	0	17	13	*
* 3424	NO CORR		11.8	193	8.0	7.8						*
* 3426	NO CORR		11.8	194	8.0	7.8						*
* 3428	29.9	249	11.8	193	8.0	7.9	**	A	10	100	3	*
* 3430	17.5	9	11.7	191	8.0	7.9		*	0	23	26	*
* 3432	24.1	12	11.7	188	7.9	7.9		A	0	100	40	*
* 3434	26.3	14	11.7	189	7.8	8.0		*	0	23	30	*
* 3436	36.2	351	11.7	193	7.7	8.0	**	D	26	100	53	*
* 3438	12.4	315	11.6	193	7.8	8.0		*	0	20	57	*
* 3440	11.5	353	11.7	193	7.9	7.9		C	12	100	76	*
* 3442	13.6	313	11.7	193	7.9	7.7		D	0	61	47	*
* 3444	13.5	310	11.7	194	7.8	7.7		D	0	100	39	*
* 3446	11.4	37	11.7	194	7.7	7.9		*	0	13	64	*
* 3448	44.6	171	11.6	194	7.6	7.8		*	0	11	12	*
* 3450	5.4	72	11.6	194	7.7	7.7	**	D	87	100	71	*
* 3452	8.1	18	11.6	194	7.9	7.8		*	25	13	79	*

\*\*\*\*\*

```

*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LB  Q  PLA  CLR  MAX  *
*          AZM          AZM  1-3  2-4  GI          *
*****
*
* 3454  16.8  25  11.6  195  8.0  7.8  *  0  34  74  *
* 3456  16.5  22  11.7  196  7.9  7.8  B  0  100  68  *
* 3458  35.1   2  11.7  195  7.9  7.8  *  0  12  85  *
* 3460  60.0  54  11.7  195  8.0  7.8  *  0  32  69  *
* 3462  NB CORR  11.6  194  7.9  7.7  *
* 3464  51.3  301  11.5  194  7.8  7.7  *  0  0  20  *
* 3468  29.1  154  11.6  197  7.7  7.7  C  0  100  43  *
* 3470  14.9  333  11.5  197  7.7  7.7  *  0  10  45  *
* 3472   2.6  235  11.5  195  7.8  7.8  *  0  18  4  *
* 3474  NB CORR  11.4  194  7.7  7.8  *
* 3476   9.5  348  11.2  196  7.7  7.7  *  0  13  40  *
* 3478   9.9  298  11.1  198  7.6  7.7  ** C  24  100  65  *
*****
    
```

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LB   Q   PLA   CLS   MAX   *
*           AZH           AZH   1-3   2-4   GI           *
*****
*
*   1312   21.6   40   5.1   235   8.3   8.4           A   100   100   76   *
*   1314   22.3   39   5.1   233   8.3   8.4          **  A   100   100   83   *
*   1316   22.6   39   5.1   233   8.4   8.4          **  A   100   100   82   *
*   1318   22.4   41   5.1   234   8.4   8.4          **  A   100   100   77   *
*   1320   22.2   41   5.2   234   8.4   8.5          **  A   100   100   86   *
*   1322   21.8   40   5.1   233   8.3   8.5          **  A   100   100   81   *
*   1324   22.4   38   5.1   233   8.3   8.5          **  *   100   100   89   *
*   1326   23.7   38   5.2   233   8.4   8.5          **  *    93   100   95   *
*   1328   23.8   39   5.2   233   8.4   8.4          **  A    77   100   94   *
*   1330   22.9   38   5.3   234   8.4   8.4          **  A   100   100   83   *
*   1332   22.8   37   5.2   234   8.3   8.5          **  A   100   100   83   *
*   1334   24.0   36   5.2   233   8.4   8.5          **  B   100   100   83   *
*   1336   24.8   38   5.2   233   8.4   8.5          **  B   100   100   83   *
*   1338   21.7   41   5.2   233   8.4   8.5          **  B   100   100   48   *
*   1340   22.9   39   5.2   233   8.4   8.5          **  B   100   100   74   *
*   1342   23.7   39   5.3   233   8.4   8.5          **  A   100   100   74   *
*   1344   23.9   39   5.3   233   8.4   8.5           A   100   100   76   *
*   1346   21.9   39   5.3   233   8.4   8.5           C   100   100   76   *
*   1348   21.8   39   5.3   233   8.4   8.5          **  D   100   100   73   *
*   1350   23.3   39   5.3   234   8.4   8.5          **  A   100   100   82   *
*   1352   23.9   39   5.3   233   8.4   8.4           B     0   100   88   *
*   1354   22.5   36   5.3   233   8.4   8.4           B    93   100   92   *
*   1356   22.8   36   5.4   233   8.4   8.4          **  A   100   100   93   *
*   1358   23.4   36   5.4   233   8.4   8.4          **  A   100   100   89   *
*   1360   24.7   35   5.4   234   8.4   8.4          **  A    88   100   79   *
*   1362   NB CORR   5.4   234   8.4   8.5           *
*   1364   60.0     8   5.4   234   8.4   8.5           *     0     0   79   *
*   1366   22.5   37   5.3   235   8.4   8.5          **  A   100   100   88   *
*   1368   22.4   37   5.4   235   8.4   8.5          **  A   100   100   94   *
*   1370   23.2   38   5.4   235   8.4   8.5          **  A   100   100   97   *
*   1372   25.2   37   5.4   235   8.4   8.5          **  B   100   100   86   *
*   1374   25.4   37   5.4   234   8.4   8.5           A     0   100   81   *
*   1376   23.4   36   5.4   234   8.4   8.5          **  B   100   100   85   *
*   1378   23.5   35   5.5   235   8.3   8.5          **  A   100   100   85   *
*   1380   23.6   41   5.5   235   8.3   8.5           A     0   100   61   *
*   1382   22.7   39   5.5   235   8.3   8.5          **  A   100   100   70   *
*   1384   22.5   39   5.5   233   8.3   8.4          **  A   100   100   92   *
*   1386   22.9   37   5.5   232   8.3   8.4          **  B   100   100   83   *
*   1388   22.5   37   5.5   232   8.3   8.4          **  A   100   100   73   *
*   1390   22.5   37   5.5   233   8.4   8.4           A   100   100   96   *
*****
    
```

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LO   Q   PLA   CLO   MAX   *
*           AZM     AZM     1-3   2-4   GI                                     *
*****
*
*   1392  23.1   38   5.6  234   8.4   8.5           A  100  100  96   *
*   1394  23.2   38   5.6  234   8.4   8.5          ** A  100  100  89   *
*   1396  22.5   40   5.5  233   8.4   8.5           B  100  100  67   *
*   1398  22.9   37   5.5  233   8.4   8.4          ** D  100  100  72   *
*   1400  22.8   38   5.6  233   8.4   8.4          ** C  100  100  96   *
*   1402  22.7   38   5.6  232   8.3   8.4          ** B  100  100  97   *
*   1404  22.4   38   5.6  231   8.3   8.4           B  100  100  77   *
*   1406  23.2   37   5.6  232   8.4   8.4           C    0  100  80   *
*   1408  23.2   36   5.6  233   8.4   8.4          ** C  100  100  89   *
*   1410  23.2   37   5.6  233   8.4   8.4          ** A  100  100  83   *
*   1412  23.6   38   5.6  231   8.4   8.4           *    0  100  62   *
*   1414  22.5   37   5.7  229   8.4   8.4           A    0  100  57   *
*   1416  22.8   36   5.7  229   8.3   8.4          ** A  100  100  92   *
*   1418  22.9   36   5.7  229   8.3   8.4          ** A  100  100  95   *
*   1420  23.1   36   5.7  229   8.4   8.4          ** A  100  100  92   *
*   1422  22.7   38   5.7  228   8.4   8.4          ** A  100  100  78   *
*   1424  22.8   38   5.7  228   8.4   8.4          ** C  100  100  78   *
*   1426  24.1   38   5.8  229   8.4   8.4          ** A  100  100  85   *
*   1428  24.1   38   5.8  229   8.4   8.4          ** A  100  100  83   *
*   1430  23.2   37   5.8  228   8.4   8.4          ** A  100  100  75   *
*   1432  23.1   38   5.7  228   8.4   8.4          ** A  100  100  86   *
*   1434  22.9   37   5.7  228   8.4   8.4          ** A  100  100  71   *
*   1436  23.6   38   5.7  228   8.4   8.4          ** A  100  100  85   *
*   1438  22.4   38   5.8  228   8.4   8.4           A  100  100  79   *
*   1440  22.7   37   5.7  228   8.4   8.4           A  100  100  58   *
*   1442  22.2   39   5.7  229   8.4   8.4           B    0  100  81   *
*   1444  NO CORR      5.8  230   8.5   8.8                                     *
*   1446  NO CORR      5.8  230   8.5   8.9                                     *
*   1448  27.9   39   5.8  231   8.4   8.5           D    0   71  30   *
*   1450  42.9   21   5.8  230   8.4   8.5           A   65  100  67   *
*   1452  43.4   22   5.8  229   8.4   8.5           A    0  100  76   *
*   1454  25.4   41   5.8  229   8.4   8.5          ** A   70  100  79   *
*   1456  25.0   40   5.8  229   8.4   8.4          ** A  100  100  74   *
*   1458  23.1   41   5.8  230   8.4   8.4          ** A  100  100  79   *
*   1460  23.6   39   5.9  230   8.4   8.4          ** A  100  100  80   *
*   1462  19.3   47   5.9  231   8.3   8.4          ** B  100  100  86   *
*   1464  27.4   41   5.9  231   8.3   8.4          ** C  100  100  71   *
*   1466  31.0   39   5.8  231   8.4   8.7           C    0  100  67   *
*   1468  23.5   101  5.8  231   8.5   8.9           A    0  100  38   *
*   1470  31.2   42   5.9  230   8.4   8.6           B    0   92  45   *
*****

```

```

*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LB   Q   PLA   CLR   MAX   *
*           AZH           AZH   1-3   2-4   GI                                     *
*****
*
*   1472   42.1   169   5.9   231   8.4   8.5           *   15   14   43   *
*   1474   22.9   172   5.9   231   8.4   8.7           *   0    0   35   *
*   1476    7.8    23   5.9   231   8.5   8.7           *   0   32   10   *
*   1478   28.9   313   5.9   231   8.5   8.7           *   0   10    2   *
*   1480   34.6    61   6.0   230   8.5   8.6           B    0  100  46   *
*   1482   13.8    76   6.0   231   8.5   8.6           *   0   22  47   *
*   1484   22.3    44   5.9   230   8.5   8.6   **  C  100  100  61   *
*   1486   21.3   239   5.9   231   8.4   8.6   **  A   10  100  59   *
*   1488   24.1    40   6.0   231   8.4   8.6           A  100  100  86   *
*   1490   23.7    43   6.0   232   8.4   8.5           B    0  100  84   *
*   1492   47.6    84   6.0   232   8.4   8.5           *   0   18  63   *
*   1494   33.8    61   6.0   232   8.4   8.5   **  A  100  92  39   *
*   1496   29.9    59   6.0   231   8.4   8.5           B   54  100  51   *
*****

```