



CEMENT | FLUID | INFRASTRUCTURE SERVICES

WWW.MAGNUMSERVICES.COM



Post Job Report

Prepared for **FUNDARE RESOURCES COMPANY LLC**

PARRETT 1

API #05-123-05734

Plug and Abandonment Cement

January 9th, 2026

Disclaimer and Confidentiality Statement

This report and all accompanying materials, are confidential and intended solely for the use of the individual or entity to whom they are addressed. The interpretations provided by the Magnum Cementing Services Technical Team are based on available data and best practices at the time of reporting. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or use of this information is strictly prohibited. If you have received this report in error, please notify the sender immediately and delete it from your system. Magnum Cementing Services assumes no responsibility for decisions made based on the contents of this report. The final use and application of the information contained herein remain the sole responsibility of the Customer.

US Treatment Report



Customer: FUNDARE RESOURCES COMPANY LLC
Rep: Wavne Silvester
Supervisor: US Remedial
Job Type: Retainer-Circulation to Surface
Rig: Horizon 2
Well: Parratt #1
UWI: Parrett 1
Surface: NENW SEC2, R9N, T59W

Job #: JOB00225482
Job Date: 2026-01-09
Time Requested: 7:30:00 AM
Time Arrived: 7:30:00 AM
Time Released: 9:30:00 AM

24 sk MAG G 15.8 + 0.30% MCFR-2 + 0.10% MCDF-P

Yield: 1.15 ft³/sk = 4.92bbbls Mix Water: 4.99 gal/sk = 2.85 bbl

BHCT (F)	72	BHST (F)	81	Casing Size (in)	4.5
Casing Grade	P110	Casing Weight (lb/ft)	13.6	Tubing Size (in)	2.875
Tubing Grade	L-80	Tubing Weight (lb/ft)	6.5	Mud Density (lb/gal)	15.8
Plug Size (in)	8 5/8	TMD (ft)	30	TVD (ft)	30

Treatment Info: Sacks Used: 24 Sacks Not Used: 0

Preflush:

	Circulation Time:			
	Slurry Temp:	68	Bulk Sample:	Yes
	Water Temp:	55	Water Sample:	Yes
	Bulk Temp:	40	Slurry Sample:	Yes
	Air Temp:	40	Air Pressure	29.8
				3
Slurry Returns:	Plug Bumped:	Pump Out Lines:	Yes	Float Held:
Cement Class:	OWG	Humidity:	24	Precipitation:
				0

Displace: 0bbls Fresh Water

Further Blend Details:

Prehydrated: NO

Additional Details (General Notes):

Time	Pressure psi	Annular Pressure psi	Volume Per Stage bbls	Total Stage Volume bbls	Rate bbls/mi n	Treatment Detail
07:30	0.00					Arrive on Location - ARRIVE ON LOCATION SPOKE WITH COMPANY REP ABOUT SPOTTING EQUIPMENT IN ,JOB,SKS,PRESSURE,ETC, WATER TEST COMPLETE, TEMP=50 F, CHLORIDES=279 PPM, PH=7, TOTAL HARDNESS= 50
07:40	0.00					Safety Meeting - HELD JSA WITH COMPANY REP & CREW SPOKE ABOUT, PSI, HAND PLACEMENT & STOP WORK AUTHORITY
08:00	70.00		1.7		1	Pump Slurry - = 8.3 SKS 1.15 FT ³ /SK 4.99 GPS = 1.7 BBLS @ 15.8 PPG WET & DRY SAMPLES TAKEN, WET SAMPLE WEIGHED & VERIFIED, GOOD RETURNS EST TOC= SURFACE
09:00	0.00					Wash Up Truck
09:10	0.00					Rig Out
09:30	0.00					Leave Location



Customer: FUNDARE

Date: January 9, 2026

Ticket: 225482

Location: WYOMING

Well Name: PARRETT 1

Job Type: SURFACE PLUG

Magnum Unit #: 1015

