RECEIVED
JUN - 4 1962
OIL & GAS
CONSERVATION COMMISSION

00836970

Halliburton
COMPANY

Your.....

Formation Testing Service Report



PRESSURE

TIME



Initial Closed In Time	None Minutes		
Tool Open Flow Period 1st	30	2nd	None Minutes
Final Closed In Time	30 Minutes		

Depth Top Gauge	3694 Ft.	Blanked Off	No
BT. P.R.D. No	186		12 Hr. Clock
Pressure Readings	Field		Office Corrected
Initial Hydro Mud Pressure	2038		2012
Initial Closed in Pres.	None		None
Initial Flow Pres.	115		98
Final Flow Pres.	608		600
Final Closed in Pres.	790		778
Final Hydro Mud Pressure	2025		2012

Depth Center Gauge	None Ft.	Blanked Off	
BT. P.R.D. No	None		Hr. Clock
Pressure Readings	Field		Office Corrected
Initial Hydro Mud Pressure			
Initial Closed in Pres.			
Initial Flow Pres.			
Final Flow Pres.			
Final Closed in Pres.			
Final Hydro Mud Pressure			

Depth Bottom Gauge	3831 Ft.	Blanked Off	Yes
BT. P.R.D. No	1376		12 Hr. Clock
Pressure Readings	Field		Office Corrected
Initial Hydro Mud Pressure	None		2091
Initial Closed in Pres.	Blanked	off -	
Initial Flow Pres.	Pressure	equalizer	
Final Flow Pres.	was not	used	
Final Closed in Pres.	None		None
Final Hydro Mud Pressure	None		2091

Amount-Type of Cushion	None

Date	1-15-62
Ticket No.	T-105504
HOWCO DISTRICT	Sterling, Colo
Kind of Job	Straddle Test
CONTRACTOR	Company Tools

HOLE & TOOL DATA

Elevation	4431' KB	Top Packer Depth	3736'
Total Depth	3835'	Bottom Packer Depth	3746'
Casing or Hole Size	7 7/8"	Size & Type Wall Packer	6 3/4" ESA
Liner or Rathole Size	7 5/8" x 77'	Size Bottom Choke	7/8"
Casing Perforations	Top None / Bottom None	Size Surface Choke	5/16"
Interval Tested	3736'-3746'	ID & Length Air Chamber	None
Formation Tested	J Sand	ID & Length Drill Collars	2¼" x 60'
Est. Gauge Depth Temp.	126 F°	Size Drill Pipe	4" FH
MUD DATA Weight	9.3	Viscosity	85
All depths measured from	Kelly Bushing	No. Folders Reproduced	5

REMARKS: Tool opened with a strong blow, decreasing to a fair blow at end of test. No gas to surface. Tight Hole.

ANCHOR: I.D. 3.87" O.D. 5" LENGTH: 10'

DEPTH TESTER VALVE: 3692'

SPECIFIC GRAVITY WATER: 1.005

TOOL OPENED: 3:00 p.m. TOOL CLOSED: 4:00 p.m.

Recovered	1320	Feet of	Water
Recovered		Feet of	
Recovered		Feet of	
Recovered		Feet of	
Witnessed By	Bert McCo[illegible]		
Tester	O. L. Hamberlin		

RECEIVED
JUN - 4 1962
OIL & GAS CONSERVATION COMMISSION

LOCATION	NE NE 33-3S-49W
FIELD	Wildcat
COUNTY	Washington
STATE	Colo
LEASE NAME	Wiant
WELL NO.	1
TEST NO.	1
LEASE OWNER	S. D. Johnson
OWNERS DISTRICT	Denver

HOWCO No. 1295 R I