



DATE: June 17, 2025

DESIGNED BY: J. Whritenour

DRAWN BY: J. Clonts



PDC Energy, Inc. – 69175 – DJ Basin
Edens 11, 12, 18-52 Tank Battery
 NWNW, Section 18, Township 6 North, Range 63 West
 Weld County, Colorado

SOIL BORING LOCATION MAP

FIGURE 1

TABLE 1
FIELD DATA SUMMARY TABLE
PDC ENERGY, INC - 69175
EDENS 11, 12, 18-52 TANK BATTERY, WELD COUNTY, COLORADO
REM #39369

Sample ID	Sample Date	Depth (ft. bgs)	GPS Data Latitude/Longitude		PDOP Value	VOC Concentration (ppm)
AST01@0-6"	6/3/2025	0-0.5	40.493345	-104.486710	0.8	1.1
AST02@0-6"	6/3/2025	0-0.5	40.493385	-104.486703	0.7	0.6
PWV01-B@5'	6/3/2025	5	40.493382	-104.486750	0.8	7.3
PWV01-N@3'	6/3/2025	3	40.493413	-104.486753	0.8	1197.5
PWV01-E@3'	6/3/2025	3	40.493390	-104.486724	0.8	5.1
PWV01-S@3'	6/3/2025	3	40.493362	-104.486749	0.7	7.1
PWV01-W@3'	6/3/2025	3	40.493385	-104.486779	0.7	212.5
SEP01-FL@4'	6/3/2025	4	40.493376	-104.487078	1.0	0.9
SEP01-DL@4'	6/3/2025	4	40.493413	-104.487087	1.0	34.6
MH01@0-6"	6/3/2025	0-0.5	40.493392	-104.487017	0.9	1.3
FLARE01@0-6"	6/3/2025	0-0.5	40.493331	-104.487030	1.0	0.8
SB02@2-3'	1/28/2026	2-3	40.493451	-104.486752	0.9	0.0
SB09@5-6'	1/28/2026	5-6	40.493414	-104.487088	0.9	0.0
SB10@5-6'	1/28/2026	5-6	40.493375	-104.487080	0.9	0.0
SB11@3-4'	1/28/2026	3-4	40.493453	-104.487087	1.0	0.0
SB12@3-4'	1/28/2026	3-4	40.493411	-104.487042	1.0	0.0
SB13@3-4'	1/28/2026	3-4	40.493376	-104.487035	0.9	0.0
SB14@3-4'	1/28/2026	3-4	40.493339	-104.487084	1.0	0.0
SB15@3-4'	1/28/2026	3-4	40.493372	-104.487133	1.1	0.0
SB16@3-4'	1/28/2026	3-4	40.493413	-104.487133	1.1	0.0
BKG01@0-1'	1/28/2026	0-1	40.493404	-104.486544	1.1	0.0

TABLE 1
FIELD DATA SUMMARY TABLE
PDC ENERGY, INC - 69175
EDENS 11, 12, 18-52 TANK BATTERY, WELD COUNTY, COLORADO
REM #39369

Sample ID	Sample Date	Depth (ft. bgs)	GPS Data Latitude/Longitude		PDOP Value	VOC Concentration (ppm)
BKG01@2-3'	1/28/2026	2-3	40.493404	-104.486544	1.1	0.0
BKG01@3-4'	1/28/2026	3-4	40.493404	-104.486544	1.1	0.1
BKG01@5-6'	1/28/2026	5-6	40.493404	-104.486544	1.1	0.2
BKG02@0-1'	1/28/2026	0-1	40.493249	-104.486696	1.1	0.0
BKG02@2-3'	1/28/2026	2-3	40.493249	-104.486696	1.1	0.0
BKG02@3-4'	1/28/2026	3-4	40.493249	-104.486696	1.1	0.0
BKG02@5-6'	1/28/2026	5-6	40.493249	-104.486696	1.1	0.0
BKG03@0-1'	1/28/2026	0-1	40.493253	-104.486996	1.2	0.0
BKG03@2-3'	1/28/2026	2-3	40.493253	-104.486996	1.2	0.0
BKG03@3-4'	1/28/2026	3-4	40.493253	-104.486996	1.2	0.0
BKG03@5-6'	1/28/2026	5-6	40.493253	-104.486996	1.2	0.0
BKG04@0-1'	1/28/2026	0-1	40.493279	-104.487176	1.2	0.0
BKG04@2-3'	1/28/2026	2-3	40.493279	-104.487176	1.2	0.0
BKG04@3-4'	1/28/2026	3-4	40.493279	-104.487176	1.2	0.1
BKG04@5-6'	1/28/2026	5-6	40.493279	-104.487176	1.2	0.2
BKG05@0-1'	1/28/2026	0-1	40.493396	-104.487214	1.2	0.0
BKG05@2-3'	1/28/2026	2-3	40.493396	-104.487214	1.2	0.0
BKG05@3-4'	1/28/2026	3-4	40.493396	-104.487214	1.2	0.0
BKG05@5-6'	1/28/2026	5-6	40.493396	-104.487214	1.2	0.0

Notes:

1. Global Positioning System (GPS) data is provided in decimal degrees using North American Datum (NAD) 83 UTM Zone 13 North.
2. Volatile organic compound (VOC) concentrations are measured in the field using a photoionization detector (PID).

TABLE 1
FIELD DATA SUMMARY TABLE
PDC ENERGY, INC - 69175
EDENS 11, 12, 18-52 TANK BATTERY, WELD COUNTY, COLORADO
REM #39369

Sample ID	Sample Date	Depth (ft. bgs)	GPS Data Latitude/Longitude	PDOP Value	VOC Concentration (ppm)
------------------	--------------------	------------------------	--	-------------------	------------------------------------

PDOP = Position Dilution of Precision

ppm = Parts per million

ft. = Feet

bgs = Below ground surface

TABLE 2
SUMMARY OF VOLATILE ORGANIC SOIL CHEMISTRY DATA
PDC ENERGY, INC - 69175
EDENS 11, 12, 18-52 TANK BATTERY, WELD COUNTY, COLORADO
REM #39369

Sample ID	Sample Date	Depth (ft. bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-Benzene (mg/kg)	Xylenes (mg/kg)	1,2,4-Trimethyl-Benzene (mg/kg)	1,3,5-Trimethyl-Benzene (mg/kg)	Naphthalene (mg/kg)	TPH (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			1.2	490	5.8	58	30	27	2	500	500**		
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.0026	0.69	0.78	9.9	0.0081	0.0087	0.0038	500	500**		
AST01@0-6"	6/3/2025	0 - 0.5	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
AST02@0-6"	6/3/2025	0 - 0.5	<0.0020	0.0071	<0.0050	0.030	0.025	0.0075	0.012	<50	<0.50	<50	<50
PWV01-B@5'	6/3/2025	5	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
PWV01-N@3'	6/3/2025	3	0.045	0.44	0.16	1.2	2.9	0.18	0.065	1,097	27	910	160
PWV01-W@3'	6/3/2025	3	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
SEP01-FL@4'	6/3/2025	4	0.0032	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
SEP01-DL@4'	6/3/2025	4	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	1,000	<0.50	570	430
SB02@2-3'	1/28/2026	2-3	<0.00098	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<6.2	<0.20	<4.1	<6.2
SB09@5-6'	1/28/2026	5-6	<0.0011	<0.0022	<0.0022	<0.0022	<0.0022	<0.0022	<0.0022	192.5	<0.22	61.5	131
SB10@5-6'	1/28/2026	5-6	<0.0010	<0.0021	<0.0021	<0.0021	<0.0021	<0.0021	<0.0021	23.03	<0.21	6.63	16.4
SB11@3-4'	1/28/2026	3-4	<0.0011	<0.0022	<0.0022	<0.0022	<0.0022	<0.0022	<0.0022	<6.6	<0.22	<4.4	<6.6
SB12@3-4'	1/28/2026	3-4	<0.0010	<0.0021	<0.0021	<0.0021	<0.0021	<0.0021	<0.0020	194.4	<0.21	60.4	134
SB13@3-4'	1/28/2026	3-4	<0.0012	<0.0024	<0.0024	<0.0024	<0.0024	<0.0024	<0.0024	774	<0.24	215	559
SB14@3-4'	1/28/2026	3-4	<0.0011	<0.0022	<0.0022	<0.0022	<0.0022	<0.0022	<0.0022	<14	<0.22	<4.6	<14
SB15@3-4'	1/28/2026	3-4	<0.0011	<0.0021	<0.0021	<0.0021	<0.0021	<0.0021	<0.0021	844	<0.21	280	564
SB16@3-4'	1/28/2026	3-4	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<6.3	<0.20	<4.2	<6.3

1. Bold values exceed the ECMC Table 915-1 limit(s)
 2. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL)
 3. ** Summation of GRO+DRO+ORO must be less than 500 mg/kg
- (<) = Analytical result is less than the indicated laboratory reporting limit.
TPH-GRO = Total petroleum hydrocarbons - gasoline range organics
TPH-DRO = Total petroleum hydrocarbons - diesel range organics
TPH-ORO = Total petroleum hydrocarbons - oil range organics
mg/kg = Milligrams per kilogram
ft. = Feet
bgs = Below ground surface
NA - Not analyzed

TABLE 3
SUMMARY OF POLYCYCLIC AROMATIC HYDROCARBON SOIL CHEMISTRY DATA
PDC ENERGY, INC - 69175
EDENS 11, 12, 18-52 TANK BATTERY, WELD COUNTY, COLORADO
REM #39369

Sample ID	Sample Date	Depth (ft. bgs)	Acenaphthene (mg/kg)	Anthracene (mg/kg)	Benzo (a) Anthracene (mg/kg)	Benzo (a) Pyrene (mg/kg)	Benzo (b) Fluoranthene (mg/kg)	Benzo (k) Fluoranthene (mg/kg)	Chrysene (mg/kg)	Dibenzo (a,h) Anthracene (mg/kg)	Fluoranthene (mg/kg)	Fluorene (mg/kg)	Indeno (1,2,3-cd) Pyrene (mg/kg)	Pyrene (mg/kg)	1-Methyl-Naphthalene (mg/kg)	2-Methyl-Naphthalene (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			360	1800	1.1	0.11	1.1	11	110	0.11	240	240	1.1	180	18	24
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.55	5.8	0.011	0.24	0.3	2.9	9	0.096	8.9	0.54	0.98	1.3	0.006	0.019
AST01@0-6"	6/3/2025	0 - 0.5	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
AST02@0-6"	6/3/2025	0 - 0.5	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0127	<0.00500	<0.00500	0.0216	0.0312
PWV01-B@5'	6/3/2025	5	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
PWV01-N@3'	6/3/2025	3	<0.00500	<0.00500	0.015	<0.00500	0.00643	<0.00500	0.0134	<0.00500	0.0179	0.0203	<0.00500	0.0192	0.149	0.251
PWV01-W@3'	6/3/2025	3	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SEP01-FL@4'	6/3/2025	4	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SEP01-DL@4'	6/3/2025	4	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SB02@2-3'	1/28/2026	2-3	<0.0040	<0.0040	<0.0050	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040
SB09@5-6'	1/28/2026	5-6	<0.0044	<0.0044	<0.0055	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044
SB10@5-6'	1/28/2026	5-6	<0.0041	<0.0041	<0.0052	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041
SB11@3-4'	1/28/2026	3-4	<0.0045	<0.0045	<0.0056	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045
SB12@3-4'	1/28/2026	3-4	<0.0041	<0.0041	<0.0051	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041
SB13@3-4'	1/28/2026	3-4	<0.0047	<0.0047	<0.0059	<0.0047	<0.0047	<0.0047	<0.0047	<0.0047	<0.0047	<0.0047	<0.0047	<0.0047	<0.0047	<0.0047
SB14@3-4'	1/28/2026	3-4	<0.0043	<0.0043	<0.0054	<0.0043	<0.0043	<0.0043	<0.0043	<0.0043	<0.0043	<0.0043	<0.0043	<0.0043	<0.0043	<0.0043
SB15@3-4'	1/28/2026	3-4	<0.0041	<0.0041	<0.0052	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041
SB16@3-4'	1/28/2026	3-4	<0.0040	<0.0040	<0.0050	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040

1. Bold values exceed the ECMC Table 915-1 limit(s)
 2. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL)
- (-) = Analytical result is less than the indicated laboratory reporting limit.
mg/kg = Milligrams per kilogram
ft. = Feet
bgs = Below ground surface
RP = Results Pending
NA = Not analyzed

TABLE 4
SUMMARY OF SOIL SUITABILITY FOR RECLAMATION
PDC ENERGY, INC - 69175
EDENS 11, 12, 18-52 TANK BATTERY, WELD COUNTY, COLORADO
REM #39369

Sample ID	Sample Date	Depth (ft. bgs)	pH (Standard Units)	EC (mmhos/cm)	SAR (Standard Units)	Boron (mg/L)
ECMC Table 915-1 Soil Suitability Limits			6 - 8.3	<4	<6	2
AST01@0-6"	6/3/2025	0 - 0.5	8.88	0.122	0.102	<2.00
AST02@0-6"	6/3/2025	0 - 0.5	8.93	0.261	0.167	<2.00
PWV01-B@5'	6/3/2025	5	7.97	2.67	27.0	<2.00
PWV01-N@3'	6/3/2025	3	8.47	0.261	0.388	<2.00
PWV01-W@3'	6/3/2025	3	8.27	0.606	0.0724	<2.00
SEP01-FL@4'	6/3/2025	4	8.65	0.465	0.865	<2.00
SEP01-DL@4'	6/3/2025	4	8.53	0.667	1.48	<2.00
SB02@2-3'	1/28/2026	2-3	7.51	1.3	1.08	0.284
SB09@5-6'	1/28/2026	5-6	7.97	0.47	1.41	0.307
SB10@5-6'	1/28/2026	5-6	8.44	0.63	1.83	<0.25
SB11@3-4'	1/28/2026	3-4	7.85	0.57	0.149	0.271
SB12@3-4'	1/28/2026	3-4	8.31	0.22	0.628	0.482
SB13@3-4'	1/28/2026	3-4	7.58	0.62	0.0614	0.305
SB14@3-4'	1/28/2026	3-4	7.73	0.48	0.109	0.264
SB15@3-4'	1/28/2026	3-4	7.67	1.6	2.21	<0.25
SB16@3-4'	1/28/2026	3-4	7.92	0.36	0.191	<0.25
BKG01@0-1'	1/28/2026	0-1	7.60	0.84	0.420	0.779
BKG01@2-3'	1/28/2026	2-3	7.81	0.39	0.198	0.301
BKG01@3-4'	1/28/2026	3-4	7.82	0.28	0.854	<0.25
BKG01@5-6'	1/28/2026	5-6	7.74	0.55	1.20	<0.25
BKG02@0-1'	1/28/2026	0-1	7.62	1.0	0.305	0.541
BKG02@2-3'	1/28/2026	2-3	7.64	0.75	1.70	0.513

TABLE 4
SUMMARY OF SOIL SUITABILITY FOR RECLAMATION
PDC ENERGY, INC - 69175
EDENS 11, 12, 18-52 TANK BATTERY, WELD COUNTY, COLORADO
REM #39369

Sample ID	Sample Date	Depth (ft. bgs)	pH (Standard Units)	EC (mmhos/cm)	SAR (Standard Units)	Boron (mg/L)
ECMC Table 915-1 Soil Suitability Limits			6 - 8.3	<4	<6	2
BKG02@3-4'	1/28/2026	3-4	7.55	4.1	1.89	0.524
BKG02@5-6'	1/28/2026	5-6	7.83	1.2	3.01	0.368
BKG03@0-1'	1/28/2026	0-1	7.45	1.6	0.189	0.473
BKG03@2-3'	1/28/2026	2-3	7.73	0.31	0.323	0.279
BKG03@3-4'	1/28/2026	3-4	7.64	0.69	0.639	<0.25
BKG03@5-6'	1/28/2026	5-6	7.56	1.6	0.827	<0.25
BKG04@0-1'	1/28/2026	0-1	7.54	0.79	0.252	0.756
BKG04@2-3'	1/28/2026	2-3	7.41	5.0	2.43	<0.25
BKG04@3-4'	1/28/2026	3-4	7.67	6.5	6.02	0.287
BKG04@5-6'	1/28/2026	5-6	7.67	5.4	4.17	0.437
BKG05@0-1'	1/28/2026	0-1	7.53	1.7	0.431	0.612
BKG05@2-3'	1/28/2026	2-3	7.35	1.8	0.933	<0.25
BKG05@3-4'	1/28/2026	3-4	7.61	1.1	0.869	<0.25
BKG05@5-6'	1/28/2026	5-6	7.47	2.4	1.37	<0.25
Maximum Background Concentration			7.83	-	6.02	-

1. **Bold** faced values exceed the ECMC Table 915-1 limit(s), but are within background concentrations.

2. **Bold** faced values exceed the ECMC Table 915-1 limit(s) and native background concentrations.

3. Brown highlighted soil analytical values indicate a regulatory exceedance.

mg/L = Milligrams per liter

ft. = Feet

bgs = Below ground surface

mmhos/cm = Millimohs per centimeter

NA - Not analyzed

TABLE 5
SUMMARY OF METALS IN SOIL CHEMISTRY DATA
PDC ENERGY, INC - 69175
EDENS 11, 12, 18-52 TANK BATTERY, WELD COUNTY, COLORADO
REM #39369

Sample ID	Sample Date	Depth (ft. bgs)	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			0.68	15000	71	0.3	3100	400	1500	390	390	23000
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
AST01@0-6"	6/3/2025	0 - 0.5	2.58	39.3	<0.200	<0.30	7.63	4.39	3.19	<0.260	<0.0200	14.6
AST02@0-6"	6/3/2025	0 - 0.5	2.71	63.6	<0.200	<0.30	8.06	5.09	4.39	<0.260	<0.0200	19.9
PWV01-B@5'	6/3/2025	5	3.09	60.2	<0.200	<0.30	7.05	6.19	4.65	<0.260	0.0233	22.2
PWV01-N@3'	6/3/2025	3	3.14	69.9	<0.200	<0.30	6.63	6.02	4.66	<0.260	0.0242	20.1
PWV01-W@3'	6/3/2025	3	3.32	65.9	<0.200	<0.30	6.37	6.48	4.48	<0.260	0.0268	20.5
SEP01-FL@4'	6/3/2025	4	3.77	63.4	<0.200	<0.30	8.78	5.77	4.93	<0.260	0.0250	22.2
SEP01-DL@4'	6/3/2025	4	3.46	60.3	<0.200	<0.30	6.51	5.53	5.08	<0.260	0.0271	19.9
SB02@2-3'	1/28/2026	2-3	2.1	23.0	<0.10	<0.43	2.9	4.3	2.7	<0.21	<0.10	12.2
SB09@5-6'	1/28/2026	5-6	3.3	72.7	0.14	0.51	5.4	5.9	5.6	<0.21	<0.10	20.9
SB10@5-6'	1/28/2026	5-6	3.3	51.0	<0.098	0.46	3.0	4.5	3.6	<0.20	<0.098	13.2
SB11@3-4'	1/28/2026	3-4	3.4	80.0	0.12	0.55	4.9	6.0	6.0	<0.22	<0.11	18.1
SB12@3-4'	1/28/2026	3-4	2.7	56.4	<0.11	<0.44	3.9	5.1	4.6	<0.21	<0.11	15.2
SB13@3-4'	1/28/2026	3-4	4.6	65.7	0.17	0.55	5.3	6.2	5.7	0.26	<0.10	23.0
SB14@3-4'	1/28/2026	3-4	5.2	93.3	0.15	<0.47	6.4	6.3	7.7	<0.21	<0.10	21.1
SB15@3-4'	1/28/2026	3-4	3.4	72.1	0.12	0.45	4.6	5.6	5.6	<0.22	<0.11	17.8
SB16@3-4'	1/28/2026	3-4	3.3	77.1	0.11	0.44	4.8	5.6	5.7	<0.19	<0.096	18.5
BKG01@0-1'	1/28/2026	0-1	3.2	49.2	0.12	<0.43	6.3	6.4	4.9	0.26	<0.093	28.0
BKG01@2-3'	1/28/2026	2-3	3.6	56.0	0.12	<0.42	4.3	5.4	4.8	<0.20	<0.10	19.0
BKG01@3-4'	1/28/2026	3-4	2.4	26.4	<0.091	<0.42	3.1	5.0	3.0	<0.18	<0.091	12.2
BKG01@5-6'	1/28/2026	5-6	3.6	86.0	0.14	<0.44	5.6	6.3	6.5	<0.18	<0.092	21.0
BKG02@0-1'	1/28/2026	0-1	3.4	51.5	0.19	<0.44	5.6	6.6	5.2	0.29	<0.098	25.0
BKG02@2-3'	1/28/2026	2-3	3.9	47.2	0.12	0.61	6.2	6.8	6.4	0.28	<0.10	22.1
BKG02@3-4'	1/28/2026	3-4	6.0	203	0.18	0.50	7.8	9.0	10.5	0.41	<0.11	30.6
BKG02@5-6'	1/28/2026	5-6	3.4	104	0.14	0.43	5.4	6.8	6.2	0.28	<0.10	21.6
BKG03@0-1'	1/28/2026	0-1	3.7	47.3	0.17	0.44	5.3	7.0	5.1	0.28	<0.10	24.6
BKG03@2-3'	1/28/2026	2-3	3.0	48.1	<0.10	0.47	4.2	5.0	4.4	<0.20	<0.10	16.9
BKG03@3-4'	1/28/2026	3-4	3.1	63.0	0.13	0.45	3.5	4.6	4.7	<0.20	<0.10	19.4
BKG03@5-6'	1/28/2026	5-6	4.4	68.9	<0.096	0.42	4.0	5.3	5.6	<0.19	<0.096	21.8

TABLE 5
SUMMARY OF METALS IN SOIL CHEMISTRY DATA
PDC ENERGY, INC - 69175
EDENS 11, 12, 18-52 TANK BATTERY, WELD COUNTY, COLORADO
REM #39369

Sample ID	Sample Date	Depth (ft. bgs)	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			0.68	15000	71	0.3	3100	400	1500	390	390	23000
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
BKG04@0-1'	1/28/2026	0-1	3.5	47.4	0.19	<0.42	6.3	7.2	5.5	0.32	<0.10	27.9
BKG04@2-3'	1/28/2026	2-3	3.9	72.1	<0.095	<0.41	4.0	5.2	5.8	0.24	<0.095	21.0
BKG04@3-4'	1/28/2026	3-4	4.0	52.0	<0.10	<0.43	3.6	5.0	5.5	0.21	<0.10	22.5
BKG04@5-6'	1/28/2026	5-6	4.6	53.0	<0.11	<0.45	4.0	6.1	6.4	<0.22	<0.11	27.2
BKG05@0-1'	1/28/2026	0-1	3.4	58.7	0.17	<0.42	6.1	7.7	5.5	0.31	<0.098	24.4
BKG05@2-3'	1/28/2026	2-3	3.8	87.6	0.14	<0.42	5.1	5.9	6.2	<0.20	<0.098	18.8
BKG05@3-4'	1/28/2026	3-4	3.7	104	0.17	<0.43	6.3	7.0	7.0	<0.20	<0.099	22.2
BKG05@5-6'	1/28/2026	5-6	2.5	47.2	<0.096	<0.42	3.4	4.5	3.2	<0.19	<0.096	13.1
1.25x Maximum Background Concentration			7.5	254	-	0.76	-	-	-	-	-	-

1. **Bold** faced values exceed the ECMC Table 915-1 limit(s), but are within 1.25x background concentrations.
2. **Red** faced values exceed the ECMC Table 915-1 limit(s) and native background concentrations.
3. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL).
4. Non-detect background results accounted for in the highest background concentration by using the reporting limit.
5. * Indicates laboratory minimum detection limit in excess of SSL

ECMC = Energy & Carbon Management Commission

(<) = Analytical result is less than the indicated laboratory reporting limit.

mg/kg = Milligrams per kilogram

ft. = Feet

bgs = Below ground surface

NA - Not analyzed



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: BKG05
LOCATION:
LATITUDE (NAD 83): 40.493375
LONGITUDE (NAD 83): -104.487235
ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			0.00-1.00 Ft: tan, poorly graded sand with silt, fine sand, loose, dry, no odour, no staining.	SP-SM	0.00-1.00 Ft, 0.0	BKG05@0-1' (1235)	100
1.00-2.00			1.00-2.00 Ft: As above.		1.00-2.00 Ft, 0.0		
2.00-3.00			2.00-3.00 Ft: As above, poorly graded sand with silt.	SP-SM	2.00-3.00 Ft, 0.0	BKG05@2-3' (1237)	
3.00-4.00			3.00-4.00 Ft: As above.	SP-SM	3.00-4.00 Ft, 0.0	BKG05@3-4' (1239)	
4.00-5.00			4.00-5.00 Ft: No odour, no staining.		4.00-5.00 Ft, 0.0		
5.00-30.00			5.00-30.00 Ft: No odour, no staining.		5.00-6.00 Ft, 0.0	BKG05@5-6' (1241)	



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: BKG04
LOCATION:
LATITUDE (NAD 83): 40.493293
LONGITUDE (NAD 83): -104.487161
ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			0.00-1.00 Ft: brown, poorly graded sand, medium sand, medium dense, dry, no odour, no staining.	SP	0.00-1.00 Ft, 0.0	BKG04@0-1' (1214)	100
1.00-2.00			1.00-2.00 Ft: As above.		1.00-2.00 Ft, 0.0		
2.00-3.00			2.00-3.00 Ft: As above.		2.00-3.00 Ft, 0.0	BKG04@2-3' (1216)	
3.00-4.00			3.00-4.00 Ft: tan, silty sand, fine sand, loose, dry, no odour, no staining.	SM	3.00-4.00 Ft, 0.0	BKG04@3-4' (1218)	
4.00-5.00			4.00-5.00 Ft: No odour, no staining.	SM	4.00-5.00 Ft, 0.0		
5.00-30.00			5.00-30.00 Ft: As above.	SM	5.00-6.00 Ft, 0.0	BKG04@5-6' (1220)	
6.00-7.00							
7.00-8.00							
8.00-9.00							



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
 LOGGED BY: Shannon Walus
 PROJECT MANAGER:
 DRILLING CONTRACTOR:
 DRILLING EQUIPMENT:
 DRILL BIT SIZE (INCHES):
 DATE STARTED - COMPLETED: 01/28/2026 -
 TOTAL BORING DEPTH (FT BGS): 30
 DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: BKG01
 LOCATION:
 LATITUDE (NAD 83): 40.493416
 LONGITUDE (NAD 83): -104.486526
 ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00			0.00-1.00 Ft: tan, poorly graded sand, fine sand, loose, dry, no odour, no staining.	SP	0.00-1.00 Ft, 0.0	BKG01@0-1' (1128)	100
1.00			1.00-2.00 Ft: No odour, no staining.		1.00-2.00 Ft, 0.0		
2.00			2.00-3.00 Ft: No odour, no staining.		2.00-3.00 Ft, 0.0	BKG01@2-3' (1130)	
3.00			3.00-4.00 Ft: As above, poorly graded sand.	SP	3.00-4.00 Ft, 0.1	BKG01@3-4' (1132)	
4.00			4.00-5.00 Ft: As above.	SP	4.00-5.00 Ft, 0.0		
5.00			5.00-30.00 Ft: As above.	SP	5.00-6.00 Ft, 0.2	BKG01@5-6' (1134)	
6.00							
7.00							
8.00							
9.00							



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: BKG03
LOCATION:
LATITUDE (NAD 83): 40.493267
LONGITUDE (NAD 83): -104.486990
ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00			0.00-1.00 Ft: tan, poorly graded sand with silt, fine sand, loose, dry, no odour, no staining.	SP-SM	0.00-1.00 Ft, 0.0	BKG03@01' (1152)	100
1.00			1.00-2.00 Ft: As above.		1.00-2.00 Ft, 0.0		
2.00			2.00-3.00 Ft: As above, poorly graded sand with silt.	SP-SM	2.00-3.00 Ft, 0.0	BKG03@2-3' (1054)	
3.00			3.00-4.00 Ft: As above.	SP-SM	3.00-4.00 Ft, 0.0	BKG03@3-4' (1156)	
4.00			4.00-5.00 Ft: As above.	SP-SM	4.00-5.00 Ft, 0.0		
5.00			5.00-30.00 Ft: As above.	SP-SM	5.00-6.00 Ft, 0.0	BKG03@5-6' (1158)	
6.00							
7.00							
8.00							
9.00							



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery	
BORING LOG ID: BKG02	
LOCATION:	
LATITUDE (NAD 83): 40.493248	
LONGITUDE (NAD 83): -104.486736	
ABANDONMENT METHOD:	

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			0.00-1.00 Ft: tan, poorly graded sand with silt, fine sand, loose, dry, no odour, no staining.	SP-SM	0.00-1.00 Ft, 0.0	BKG02@0-1' (1144)	100
1.00-2.00			1.00-2.00 Ft: No odour, no staining.		1.00-2.00 Ft, 0.0		
2.00-3.00			2.00-3.00 Ft: As above, poorly graded sand with silt.	SP-SM	2.00-3.00 Ft, 0.0	BKG02@2-3' (1046)	
3.00-4.00			3.00-4.00 Ft: No odour, no staining.		3.00-4.00 Ft, 0.0	BKG02@3-4' (1048)	
4.00-5.00			4.00-5.00 Ft: As above.		4.00-5.00 Ft, 0.0		
5.00-30.00			5.00-30.00 Ft: As above.		5.00-6.00 Ft, 0.0	BKG02@5-6' (1050)	



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: BKG01
LOCATION:
LATITUDE (NAD 83): 40.493416
LONGITUDE (NAD 83): -104.486526
ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.0					0.00-1.00 Ft, 0.0	BKG01@0-1' (1128)	100
1.0					1.00-2.00 Ft, 0.0		
2.0					2.00-3.00 Ft, 0.0	BKG01@2-3' (1130)	
3.0					3.00-4.00 Ft, 0.1	BKG01@3-4' (1132)	
4.0					4.00-5.00 Ft, 0.0		
5.0					5.00-6.00 Ft, 0.2	BKG01@5-6' (1134)	
6.0							
7.0							
8.0							
9.0							



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: SB16
LOCATION:
LATITUDE (NAD 83): 40.493422
LONGITUDE (NAD 83): -104.487136
ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			0.00-1.00 Ft: tan, poorly graded sand with silt, fine sand, loose, dry, no odour, no staining.	SP-SM	0.00-1.00 Ft, 0.0		100
1.00-2.00			1.00-2.00 Ft: No odour, no staining.		1.00-2.00 Ft, 0.0		
2.00-3.00			2.00-3.00 Ft: tan, poorly graded sand, medium sand, loose, dry, no odour, no staining.	SP	2.00-3.00 Ft, 0.0		
3.00-30.00			3.00-30.00 Ft: As above.	SP	3.00-4.00 Ft, 0.0	SB16@3-4' (1258)	



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: SB14
LOCATION:
LATITUDE (NAD 83): 40.493359
LONGITUDE (NAD 83): -104.487089
ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			tan, poorly graded sand, fine sand, loose, dry, no odour, no staining.	SP	0.00-1.00 Ft, 0.0		
1.00-2.00			As above.		1.00-2.00 Ft, 0.0		
2.00-3.00			As above.		2.00-3.00 Ft, 0.0		
3.00-30.00			No odour, no staining.		3.00-4.00 Ft, 0.0	SB14@3-4' (1432)	100



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.

LOGGED BY: Shannon Walus

PROJECT MANAGER:

DRILLING CONTRACTOR:

DRILLING EQUIPMENT:

DRILL BIT SIZE (INCHES):

DATE STARTED - COMPLETED: 01/28/2026 -

TOTAL BORING DEPTH (FT BGS): 30

DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: SB13

LOCATION:

LATITUDE (NAD 83): 40.493393

LONGITUDE (NAD 83): -104.487042

ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			tan, poorly graded sand with gravel, medium sand, medium gravel, loose, dry, no odour, no staining.	SP	0.00-1.00 Ft, 0.0		100
1.00-2.00			As above.		1.00-2.00 Ft, 0.0		
2.00-3.00			tan, silty sand, fine sand, loose, dry, no odour, no staining.	SM	2.00-3.00 Ft, 0.1		
3.00-30.00			As above, poorly graded sand with gravel, medium sand, medium gravel.	SP	3.00-4.00 Ft, 0.0	SB13@3-4' 1041	



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery	
BORING LOG ID: SB12	
LOCATION:	
LATITUDE (NAD 83): 40.493422	
LONGITUDE (NAD 83): -104.487045	
ABANDONMENT METHOD:	

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			0.00-1.00 Ft: brown, poorly graded sand, fine sand, loose, dry, no odour, no staining.	SP	0.00-1.00 Ft, 0.0		100
1.00-2.00			1.00-2.00 Ft: As above.	SP	1.00-2.00 Ft, 0.0		
2.00-3.00			2.00-3.00 Ft: No odour, no staining.		2.00-3.00 Ft, 0.0		
3.00-30.00			3.00-30.00 Ft: As above, poorly graded sand.	SP	3.00-4.00 Ft, 0.0	SB12@3-4' (1307)	



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery	
BORING LOG ID: SB12	
LOCATION:	
LATITUDE (NAD 83): 40.493422	
LONGITUDE (NAD 83): -104.487045	
ABANDONMENT METHOD:	

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			0.00-1.00 Ft: brown, poorly graded sand, fine sand, loose, dry, no odour, no staining.	SP	0.00-1.00 Ft, 0.0		100
1.00-2.00			1.00-2.00 Ft: As above.	SP	1.00-2.00 Ft, 0.0		
2.00-3.00			2.00-3.00 Ft: No odour, no staining.		2.00-3.00 Ft, 0.0		
3.00-30.00			3.00-30.00 Ft: As above, poorly graded sand.	SP	3.00-4.00 Ft, 0.0	SB12@3-4' (1307)	



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: SB11
LOCATION:
LATITUDE (NAD 83): 40.493447
LONGITUDE (NAD 83): -104.487102
ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			0.00-1.00 Ft: tan, silty sand, fine sand, loose, dry, no odour, no staining.	SM	0.00-1.00 Ft, 0.0		100
1.00-2.00			1.00-2.00 Ft: As above.	SM	1.00-2.00 Ft, 0.1		
2.00-3.00			2.00-3.00 Ft: As above, silty sand.	SM	2.00-3.00 Ft, 0.0		
3.00-30.00			3.00-30.00 Ft: As above.	SM	3.00-4.00 Ft, 0.0	SB11@3-4' (1110)	
4.00-9.00				SM			



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: SB10
LOCATION:
LATITUDE (NAD 83): 40.493386
LONGITUDE (NAD 83): -104.487093
ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			0.00-1.00 Ft: tan, poorly graded sand with gravel, medium sand, medium gravel, loose, dry, no odour, no staining.	SP	0.00-1.00 Ft, 0.0		
1.00-2.00			1.00-2.00 Ft: tan, silty sand, fine sand, loose, dry, no odour, no staining.	SM	1.00-2.00 Ft, 0.3		
2.00-3.00			2.00-3.00 Ft: As above.	SM	2.00-3.00 Ft, 0.2		
3.00-4.00			3.00-4.00 Ft: As above.	SM	3.00-4.00 Ft, 0.0		100
4.00-5.00			4.00-5.00 Ft: As above.	SM	4.00-5.00 Ft, 0.1		
5.00-30.00			5.00-30.00 Ft: As above.	SM	5.00-6.00 Ft, 0.0	SB10@5-6' (1058)	
				SM			



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: SB09
LOCATION:
LATITUDE (NAD 83): 40.493417
LONGITUDE (NAD 83): -104.487103
ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			0.00-1.00 Ft: tan brown, poorly graded sand, fine to medium sand, loose, dry, no odour, no staining.	SP	0.00-1.00 Ft, 0.0		
1.00-2.00			1.00-2.00 Ft: brown, poorly graded sand, loose, dry, no odour, no staining.	SP	1.00-2.00 Ft, 0.0		
2.00-3.00			2.00-3.00 Ft: As above.		2.00-3.00 Ft, 0.0		
3.00-4.00			3.00-4.00 Ft: As above.		3.00-4.00 Ft, 0.0		100
4.00-5.00			4.00-5.00 Ft: brown, clayey sand, fine sand, loose, dry, no odour, no staining.	SC	4.00-5.00 Ft, 0.0		
5.00-30.00			5.00-30.00 Ft: As above.	SC	5.00-6.00 Ft, 0.0	SS09@5-6' (1326)	



4725 Independence St., Suite 100
Wheat Ridge, CO 80033

CLIENT: PDC Energy Inc.
LOGGED BY: Shannon Walus
PROJECT MANAGER:
DRILLING CONTRACTOR:
DRILLING EQUIPMENT:
DRILL BIT SIZE (INCHES):
DATE STARTED - COMPLETED: 01/28/2026 -
TOTAL BORING DEPTH (FT BGS): 30
DEPTH TO WATER (FT BGS): Not Encountered

Edens 11, 12, 18-52 Tank Battery

BORING LOG ID: SB02
LOCATION:
LATITUDE (NAD 83): 40.493467
LONGITUDE (NAD 83): -104.486762
ABANDONMENT METHOD:

Depth (feet)	Drilling Method	Water	Lithologic Description	USCS	PID (ppm)	Lab	Recovery %
0.00-1.00			0.00-1.00 Ft: brown, poorly graded sand, fine sand, loose, dry, no odour, no staining.	SP	0.00-1.00 Ft, 0.0		
1.00-2.00			1.00-2.00 Ft: No odour, no staining.		1.00-2.00 Ft, 0.0		100
2.00-3.00			2.00-3.00 Ft: No odour, no staining.		2.00-3.00 Ft, 0.0	SB02@2-3' (1421)	
3.00-4.00							
4.00-5.00							
5.00-6.00							
6.00-7.00							
7.00-8.00							
8.00-9.00							