



1120 Lincoln Street, Suite 801, Denver Colorado 80203 (303) 894-2100 Fax (303) 894-2109

FOR OGCC USE ONLY

RECEIVED (S)

AUG 15 03

WELL ABANDONMENT REPORT

Submit original plus one copy. This form is to be submitted as an intent whenever a planned on a borehole. The approved intent shall be valid for six months after the ap after that period a new intent will be required. After the plugging is complete, this form copy shall again be submitted as a subsequent report of the work as actually completed.



OGCC Operator Number: 63270

Name of Operator: Nielson & Associates, Inc.

Address: P.O. Box 2850

City: Cody State: WY Zip: 82414

API Number: 05-057-06429-00 OGCC Lease No.: _____ Other wells this lease?

Well Name: McCallum Unit Well Number: #170

Location (QtrQtr, Sec, Twp, Rng, Meridian): SW NW sec 12-T9N-R79W 6th pm

County: Jackson Federal, Indian or State Lease Number: COD-028942(a)

Field Name: McCallum Field Number: 53300

24 hour notice required, contact:

Lance Arnold

Tel: (307) 587-2445 ext. 13

Complete the Attachment Checklist

	Oper	OGCC
Wellbore Diagram	X	
Cement Job Summary	X	
Wireline Job Summary		

Notice of Intent to Abandon Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Reason for Abandonment: Dry Production Sub-Economic Mechanical Problems Other

Casing to be Pulled: Yes No Top of Casing Cement: Surface

Fish in Hole: Yes No If yes, explain details below:

Wellbore has Uncemented Casing Leaks: Yes No If yes, explain details below:

Details: Well was not within contract specified deviation. Excessive deviation would have caused future rod and tubing wear. It was decided to P&A the well, skid 10 feet to the SE, and begin drilling a new hole. Verbal approval was received on 7/31/03 from Dave Shelton to abandon well and skid to new location. A new APD was submitted for the #170X well to get a new API number.

Current and Previously Abandoned Zones

Formation	Perforations - Top	Perforations - Bottom	Date Abandoned	Method of Isolation (None, Squeezed, BP, Cement, etc.)	Plug Depth

Casing History

Casing String	Casing Size	Casing Depth	Cement Top	Stage Cement Top
<u>Surface</u>	<u>8-5/8"</u>	<u>190' KB</u>	<u>Surface</u>	

Plugging Procedure for Intent and Subsequent Report

CIPB #1: Depth _____ with _____ sacks cmt on top. CIPB #2: Depth _____ with _____ sacks cmt on top.

Set 125 sks cmt from 506' KB ft. to 88' KB ft. in Casing Open Hole Annulus

Set _____ sks cmt from _____ ft. to _____ ft. in Casing Open Hole Annulus

Set _____ sks cmt from _____ ft. to _____ ft. in Casing Open Hole Annulus

Set _____ sks cmt from _____ ft. to _____ ft. in Casing Open Hole Annulus

Set _____ sks cmt from _____ ft. to _____ ft. in Casing Open Hole Annulus

Perforate and squeeze at _____ ft. with _____ sacks Leave at least 100 ft. in casing

Perforate and squeeze at _____ ft. with _____ sacks Leave at least 100 ft. in casing

Perforate and squeeze at _____ ft. with _____ sacks Leave at least 100 ft. in casing

Set See above plug sacks half in, half out surface casing from 506' KB ft. to 88' KB ft.

Set 10 sacks at surface

Cut four feet below ground level, weld on plate Yes No Dry-Hole Marker: Yes No

Set 0 sacks in rat hole Set 0 sacks in mouse hole

NOTE: Two (2) sacks cement required on all CIPBs.

Additional Plugging Information for Subsequent Report Only

Casing Recovered: 0 ft. of 0 in. casing Plugging date: 7/31/03 and 8/04/03

*Wireline Contractor: _____

*Cementing Contractor: Wyatt Redi-Mix

Type of Cement and Additives Used: _____

***Attach job summaries.**

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Terry R. Ziehl

Signed: Terry R. Ziehl Title: Engineering Technician Date: 08/13/03

OGCC Approved: _____ Title: PE Date: 9/18/03

CONDITIONS OF APPROVAL, IF ANY:



WYATT REDI-MIX 9411
 P.O. BOX 1052
 WALDEN, COLORADO 80480
 970-723-4471 970-723-4227

NAME <i>Nucor Inc</i>	DATE <i>30 Jul 03</i>
ADDRESS <i>P.O. Box 112</i>	DELIVERY TIME <i>1215</i>
JOB LOCATION <i>Riverton, WY 82501</i>	

PLUGGING

QUANTITY	DESCRIPTION	PRICE	AMOUNT
<i>125</i>	<i>5/8" x 2' FIBER</i>	<i>115.00</i>	
	H/EARLY		
	HOT WATER		
	COLOR		
	TAX <i>17.14%</i>	<i>19.77</i>	
	TRUCK TIME	<i>24.00</i>	
	TOTAL	<i>158.77</i>	

ROCK _____ LBS. % OF MOISTURE _____ %
 SAND _____ LBS. % OF MOISTURE _____ % TOTAL AGG. _____
 CEMENT _____ LBS.
 WATER _____ GALS.
 AIR _____ OZS./CWT H/EARLY _____ OZS./CWT
 RETARDER _____ OZS./CWT REDUCER _____ OZS./CWT
 BATCH TIME _____ A.M./P.M.
 WATER ADDED AT SITE _____ GALS.
 O.A.T. _____

Freshly mixed cement, mortars, grout or concrete may cause skin irritation. Avoid direct contact where possible and wash exposed area promptly with water. If any of the cementitious materials gets into the eyes, rinse immediately with water and get prompt medical attention. Keep out of reach of children.

All accounts are due and payable on the 10th of the month following the charge. Unless previous arrangements have been made, bills not paid by the 10th will be considered past due and a service charge will be added on the unpaid balance at the rate of 1.5% per month (ANNUAL PERCENTAGE RATE 18%). If legal action is necessary to enforce collection, the customer agrees to pay attorneys fees.

Order Received By *P. McA. Jacobson*



CEMENTER'S WELL SERVICE, INC.
 P.O. BOX 336220 • GREELEY, CO 80633 • (970) 353-7299 • FAX (970) 353-7712

OUR INVOICE
183333

8 5/8" SURFACE CSC

Date: <u>7-26-2003</u>	Well Owner: <u>NIELSON ASSOC. INC.</u>	Well No.: <u># 170</u>	Lease: <u>McCullum</u>
County: <u>JACKSON</u>	State: <u>COLORADO</u>	Field:	
Charge to: <u>NILCOR INC.</u>	Charge Code:		
Address: <u>PO BOX 112</u>	For Office Use Only:		
City, State: <u>REVERTON, WYOMING</u>			
Pump Truck No. <u>1702</u> Code:	Bulk Truck No. <u>1214</u> Code:		
Type of Job:	Depth:	Fl. <u>190</u>	To:
<u>Surface</u> <u>8 5/8" 11" HOLE</u>	Bottom of Surface:	Fl. <u>185</u>	To:
Plug:	Plug Landed @ <u>11.5</u> Ft.	Time On <u>1915</u>	
Production:	Pipe Landed @ <u>185</u> Ft.	Time Off <u>2145</u>	

Reference No.	Description	Qty.	Meas.	Unit Price	Amount
	Pump Truck Charge				
	Cement Neat <u>CLASS "6"</u>	<u>90</u>	<u>SKS</u>		
	Poz. Mix				
	Calcium Chloride	<u>29%</u>			
	Gel % Flo-Cele <u>1/4</u> #Per Sack				
	Handling Charge				
	Hauling Charge				
	Additional Cement				
<u>8 5/8"</u>	<u>CENTRALIZERS</u>	<u>3</u>			<u>T.V.C.</u>
"	<u>CEMENT LUTITE / HOLE</u>	<u>1</u>			"
"	<u>TOP WOODEN PLUG</u>	<u>1</u>			"
"	<u>BOX-THREAD LOCK</u>	<u>1</u>			"
	<u>WORKING RATE 4 PPM - DISPLACEMENT RATE 6 PPM</u>				
	<u>SLURRY VOL 1.18 CU FT / HR SLURRY WT 15.5 PPM</u>				

Remarks: <u>PRE-FLUSH W/ 5 GALS HO</u>	Tax Reference Code	Sub Total
<u>WATER W/ 10.5 PPM HO</u>	State <u>CO. 2.9 %</u>	Tax
<u>CEMENTATE 3 DISPLACEMENT</u>	Disc.	Total

Truck No.	Code	State Mileage	Nebraska	Colorado	Wyoming	Other	Total Mileage
<u>1702</u>		Pump Truck					
<u>1214</u>		Bulk Truck					

We do not assume any responsibility for any damage or conditions resulting from our services. All pricing is subject to review and revision

[Handwritten signatures and notes]

TIMBERLINE BUILDERS SUPPLY, INC.
PO BOX 277
WALDEN, CO 80480

Page 1 *****INVOICE***** *****INVOICE***** Invoice #00180234

NOTES: Inv Date: 08/04/2003
Ship Date: 08/04/2003
Due Date: 09/10/2003
T 203: REPRINT Time: 12:10:11
Rep: R03 Acct Rep: Terms: 10TH

Sold: NUCOR, INC. Ship: NUCOR, INC.
To: P.O. BOX 112 To:
: RIVERTON, WY 82501

Phone: (307) 856-1577 Ship Via: plain
Customer No.: 0000901 Job: Customer P.O.:
Placed by: DON

QTY.	UNIT	ITEM NUMBER	DESCRIPTION	PRICE	C	EXTEN
10.00	BAG	CM	CONCRETE MIX-90#	3.64		36.41
1.00	EA	6089601	TISSUE BATH CHARMIN 4PK	1.00	P	1.00

*Big 20
McCallum 170 Top Plug*

180234

Sub : \$37.41

Taxable 37.41 Tax : 2.21
Nontaxable 0.00
Invoice Total: \$39.62