



Oil and Gas Conservation Commission

DEPARTMENT OF NATURAL RESOURCES

FOR OGCC USE ONLY

RECEIVED
APR 14 00
COGCC

WELL ABANDONMENT REPORT

This form is to be submitted as an intent whenever a plugging is planned on a borehole. The approved intent shall be valid for one year after the approval date; after that period a new intent will be required. After the plugging is complete, this form shall again be submitted as a subsequent report of the work as actually completed.

OGCC Operator Number: 24461
 Name of Operator: Diversified Operating Corporation
 Address: 15000 W 6th Ave, #102
 City: Golden State: CO Zip: 80401
 API Number: 05-123-13092
 Well Name: Sooner Unit Number: 1-28
 Location (QtrQtr, Sec, Twp, Rng, Meridian): NE/NE Sec 28-T8N-R58W 6th PM
 County: Weld Federal, Indian or State lease number:
 Field Name: Sooner Field Number: 77700

Contact Name & Phone
 Terry Cammon
 No: 303-384-9611
 Fax: 303-384-9612

ET OE PR ES
 24 hour notice required, contact @
 Complete the Attachment Checklist
 Wellbore Diagram
 Cement Job Summary
 Wireline Job Summary

Notice of Intent to Abandon Subsequent Report of Abandonment

Background for Intent Only

Reason for abandonment: Dry Production Sub-economic Mechanical Problems Other
 Casing to be pulled: No Yes Top of casing cement: 5650'
 Fish in hole: No Yes If yes, explain details below:
 Wellbore has uncemented casing leaks: No Yes If yes, explain details below:
 Details:

Current and Previously Abandoned Zones

Formation	Perforations	Date	Method of Isolation (None, Squeezed, BP, Cement, etc.)	Plug Depth

Casing History

Casing String	Size	Cement Top	Stage Cement Top
Surface	8 5/8"	Surface	
Production	4 1/2"	5650	

Plugging Procedure for Intent and Subsequent Report

1. CIBP #1 Depth 6200 CIBP #2 Depth CIBP #3 Depth
 2. Set 40 sks cmt from 1050 1250 ft. to 900 1150 ft. in Casing Open Hole Annulus
 3. Set sks cmt from ft. to ft. in Casing Open Hole Annulus
 4. Set sks cmt from ft. to ft. in Casing Open Hole Annulus
 5. Set sks cmt from ft. to ft. in Casing Open Hole Annulus
 6. Set sks cmt from ft. to ft. in Casing Open Hole Annulus
 7. Perforate and squeeze @ ft. with SKS Leave at least 100 ft. in casing
 8. Perforate and squeeze @ ft. with SKS Leave at least 100 ft. in casing
 9. Perforate and squeeze @ ft. with SKS Leave at least 100 ft. in casing
 10. Set 40 SKS 1/2 in 1/2 out surface casing from 236 ft. to 106 ft.
 11. Set 10 SKS @ surface
 Cut 4 feet below ground level, weld on plate
 Set NA SKS in rate hole Dry-Hole Marker No Yes
 Set NA SKS in mouse hole



Additional Plugging Information for Subsequent Report Only

Casing recovered: ft. of in. casing Plugging date:
 *Wireline contractor:
 *Cementing contractor:
 Type of cement and additives used:
 *Attach job summaries.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.
 Print Name Terry J Cammon

Signed [Signature] Title: President Date: 4/13/00

OGCC Approved: [Signature] Title: SR. PETROLEUM ENGINEER Date: APR 17 2000
 O & G Cons. Comm.

CONDITIONS OF APPROVAL, IF ANY:

Note change plug # 2

48 Hour PA Notice required.
 Contact COGCC NE Area Engineer
 Ed Binkley @ (970) 842-4465

	QTR	QTR	SEC	TWNS	RANGE	PM	NAME	DEPTH	TPERF	BPERF
A	NE	NE	01	080N	0580W	S	BOX ARCHIE	120		
B	SE	NE	02	080N	0580W	S	WALKER BEN	120		
C	SW	SE	06	080N	0580W	S	US FOREST SERVICE & ROOSEVELT	88		
D	SE	NW	09	080N	0580W	S	US FOREST SERVICE	20		
E	SW	NW	09	080N	0580W	S	US FOREST SERVICE	100	38	100
F	NW	NW	11	080N	0580W	S	US FOREST SERVICE	127		
G	SW	NE	18	080N	0580W	S	US FOREST SERVICE	41		
H	SE	SW	19	080N	0580W	S	US FOREST SERVICE	1060		
I	NE	NE	20	080N	0580W	S	DIVERSIFIED OPERATING			
J	SW	SW	24	080N	0580W	S	LITTLEFIELD KENNETH	1076		
K	SW	NE	26	080N	0580W	S	USA/KENNETH LITTLEFIELD			
L	SW	SW	26	080N	0580W	S	US AIR FORCE	1188		
M	NW	SE	36	080N	0580W	S	COLO.STATE BOARD LAND COMM.	35		
N	SE	SE	36	080N	0580W	S	PRAIRIE SCH DIST RE-11J			
O	SE	SE	36	080N	0580W	S	COLO.STATE BOARD LAND COMM.	1001		
P	SW	SE	36	080N	0580W	S	CO BRD LND COMMISSIONERS			
Q	SW	SE	01	080S	0580W	S	CULBERTSON W O & SONS INC	42		
R	SE	SW	02	080S	0580W	S	BEAVER BASIN LAND & CATTLE	60	40	60
S	NE	SW	04	080S	0580W	S	CO BOARD LAND COMM	150		
T	NE	SW	04	080S	0580W	S	CO BOARD LAND COMM	230	108	230

Letter=Choice | F10=Mark 1 | PgUp/PgDn=±20 | UpAr/DnAr =±1 | Esc=Quit



