

Sent: Tuesday, March 3, 2026 8:22 AM

To: Neumann - DNR, Danielle <danielle.neumann@state.co.us>

Cc: Anita Sanford <Anita.Sanford@scoutep.com>; Mikal Wiley <Mikal.Wiley@scoutep.com>; Austin Mayer <Austin.Mayer@scoutep.com>; Chris Dowell <Chris.Dowell@scoutep.com>; Taylor Elm - DNR <taylor.elm@state.co.us>

Subject: Re: FW: Scout Energy CPW consultation per ECMC - Emerald 4 & Union Pacific 112x21

Hi all,

Thanks for the email regarding the EMERALD-62N103W location. I see that there were some operator BMPs that were agreed upon. Please submit a Form 4 Sundry for the location with those BMPs added, and let me know what the document number of the sundry is. The BMPS:

Work will only occur in daylight hours

Vehicle traffic will be reduced by carpooling or other measures, adhering to speed limits to reduce risk of vehicle/wildlife collision

Report any wildlife issues promptly to CPW.

For the U.P.-62N102W 21NWNW location, Rule 1202.c states: "Except as specified pursuant to Rule 1202.c.(2), Operators will not conduct any new ground disturbance and Well work, including access road and pad construction, drilling and completion activities, and Flowline/utility corridor clearing and installation activities in the High Priority Habitats listed in Rule 1202.c.(1)", and a recomplate with the intention of converting to a UIC falls under Well Work. Rule 309.e.(5).D allows for CPW to support a waiver from 1202.c if the OHWM for the Aquatic Native Species Conservation Waters is between 300-500 ft. from the edge of the location, and the operator agrees to the BMPs listed in Rule 309.e.(5).D.aa-ee. If CPW supports this waiver request, please submit a Form 4 sundry for the location with the signed waiver attached (can be an email chain), and the BMPs from Rule 309.e.(5).D.aa-ee added, as well as any other BMPs agreed upon because this location is also in Pronghorn Winter Concentration.

Thanks,
Laurel

On Mon, Mar 2, 2026 at 3:22 PM Neumann - DNR, Danielle <danielle.neumann@state.co.us> wrote:

Hi Anita,

I wanted to clarify that a consultation for the Emerald 4 location was required, but my email today (3/2/2026) at 9:12 am completes that requirement. I will try to connect with Laurel tomorrow when she is returned to the office regarding the Union Pacific 112x21 location and ECMC's process.

Thank you,

On Mon, Mar 2, 2026 at 11:32 AM Anita Sanford <Anita.Sanford@scoutep.com> wrote:

Hi Laurel, per the below message from Danielle, there is no consultation required for Emerald 4 location.

Danielle will be following up with you on the Union Pacific 112x21 location. As I discussed with her the documentation provided in the permit application shows the proposed routine work activity is restricted to the existing footprint. Scout will not be conducting any new ground disturbances, including the access road and pad. All previously approved permitted Wildlife protections are still in place and all best management practices will be adhered to at all times.

Best,
Anita Sanford
Sr. Regulatory Analyst
Anita.Sanford@scoutep.com
Mobile 970.620.3390

From: Neumann - DNR, Danielle <danielle.neumann@state.co.us>

Sent: Monday, March 2, 2026 9:46 AM

To: Anita Sanford <Anita.Sanford@scoutep.com>

Cc: Taylor Elm - DNR <taylor.elm@state.co.us>; Austin Mayer <Austin.Mayer@scoutep.com>; Chris Dowell <Chris.Dowell@scoutep.com>

Subject: Re: Scout Energy CPW consultation per ECMC - Emerald 4 & Union Pacific 112x21

Hi Anita,

I left a voicemail about Union Pacific 112x21. We have some nuances to work through with the aquatic habitat, and I will email back promptly once those questions are answered. In the meantime, the previous email should wrap up the Emerald 4 Well on Location ID 314373. Please give me a call with any questions. I'm available to talk until 10 am, from 10:30-11, or noon-1.

Thank you,

On Mon, Mar 2, 2026 at 9:35 AM Anita Sanford <Anita.Sanford@scoutep.com> wrote:

Hi Danielle, the conversion is from Production to Injection on both the wells Emerald 4 and Union Pacific 112x21. Does this email approve both wells as in the subject field or will you send a separate approval for the Union Pacific 112x21 well?

Best,
Anita Sanford
Sr. Regulatory Analyst
Anita.Sanford@scoutep.com
Mobile 970.620.3390

From: Neumann - DNR, Danielle <danielle.neumann@state.co.us>

Sent: Monday, March 2, 2026 9:13 AM

To: Anita Sanford <Anita.Sanford@scoutep.com>

Cc: Taylor Elm - DNR <taylor.elm@state.co.us>; Austin Mayer <Austin.Mayer@scoutep.com>; Chris Dowell <Chris.Dowell@scoutep.com>

Subject: Re: Scout Energy CPW consultation per ECMC - Emerald 4 & Union Pacific 112x21

Hi Anita,

Thank you for the opportunity to consult on the conversion from UIC to injection at the Emerald 4 Well on Location ID 314373 to support the efficient management of produced water. This location falls within a mapped pronghorn winter concentration area. CPW has no concerns with this work and accepts the operator-proposed best management practices to minimize impacts to wintering pronghorn:

- Work will only occur in daylight hours
- Vehicle traffic will be reduced by carpooling or other measures, adhering to speed limits to reduce risk of vehicle/wildlife collision
- Report any wildlife issues promptly to CPW.

Please let me know if there are any outstanding questions.

Sincerely,
Dani Neumann
CPW NW Region Energy Liaison

On Mon, Mar 2, 2026 at 8:14 AM Neumann - DNR, Danielle <danielle.neumann@state.co.us> wrote:

Hi Anita,

I must have misfiled this and sincerely apologize that this is your first experience with me. I strive to reply within 24-48 hours, which has long passed. This was a filing error on my end. I will send you a full response promptly--I'm jumping into my review now.

Sincerely,
Dani

On Mon, Mar 2, 2026 at 6:36 AM Anita Sanford <Anita.Sanford@scoutep.com> wrote:

Hi Danielle, we are requesting a review and reply as soon as possible on these two projects, the permits are on hold and cannot advance in the ECMC process without your reply.

In the past Taylor has reviewed identical projects very quickly since this is routine work without any addition surface disturbances as stated previously.

Best,
Anita Sanford
Sr. Regulatory Analyst
Anita.Sanford@scoutep.com
Mobile 970.620.3390

From: Anita Sanford

Sent: Tuesday, February 24, 2026 7:13 AM

To: Neumann - DNR, Danielle <danielle.neumann@state.co.us>

Cc: Taylor Elm - DNR <taylor.elm@state.co.us>; Austin Mayer <Austin.Mayer@scoutep.com>; Chris Dowell <Chris.Dowell@scoutep.com>

Subject: RE: Scout Energy CPW consultation per ECMC - Emerald 4 & Union Pacific 112x21

Hi Danielle, I wanted to touch base to see if you had any questions regarding the locations. This is routine work at existing locations, there will be no additional surface disturbance. Work will only occur in daylight hours, vehicle traffic will be reduced by carpooling or other measures, adhering to speed limits to reduce risk of vehicle/wildlife collision and as always we will report any wildlife issues to CPW.

Best,
Anita Sanford
Sr. Regulatory Analyst
Anita.Sanford@scoutep.com
Mobile 970.620.3390

From: Anita Sanford

Sent: Monday, February 23, 2026 5:58 AM

To: Neumann - DNR, Danielle <danielle.neumann@state.co.us>

Cc: Taylor Elm - DNR <taylor.elm@state.co.us>; Austin Mayer <Austin.Mayer@scoutep.com>; Chris Dowell <Chris.Dowell@scoutep.com>

Subject: RE: Scout Energy CPW consultation per ECMC - Emerald 4 & Union Pacific 112x21

Hi, please find attached the documents and existing location longlat.

Emerald 4 well location in SE ¼ SE ¼ of Section 36, T2N, R103W, 6th P.M.
Union Pacific 112x21 well location in NW ¼ NW ¼ of Section 21, T2N, R102W, 6th P.M.

Best,
Anita Sanford
Sr. Regulatory Analyst
Anita.Sanford@scoutep.com
Mobile 970.620.3390

From: Neumann - DNR, Danielle <danielle.neumann@state.co.us>

Sent: Friday, February 20, 2026 4:10 PM

To: Anita Sanford <Anita_Sanford@scoutep.com>
Cc: Taylor Elm - DNR <taylor.elm@state.co.us>; Austin Mayer <Austin_Mayer@Scoutep.com>; Chris Dowell <Chris.Dowell@scoutep.com>
Subject: Re: Scout Energy CPW consultation per ECMC - Emerald 4 & Union Pacific 112x21

Hi Anita,
Thanks for reaching out to CPW. In the forwarding, attachments dropped. Could you please re-share those and the lat/long for the location?
Sincerely,

On Fri, Feb 20, 2026 at 9:36 AM Anita Sanford <Anita_Sanford@scoutep.com> wrote:
Thanks Taylor.

Danielle, please reach out for any additional questions you may have on these two projects.

Best,
Anita Sanford
Sr. Regulatory Analyst
Anita_Sanford@Scoutep.com
Mobile 970.620.3390

From: Taylor Elm - DNR <taylor.elm@state.co.us>
Sent: Friday, February 20, 2026 9:34 AM
To: Anita Sanford <Anita_Sanford@scoutep.com>; Danielle Neumann - DNR <danielle.neumann@state.co.us>
Cc: Austin Mayer <Austin_Mayer@Scoutep.com>; Chris Dowell <Chris.Dowell@scoutep.com>
Subject: Re: Scout Energy CPW consultation per ECMC - Emerald 4 & Union Pacific 112x21

Hi Anita,
Thanks for reaching out. Danielle Neumann, added to this email, is now CPW's NW Region Energy Liaison. Please work with Dani on this review and potential consultation requirement.
Thanks,

On Thu, Feb 19, 2026 at 11:50 AM Anita Sanford <Anita_Sanford@scoutep.com> wrote:

Hi Taylor, we have two projects in the Rangely Weber Sands unit where we will be converting two existing wells Emerald 4 and Union Pacific 112x21 from production wells to injection wells. This is routine work at existing locations, there will be no additional surface disturbance. Work will only occur in daylight hours, vehicle traffic will be reduced by carpooling or other measures, adhering to speed limits to reduce risk of vehicle/wildlife collision and as always we will report any wildlife issues to CPW. I have attached a couple of lease maps and well information to show where the wells are located. ECMC per the attached is requesting either a formal CPW consultation or a waiver document. Please advise if a formal consultation is still required.

Best, Anita Sanford
Sr. Regulatory Analyst

Office 970.551.8313
Mobile 970.620.3390
100 Chevron Road
Rangely, CO 81648

anita.sanford@scoutep.com


--
Dani Neumann
NW Region Energy Liaison
(She/her/hers)

State Employees Resource: [NW Region Land Use Spreadsheet](#)


C 970.366.1223
0088 Wildlife Way
Glenwood Springs, CO, 81601
danielle.neumann@state.co.us | cpw.state.co.us


--
Dani Neumann
NW Region Energy Liaison
(She/her/hers)

State Employees Resource: [NW Region Land Use Spreadsheet](#)


C 970.366.1223
0088 Wildlife Way
Glenwood Springs, CO, 81601
danielle.neumann@state.co.us | cpw.state.co.us


--
Dani Neumann
NW Region Energy Liaison
(She/her/hers)

State Employees Resource: [NW Region Land Use Spreadsheet](#)


C 970.366.1223
0088 Wildlife Way
Glenwood Springs, CO, 81601
danielle.neumann@state.co.us | cpw.state.co.us


--
Dani Neumann
NW Region Energy Liaison
(She/her/hers)

State Employees Resource: [NW Region Land Use Spreadsheet](#)


C 970.366.1223
0088 Wildlife Way
Glenwood Springs, CO, 81601
danielle.neumann@state.co.us | cpw.state.co.us


--
Dani Neumann
NW Region Energy Liaison

(She/her/hers)

State Employees Resource: [NW Region Land Use Spreadsheet](#)



C 970.366.1223
0688 Wildlife Way
Glenwood Springs, CO, 81601
laurel.faber@state.co.us | www.state.co.us



Laurel Faber
Senior Location Assessment Specialist
She/Her



COLORADO
Energy & Carbon Management
Commission
Department of Natural Resources
P 303.894.2100 | C 720.751.1703 | F 303.894.2109
1120 Lincoln Street, Suite 801, Denver, CO 80203
Laurel.Faber@state.co.us | <https://ecmc.colorado.gov/>



Laurel Faber
Senior Location Assessment Specialist
She/Her



COLORADO
Energy & Carbon Management
Commission
Department of Natural Resources
P 303.894.2100 | C 720.751.1703 | F 303.894.2109
1120 Lincoln Street, Suite 801, Denver, CO 80203
Laurel.Faber@state.co.us | <https://ecmc.colorado.gov/>

