

State of Colorado  
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
404541856  
Receive Date:  
02/20/2026

Report taken by:  
Krystal Heibel

Site Investigation and Remediation Workplan (Initial Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECOM is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

Name of Operator: <u>OMIMEX PETROLEUM INC</u>	Operator No: <u>66190</u>	Phone Numbers Phone: <u>(303) 894-2100</u> Mobile: <u>(720) 653-5045</u>
Address: <u>100 CRESCENT CT SUITE700-#5528</u>		
City: <u>DALLAS</u>	State: <u>TX</u>	Zip: <u>75201</u>
Contact Person: <u>Mat Succo (East OWP EPS)</u>	Email: <u>mat.succo@state.co.us</u>	

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 44339 Initial Form 27 Document #: 404541856

PURPOSE INFORMATION

- Rule 913.c.(1): Pit or Cuttings Trench closure.
- Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- Rule 913.g: Changes of Operator.
- Rule 915.b: Request to leave elevated inorganics in situ.
- Other: \_\_\_\_\_

SITE INFORMATION

No  Multiple Facilities

Facility Type: <u>WELL</u>	Facility ID: _____	API #: <u>095-06072</u>	County Name: <u>PHILLIPS</u>
Facility Name: <u>HASSLER 16-25 (OWP)</u>	Latitude: <u>40.543590</u>	Longitude: <u>-102.325940</u>	
** correct Lat/Long if needed: Latitude: _____		Longitude: _____	
QtrQtr: <u>SESE</u>	Sec: <u>25</u>	Twp: <u>7N</u>	Range: <u>45W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u>

SITE CONDITIONS

General soil type - USCS Classifications CL Most Sensitive Adjacent Land Use Cropland/Rural Residential  
 Is domestic water well within 1/4 mile? Yes Is surface water within 1/4 mile? No  
 Is groundwater less than 20 feet below ground surface? No

**Other Potential Receptors within 1/4 mile**

There are three DWR Water Wells located within 1/4 mile of the location.  
DWR Permit #781--AD (Irrigation 1968) [SWL = 158 ft bgs, Top of Perf Casing = 200 ft bgs, TD = 300 ft bgs, ~665 ft N];  
DWR Permit #49873-A (Domestic 2011) [SWL = 192 ft bgs, Top of Perf Casing = 240 ft bgs, TD = 280 ft bgs, ~1,042 ft E];  
One Residential Building Unit (RBU) ~1,042 ft E.

**SITE INVESTIGATION PLAN**

**TYPE OF WASTE:**

- E&P Waste
- Other E&P Waste
- Non-E&P Waste
- Produced Water
- Workover Fluids
- Oil
- Tank Bottoms
- Condensate
- Pigging Waste
- Drilling Fluids
- Rig Wash
- Drill Cuttings
- Spent Filters
- Pit Bottoms
- Other (as described by EPA)

**DESCRIPTION OF IMPACT**

Impacted?	Impacted Media	Extent of Impact	How Determined
UNDETERMINED	SOILS	Unknown	Visually and laboratory analysis

**INITIAL ACTION SUMMARY**

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

This oil and gas Location is in the Colorado ECMC Orphaned Well Program (OWP). This Form 27 Initial presents the site investigation activities to be performed during the decommissioning of Oil and Gas Facilities, specifically wellhead cut and cap sampling following plugging and abandonment (PA) of the well. Field screening will be performed of the four sidewalls and base of the wellhead excavation to investigate for evidence of E&P Waste impacts. At a minimum, soil samples collected from the sidewall that exhibits the highest degree of E&P Waste impact, the expected downgradient sidewall in the absence of impact, and the wellhead excavation floor soils, will be submitted to an accredited environmental laboratory for analysis of full Table 915-1 parameters.

**PROPOSED SAMPLING PLAN**

**Proposed Soil Sampling**

Will soil samples be collected as part of this investigation? ( Number, type (grab/composite), analyses, and locations of samples ):

Grab soil samples will be collected from areas most likely to exhibit E&P Waste impacts. Soil samples will be submitted for analysis of Table 915-1 parameters including organic compounds (TPH ranges C6-C36; BTEX; 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Naphthalene, PAH) and inorganic compounds (metals, soil suitability for reclamation).

**Proposed Groundwater Sampling**

Will groundwater samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

Groundwater samples are not expected to be collected as part of this investigation. If encountered in sufficient quantity to enable sample collection, a grab groundwater sample or samples will be collected and submitted for analysis of organic compounds (BTEX; Naphthalene; 1,2,4-Trimethylbenzene; 1,3,5-Trimethylbenzene) and inorganic parameters (total dissolved solids (TDS), chloride ion, sulfate ion).

**Proposed Surface Water Sampling**

Will surface water samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

Surface water samples are not expected to be collected as part of this investigation.

**Additional Investigative Actions**

Additional alternative investigative actions described in attached Site Investigation Plan ( summary ):

No additional alternative investigative actions are expected to be conducted as part of this site investigation.

**SITE INVESTIGATION REPORT**

## SAMPLE SUMMARY

### Soil

Number of soil samples collected \_\_\_\_\_ 0  
Number of soil samples exceeding 915-1 \_\_\_\_\_  
Was the areal and vertical extent of soil contamination delineated? \_\_\_\_\_  
Approximate areal extent (square feet) \_\_\_\_\_

### NA / ND

\_\_\_\_\_ Highest concentration of TPH (mg/kg) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of SAR \_\_\_\_\_  
BTEX > 915-1 \_\_\_\_\_  
Vertical Extent > 915-1 (in feet) \_\_\_\_\_

### Groundwater

Number of groundwater samples collected \_\_\_\_\_ 0  
Was extent of groundwater contaminated delineated? No \_\_\_\_\_  
Depth to groundwater (below ground surface, in feet) \_\_\_\_\_  
Number of groundwater monitoring wells installed \_\_\_\_\_  
Number of groundwater samples exceeding 915-1 \_\_\_\_\_

\_\_\_\_\_ Highest concentration of Benzene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Toluene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Ethylbenzene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Xylene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Methane (mg/l) \_\_\_\_\_

### Surface Water

\_\_\_\_\_ 0 Number of surface water samples collected  
\_\_\_\_\_ Number of surface water samples exceeding 915-1  
If surface water is impacted, other agency notification may be required.

## OTHER INVESTIGATION INFORMATION

Were impacts to adjacent property or offsite impacts identified?

Were background samples collected as part of this site investigation?

Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) \_\_\_\_\_ Volume of liquid waste (barrels) \_\_\_\_\_

Is further site investigation required?

## REMEDIAL ACTION PLAN

### SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

If E&P Waste impacts are encountered during decommissioning of Oil and Gas Facilities, approximately 10 cubic yards of E&P Waste impacted soils will be excavated, temporarily stockpiled on location, and hauled to a commercial disposal facility.

### REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

If E&P Waste impacted soils are encountered, approximately 10 cubic yards of the E&P Waste impacted soils will be excavated and removed. If the horizontal and vertical extent of the E&P Waste impacts cannot be defined or removed during this initial action, then additional site investigation and remediation will be performed at a later date under an approved supplemental Form 27. Site data will be evaluated and remediation technologies implemented to meet Table 915-1 soil residential screening levels, protection of groundwater screening levels, or Table 915-1 groundwater and WQCC Regulation 41 numeric and narrative levels as applicable to site conditions.

### Soil Remediation Summary

In Situ

Ex Situ

\_\_\_\_\_ Bioremediation ( or enhanced bioremediation )

\_\_\_\_\_ Excavate and offsite disposal

\_\_\_\_\_ Chemical oxidation  
\_\_\_\_\_ Air sparge / Soil vapor extraction  
\_\_\_\_\_ Natural Attenuation  
\_\_\_\_\_ Other \_\_\_\_\_

If Yes: Estimated Volume (Cubic Yards) \_\_\_\_\_  
Name of Licensed Disposal Facility or ECMC Facility ID # \_\_\_\_\_  
\_\_\_\_\_ Excavate and onsite remediation  
\_\_\_\_\_ Land Treatment  
\_\_\_\_\_ Bioremediation (or enhanced bioremediation)  
\_\_\_\_\_ Chemical oxidation  
\_\_\_\_\_ Other \_\_\_\_\_

**Groundwater Remediation Summary**

\_\_\_\_\_ Bioremediation ( or enhanced bioremediation )  
\_\_\_\_\_ Chemical oxidation  
\_\_\_\_\_ Air sparge / Soil vapor extraction  
\_\_\_\_\_ Natural Attenuation  
\_\_\_\_\_ Other \_\_\_\_\_

**GROUNDWATER MONITORING**

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

# REMEDIATION PROGRESS UPDATE

## PERIODIC REPORTING

### Approved Reporting Schedule:

Quarterly    Semi-Annually    Annually    Other

A Form 27-S will be submitted within 90 days from the date decommissioning results are received.

### Request Alternative Reporting Schedule:

Semi-Annually    Annually    Other

### Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

**Report Type:**    Groundwater Monitoring    Land Treatment Progress Report    O&M Report  
 Other \_\_\_\_\_

## Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

The OMIMEX PETROLEUM INC - 66190 HASSLER 16-25 (OWP) wellhead and associated equipment is in the Colorado ECMC Orphaned Well Program. The former Operator's bond, and/or other funding will be used to Plug and Abandon (PA) the orphaned well, investigate, remediate, and reclaim the orphaned oil and gas Location.

Operator anticipates the remaining cost for this project to be: \$ \_\_\_\_\_

## WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? \_\_\_\_\_

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Volume of E&P Waste (solid) in cubic yards \_\_\_\_\_

E&P waste (solid) description \_\_\_\_\_

ECMC Disposal Facility ID #, if applicable: \_\_\_\_\_

Non-ECMC Disposal Facility: \_\_\_\_\_

Volume of E&P Waste (liquid) in barrels \_\_\_\_\_

E&P waste (liquid) description \_\_\_\_\_

ECMC Disposal Facility ID #, if applicable: \_\_\_\_\_

Non-ECMC Disposal Facility: \_\_\_\_\_

# RECLAMATION PLAN

## RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

The Colorado ECMC OWP will reclaim this oil and gas location in accordance with 1000 Series Rules including grading/recontouring of disturbed areas. The reclamation plan will be implemented under a separate scope of work. Final reclamation will be conducted per ECMC 1000 Series Rules and prioritized based on OWP ranking, project funding, and staff availability. The reclamation scope will include a plan to address and avoid any effect on reclamation from Table 915-1 inorganic and soil suitability for reclamation parameters.

Is the described reclamation complete? No \_\_\_\_\_

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

Interim  Final

Did the Surface Owner provide the seed mix? \_\_\_\_\_

If YES, does the seed mix comply with local soil conservation district recommendations? \_\_\_\_\_

Did the local soil conservation district provide the seed mix? \_\_\_\_\_

## SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. \_\_\_\_\_

Proposed date of completion of Reclamation. \_\_\_\_\_

## IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

## PRIOR DATES

Date of Surface Owner notification/consultation, if required. \_\_\_\_\_

Actual Spill or Release date, or date of discovery. \_\_\_\_\_

## SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 03/04/2026

Proposed site investigation commencement. \_\_\_\_\_

Proposed completion of site investigation. \_\_\_\_\_

## REMEDIAL ACTION DATES

Proposed start date of Remediation. \_\_\_\_\_

Proposed date of completion of Remediation. \_\_\_\_\_

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

This oil and gas location is in the Colorado ECMC Orphaned Well Program. Exact timing of plugging and abandonment, site investigation, and remediation are unknown and subject to change. A Landowner may have reasons for delaying a project such as a crop in the field or other site-specific conditions. Schedule is dependent on project funding, the State procurement process, contractor availability, and the annual prioritization score/ranking within the OWP site list.

**OPERATOR COMMENT**

The former Omimex Petroleum Inc - 66190 HASSLER 16-25 (OWP) wellhead (API #05-095-06072) Location ID: 314002 oil and gas well and associated equipment is in the ECMC Orphaned Well Program ("OWP").

This Form 27 Initial presents the site investigation and remediation workplan for the wellhead decommissioning. Soils will be observed and field screened for evidence of E&P Waste impacts from the four excavation sidewalls and excavation floor. At a minimum, soil samples collected from the sidewall exhibiting the highest degree of E&P Waste impacts, or the expected downgradient sidewall in the absence of impacts, and soils from the excavation floor will be submitted to an accredited environmental laboratory for analysis of full Table 915-1 parameters.

Samples will be collected from areas exhibiting staining, odor, elevated field readings, or other indications that a historic spill/release occurred. Site-specific background soil samples collected from undisturbed areas away from oil and gas facilities will be submitted for analysis of Table 915-1 metals and soil suitability for reclamation parameters.

A laboratory secured stand-alone PDF analytical report and a site investigation report describing the decommissioning activities will be attached to a Form 27 Supplemental submitted within 90 days from the receipt of these documents.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Mat Succo

Title: East OWP EPS

Submit Date: 02/20/2026

Email: mat.succo@state.co.us

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Krystal Heibel

Date: 03/06/2026

Remediation Project Number: 44339

**COA Type**

**Description**

	OWP shall clarify if the flowlines will be removed or abandoned in place?  OWP will collect and submit for laboratory analysis a soil sample collected from the areas most likely to have been impacted during the operational life of the flowline. These areas include, but are not limited to: where Flowlines connect to the wellhead, surface equipment, risers, valves, or manifolds; where Flowlines bend or were repaired in the past and at joints and hammer unions; where Flowlines connect to Flowlines or equipment of different material; and where Flowlines crossed drainages or surface water or are in contact with shallow groundwater.
	OWP shall fully populate the implementation schedule in accordance with Rule 913.d on the subsequent Supplemental Form 27. The "Date of Surface Owner notification/consultation" information is missing.

2 COAs

**ATTACHMENT LIST**

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

**Att Doc Num**

**Name**

404541856	FORM 27-INITIAL-SUBMITTED
404541925	MAP

Total Attach: 2 Files

**General Comments**

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)