

Replug By Other Operator
 Document Number: 404568570
 Date Received:

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

ECMC Operator Number: 69175 Contact Name: Kevin Monaghan
 Name of Operator: PDC ENERGY INC Phone: (303) 228-4000
 Address: 1099 18TH STREET SUITE 1500 Fax: _____
 City: DENVER State: CO Zip: 80202 Email: Kevin.Monaghan@chevron.com

For "Intent" 24 hour notice required, Name: _____ Tel: _____
 Email: _____

Type of Well Abandonment Report: Notice of Intent to Abandon Subsequent Report of Abandonment

API Number 05-123-09705-00
 Well Name: J.H. CUYKENDALL B Well Number: 1
 Location: QtrQtr: NWSE Section: 7 Township: 2N Range: 63W Meridian: 6
 County: WELD Federal, Indian or State Lease Number: _____
 Field Name: WATTENBERG Field Number: 90750

Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.151120 Longitude: -104.477970
 GPS Data: GPS Quality Value: 1.7 Type of GPS Quality Value: PDOP Date of Measurement: 09/25/2025
 Reason for Abandonment: Dry Production Sub-economic Mechanical Problems
 Other _____
 Casing to be pulled: Yes No Estimated Depth: _____
 Fish in Hole: Yes No If yes, explain details below
 Wellbore has Uncemented Casing leaks: Yes No If yes, explain details below
 Details: _____

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
J SAND	7348	7402	09/26/1997	B PLUG CEMENT TOP	7300
Total: 1 zone(s)					

Casing History

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
SURF	12+1/4	8+5/8	J55	24	0	758	500	758	0	VISU
1ST	7+7/8	4+1/2	J55	10.5	0	7540	600	7540	4511	CALC

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 6546 with 2 sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 35 sks cmt from 2300 ft. to 1969 ft. Plug Type: CASING Plug Tagged:
Set 90 sks cmt from 910 ft. to 0 ft. Plug Type: CASING Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:

Perforate and squeeze at 2400 ft. with 155 sacks. Leave at least 100 ft. in casing 2300 CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged:
Set 7 sacks at surface
Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: Yes No
Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing Number of Days from Setting Surface Plug to Capping or Sealing the Well: 19
Surface Plug Setting Date: 01/17/2026 Cut and Cap Date: 02/05/2026

*Wireline Contractor: Ranger Energy Services *Cementing Contractor: Ranger Energy Services

Type of Cement and Additives Used: Class G Neat

Flowline/Pipeline has been abandoned per Rule 1105 Yes No

Technical Detail/Comments:

Form 17 doc # N/A
Form 27 doc # 404477924
Form 42 doc # 404484950
Form 44 doc # N/A
MIRU 1/7/2026 to re-enter and re-plug well, began drilling out existing cement plugs
Existing CIBP @ 7300' w/ 2 sxs cmt (9/26/1997)
CIBP @ 6546' w/ 2 sxs cmt (1/15/2026)
Ran an RBL from 2460' to Surface, sent Log to the State and moved forward w/ approved procedure changes
Shoot lower perms @ 2400', shoot upper perms @ 1900'
Set CICR @ 2300'
Squeezed and pumped 190 sxs cmt total = Sting in 155 sxs cmt through CICR and Sting out 35 sxs cmt on top of CICR. TOC @ 1969'
Surface plug @ 910', pumped 90 sxs cmt total
Surface plug cement tagged & topped off w/ 7 additional sxs cmt total

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Valerie Danson

Title: Reg Analyst

Date: _____

Email: DenverRegulatory@chevron.onmicrosoft.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____

Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST

COA Type	Description
0 COA	

ATTACHMENT LIST

Att Doc Num	Name
404570589	CEMENT JOB SUMMARY
404570590	OPERATIONS SUMMARY
404570591	WELLBORE DIAGRAM
404570592	CORRESPONDENCE
404570593	CEMENT BOND LOG
404570594	WIRELINE JOB SUMMARY

Total Attach: 6 Files

General Comments

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)