

TABLE 1
FIELD DATA SUMMARY TABLE
NOBLE 100322
WALKER AB12-09 WELLHEAD AND FLOWLINE, WELD COUNTY, COLORADO
REM # 35848

Sample ID	Sample Date	Depth (ft-bgs)	GPS Data		VOC Concentration (ppm)
			Latitude	Longitude	
INITIAL FACILITY CLOSURE					
WH01@6	7/24/2024	6	40.585610	-104.490665	73.9
FLR01@4	7/24/2024	4	40.585611	-104.490678	7.3
WH01-N@4	7/24/2024	4	40.585622	-104.490665	4.2
WH01-S@4	7/24/2024	4	40.585600	-104.490665	31.8
WH01-E@4	7/24/2024	4	40.585610	-104.490652	0.4
FL01-01@2' [1]	8/28/2024	2	40.589499	-104.489821	0.0
FL01-02@2' [1]	8/28/2024	2	40.588662	-104.490065	3.5
FL01-03@2' [1]	8/28/2024	2	40.588495	-104.490107	0.5
FL01-04@2' [1]	8/28/2024	2	40.587345	-104.490338	0.8
FL01-05@2' [1]	8/28/2024	2	40.586176	-104.490540	0.2
FL01R-W@2' [1]	8/28/2024	2	40.585612	-104.490659	0.2
SEPD1-FL@2' [1]	8/27/2024	2	40.590016	-104.490314	0.3
WELLHEAD EXCAVATION					
EX01@8	9/17/2024	8	40.585611	-104.490665	0.3
EX02@4	9/17/2024	4	40.585598	-104.490665	0.9
EX03@4	9/17/2024	4	40.585611	-104.490649	0.3
EX04@4	9/17/2024	4	40.585625	-104.490665	0.4
EX05@4	9/17/2024	4	40.585611	-104.490684	0.0
EX06@9	4/8/2025	9	40.585614	-104.490660	0.1
EX07@4.5	4/8/2025	4.5	40.585626	-104.490663	0.1
EX08@4.5	4/8/2025	4.5	40.585603	-104.490688	0.2
EX09@4.5	4/8/2025	4.5	40.585577	-104.490694	0.1
EX10@4.5	4/8/2025	4.5	40.585568	-104.490675	0.1
EX11@4.5	4/8/2025	4.5	40.585598	-104.490649	0.0
FLOWLINE EXCAVATION					
2EX01@3	5/30/2025	3	40.588664	-104.490065	0.5
2EX02@2	6/4/2025	2	40.588679	-104.490061	0.5
2EX03@2	6/4/2025	2	40.588662	-104.490045	0.4
2EX04@2	6/4/2025	2	40.588667	-104.490087	0.4
2EX05@2	6/4/2025	2	40.588651	-104.490068	0.3
BACKGROUND					
BKG01@0-6" [1]	8/28/2024	0.5	40.585753	-104.490893	0.5
BKG01@2' [1]	8/28/2024	2	40.585753	-104.490893	0.5
BKG01@4' [1]	8/28/2024	4	40.585753	-104.490893	0.4
BKG02@4	4/8/2025	4	40.585322	-104.491269	0.3
BKG02@9	4/8/2025	9	40.585322	-104.491269	0.3
BKG03@4	4/8/2025	4	40.585077	-104.490777	0.3
BKG03@9	4/8/2025	9	40.585077	-104.490777	0.4
BKG04@4	4/8/2025	4	40.585592	-104.489955	0.2
BKG04@9	4/8/2025	9	40.585592	-104.489955	0.0
BKG05@3	5/30/2025	3	40.588434	-104.490541	0.3
BKG06@3	5/30/2025	3	40.588730	-104.490624	0.4
BKG07@3	5/30/2025	3	40.589057	-104.490230	0.0

Table created by Entrada Consulting Group

Global Positioning System (GPS) data is provided in decimal degrees using North American Datum (NAD) 83 UTMZone 13 North.

Volatile organic compound (VOC) concentrations are measured in the field using a photoionization detector (PID).

ppm - Parts per million

ft-bgs - feet below ground surface

[1] - 3rd party consultant responsible for initial sample collection and data management

[1] = Material excavated and transported off site for disposal.

TABLE 2
SUMMARY OF VOLATILE ORGANIC SOIL CHEMISTRY DATA
NOBLE 100322
WALCKER AB12-09 WELLHEAD AND FLOWLINE, WELD COUNTY, COLORADO
REM # 35848

Sample ID	Sample Date	Depth (ft-bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-Benzene (mg/kg)	Xylenes (mg/kg)	1,2,4-Trimethyl-Benzene (mg/kg)	1,3,5-Trimethyl-Benzene (mg/kg)	Naphthalene (mg/kg)	TPH (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			1.2	490	5.8	58	30	27	2	500	500**		
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.0026	0.69	0.78	9.9	0.0081	0.0087	0.0038	500	500**		
INITIAL FACILITY CLOSURE													
WH01@6	7/24/2024	6	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	40.026	0.226	39.8	<100
WH01-S@4	7/24/2024	4	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	30.689	0.289	30.4	<100
FL01-01@2' [1]	8/28/2024	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<500	<0.50	<50	<50
FL01-02@2' [1]	8/28/2024	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.0048	<500	<0.50	<50	<50
FL01-03@2' [1]	8/28/2024	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<500	<0.50	<50	<50
FL01-04@2' [1]	8/28/2024	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<500	<0.50	<50	<50
FL01R-W@2' [1]	8/28/2024	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<500	<0.50	<50	<50
SEP01-FL@2' [1]	8/27/2024	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<500	<0.50	<50	<50
WELLHEAD EXCAVATION													
EX01@8	9/17/2024	8	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<125.200	<0.200	<25	<100
EX02@4	9/17/2024	4	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<125.200	<0.200	<25	<100
EX03@4	9/17/2024	4	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<125.200	<0.200	<25	<100
EX04@4	9/17/2024	4	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<125.200	<0.200	<25	<100
EX05@4	9/17/2024	4	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<125.200	<0.200	<25	<100
EX06@9	4/8/2025	9	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50
EX07@4.5	4/8/2025	4.5	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50
EX08@4.5	4/8/2025	4.5	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50
EX09@4.5	4/8/2025	4.5	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50
EX10@4.5	4/8/2025	4.5	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50
EX11@4.5	4/8/2025	4.5	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50
FLOWLINE EXCAVATION													
2EX01@3	5/30/2025	3	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50
2EX02@2	6/4/2025	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50
2EX03@2	6/4/2025	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50
2EX04@2	6/4/2025	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50
2EX05@2	6/4/2025	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<100.50	<0.50	<50	<50

Table created by Entrada Consulting Group

Bold faced values exceed the ECMC Table 915-1 limit(s)

Grey highlighted soil analytical values indicate result is less than laboratory reporting limit

** Summation of GRO+DRO+ORO must be less than 500 mg/kg

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

TPH-DRO = Total petroleum hydrocarbons - diesel range organics

TPH-ORO = Total petroleum hydrocarbons - oil range organics

ft-bgs - feet below ground surface

mg/kg - milligrams per kilogram

[1] - 3rd party consultant responsible for initial sample collection and data management

Material excavated and transported off site for disposal.

TABLE 3
SUMMARY OF POLYCYCLIC AROMATIC HYDROCARBON SOIL CHEMISTRY DATA
NOBLE 100322
WALCKER AB12-09 WELLHEAD AND FLOWLINE, WELD COUNTY, COLORADO
REM # 35848

Sample ID	Sample Date	Depth (ft-bgs)	Acenaphthene (mg/kg)	Anthracene (mg/kg)	Benzo (a) Anthracene (mg/kg)	Benzo (a) Pyrene (mg/kg)	Benzo (b) Fluoranthene (mg/kg)	Benzo (k) Fluoranthene (mg/kg)	Chrysene (mg/kg)	Dibenzo (a,h) Anthracene (mg/kg)	Fluoranthene (mg/kg)	Fluorene (mg/kg)	Indeno (1,2,3-cd) Pyrene (mg/kg)	Pyrene (mg/kg)	1-Methyl - Naphthalene (mg/kg)	2-Methyl - Naphthalene (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			360	1800	1.1	0.11	1.1	11	110	0.11	240	240	1.1	180	18	24
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.55	5.8	0.011	0.24	0.3	2.9	9	0.096	8.9	0.54	0.98	1.3	0.006	0.019
INITIAL FACILITY CLOSURE																
WH01@6	7/24/2024	6	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.032	0.022
WH01-S@4	7/24/2024	4	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.015	0.012
FL01-01@2' [1]	8/28/2024	2	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
FL01-02@2' [1]	8/28/2024	2	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.00996	0.00924
FL01-03@2' [1]	8/28/2024	2	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
FL01-04@2' [1]	8/28/2024	2	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
FL01R-W@2' [1]	8/28/2024	2	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SEP01-FL@2' [1]	8/27/2024	2	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
WELLHEAD EXCAVATION																
EX01@8	9/17/2024	8	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.002	<0.002
EX02@4	9/17/2024	4	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.002	<0.002
EX03@4	9/17/2024	4	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.002	<0.002
EX04@4	9/17/2024	4	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.002	<0.002
EX05@4	9/17/2024	4	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.002	<0.002
EX06@9	4/8/2025	9	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
EX07@4.5	4/8/2025	4.5	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
EX08@4.5	4/8/2025	4.5	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
EX09@4.5	4/8/2025	4.5	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
EX10@4.5	4/8/2025	4.5	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
EX11@4.5	4/8/2025	4.5	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
FLOWLINE EXCAVATION																
2EX01@3	5/30/2025	3	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
2EX02@2	6/4/2025	2	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
2EX03@2	6/4/2025	2	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
2EX04@2	6/4/2025	2	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
2EX05@2	6/4/2025	2	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500

Table created by Entrada Consulting Group

Bold faced values exceed the ECMC Table 915-1 limit(s)

Grey highlighted soil analytical values indicate result is less than laboratory reporting limit

ft-bgs - feet below ground surface

mg/kg - milligrams per kilogram

[1] - 3rd party consultant responsible for initial sample collection and data management

Material excavated and transported off site for disposal.

TABLE 4
SUMMARY OF SOIL SUITABILITY FOR RECLAMATION
NOBLE 100322
WALKER AB12-09 WELLHEAD AND FLOWLINE, WELD COUNTY, COLORADO
REM # 35848

Sample ID	Sample Date	Depth (ft-bgs)	pH (Standard Units)	EC (mmhos/cm)	SAR (Standard Units)	Boron (mg/L)
ECMC Table 915-1 Soil Suitability Limits			6 - 8.3	<4	<6	2
INITIAL FACILITY CLOSURE						
WH01@6	7/24/2024	6	8.00	2.64	0.557	0.437
WH01-S@4	7/24/2024	4	8.24	1.72	0.243	0.336
FL01-01@2' [1]	8/28/2024	2	8.64	0.120	0.0378	<2.00
FL01-02@2' [1]	8/28/2024	2	7.91	2.58	2.50	<2.00
FL01-03@2' [1]	8/28/2024	2	7.98	3.65	3.94	<2.00
FL01-04@2' [1]	8/28/2024	2	8.09	5.47	8.81	<2.00
FL01R-W@2' [1]	8/28/2024	2	8.70	0.214	0.233	<2.00
SEP01-FL@2' [1]	8/27/2024	2	8.41	0.152	0.186	<2.00
WELLHEAD EXCAVATION						
EX01@8	9/17/2024	8	8.59	6.80	23.1	1.12
EX02@4	9/17/2024	4	8.18	1.52	0.332	0.214
EX03@4	9/17/2024	4	8.51	2.46	9.13	0.463
EX04@4	9/17/2024	4	8.27	6.70	9.44	0.993
EX05@4	9/17/2024	4	8.44	0.997	4.81	0.301
EX06@9	4/8/2025	9	8.37	1.94	1.44	<2.00
EX07@4.5	4/8/2025	4.5	7.69	0.951	1.51	<2.00
EX08@4.5	4/8/2025	4.5	8.44	0.429	0.603	<2.00
EX09@4.5	4/8/2025	4.5	8.35	0.361	0.439	<2.00
EX10@4.5	4/8/2025	4.5	8.55	0.294	1.09	<2.00
EX11@4.5	4/8/2025	4.5	9.38	0.928	1.36	<2.00
FLOWLINE EXCAVATION						
2EX01@3	5/30/2025	3	8.02	7.02	6.24	<2.00
2EX02@2	6/4/2025	2	8.18	1.00	1.99	<2.00
2EX03@2	6/4/2025	2	8.32	0.614	1.16	<2.00
2EX04@2	6/4/2025	2	7.79	2.82	2.48	<2.00
2EX05@2	6/4/2025	2	8.30	0.867	3.53	<2.00
BACKGROUND						
BKG01@0-6" [1]	8/28/2024	0.5	8.52	0.162	0.325	<2.00
BKG01@2' [1]	8/28/2024	2	8.82	0.281	0.438	<2.00
BKG01@4' [1]	8/28/2024	4	8.10	1.94	3.25	<2.00
BKG02@4	4/8/2025	4	7.45	0.243	0.262	<2.00
BKG02@9	4/8/2025	9	8.14	1.48	2.33	<2.00
BKG03@4	4/8/2025	4	8.20	3.87	6.25	<2.00
BKG03@9	4/8/2025	9	8.56	2.75	13.9	<2.00
BKG04@4	4/8/2025	4	8.56	5.17	17.2	<2.00
BKG04@9	4/8/2025	9	8.23	5.00	12.7	<2.00
BKG05@3	5/30/2025	3	7.75	4.56	3.07	<2.00
BKG06@3	5/30/2025	3	7.78	5.49	2.41	<2.00
BKG07@3	5/30/2025	3	8.10	6.72	6.06	<2.00
Maximum Background Concentration			8.82	6.72	17.2	-

Table created by Entrada Consulting Group

Bold faced values exceed the ECMC Table 915-1 limit(s), but are within background concentrations.

Bold faced values exceed the ECMC Table 915-1 limit(s)

Brown highlighted soil analytical values indicate a regulatory exceedance.

Grey highlighted soil analytical values indicate result is less than laboratory reporting limit

ft-bgs - feet below ground surface

EC - Electrical Conductivity

SAR - Sodium adsorption ratio

mmhos/cm - millimhos per centimeter

mg/L - milligrams per liter

[1] - 3rd party consultant responsible for initial sample collection and data management

Material excavated and transported off site for disposal.

TABLE 5
SUMMARY OF METALS IN SOIL CHEMISTRY DATA
NOBLE 100322
WALKER AB12-09 WELLHEAD AND FLOWLINE, WELD COUNTY, COLORADO
REM # 35848

Sample ID	Sample Date	Depth (ft-bgs)	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			0.68	15000	71	0.3	3100	400	1500	390	390	23000
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
INITIAL FACILITY CLOSURE												
WH01@6	7/24/2024	6	3.58	185	0.202	<0.269*	10.5	10.2	9.20	0.356	<0.0837	36.3
WH01-S@4	7/24/2024	4	6.36	138	0.200	<0.252*	11.1	12.1	9.74	0.350	<0.0903	36.0
FL01-01@2' [1]	8/28/2024	2	4.96	79.5	0.316	<0.30*	8.20	9.32	10.8	<0.260	0.0241	45.0
FL01-02@2' [1]	8/28/2024	2	3.59	75.0	0.215	<0.30*	8.54	12.1	9.57	<0.260	0.0283	34.0
FL01-03@2' [1]	8/28/2024	2	5.41	76.6	0.302	<0.30*	9.29	9.84	8.96	0.390	0.0336	40.0
FL01-04@2' [1]	8/28/2024	2	2.45	52.8	<0.200	<0.30*	10.2	8.23	7.02	<0.260	0.0290	38.5
FL01R-W@2' [1]	8/28/2024	2	4.43	138	0.223	<0.30*	8.48	8.38	7.83	0.267	0.0293	29.5
SEP01-FL@2' [1]	8/27/2024	2	2.76	43.2	<0.200	<0.30*	3.91	3.24	3.18	<0.260	<0.0200	10.9
WELLHEAD EXCAVATION												
EX01@8	9/17/2024	8	2.41	173	0.224	<0.244*	<9.33	8.16	11.20	<0.243	<0.0933	39.7
EX02@4	9/17/2024	4	2.69	46.7	0.0948	<0.244*	<9.48	6.67	5.79	<0.246	<0.0948	<35.1
EX03@4	9/17/2024	4	4.08	140	0.234	<0.244*	<9.46	8.76	16.10	0.282	<0.0946	<35.0
EX04@4	9/17/2024	4	1.88	167	0.18	0.516	<9.76	9.01	11.00	0.429	<0.0976	40.1
EX05@4	9/17/2024	4	13.4	681	0.473	1.15	15.50	9.71	20.5	0.765	<0.0907	33.5
EX06@9	4/8/2025	9	3.43	126	0.398	<0.30*	5.79	8.29	6.16	0.270	0.0772	21.5
EX07@4.5	4/8/2025	4.5	5.67	86.5	0.273	<0.30*	5.42	8.82	5.28	<0.260	0.0357	20.3
EX08@4.5	4/8/2025	4.5	3.07	61.4	0.215	<0.30*	3.39	7.24	3.88	<0.260	0.0234	16.0
EX09@4.5	4/8/2025	4.5	3.70	80.1	0.247	<0.30*	3.69	6.00	4.34	<0.260	0.0340	16.0
EX10@4.5	4/8/2025	4.5	9.23	167	0.507	<0.30*	6.71	15.3	6.39	<0.260	0.0326	21.2
EX11@4.5	4/8/2025	4.5	2.49	31.2	0.212	<0.30*	3.19	5.12	4.45	<0.260	<0.0200	16.9
FLOWLINE EXCAVATION												
2EX01@3	5/30/2025	3	2.43	24.6	0.628	<0.30*	20.1	20.0	42.5	1.22	0.0608	31.4
2EX02@2	6/4/2025	2	1.59	72.9	<0.200	<0.30*	3.14	4.87	2.71	<0.260	<0.0200	12.5
2EX03@2	6/4/2025	2	2.14	166	<0.200	<0.30*	3.23	4.64	2.55	<0.260	<0.0200	11.8
2EX04@2	6/4/2025	2	1.67	101	0.242	<0.30*	3.56	8.90	3.64	0.347	0.0353	13.9
2EX05@2	6/4/2025	2	1.74	404	<0.200	<0.30*	5.83	11.4	3.77	0.314	0.0408	19.3
BACKGROUND												
BKG01@0-6" [1]	8/28/2024	0.5	6.72	141	0.443	<0.30*	12.4	11.5	12.9	0.398	0.0422	55.9
BKG01@2' [1]	8/28/2024	2	3.73	76.6	0.198	<0.30*	7.36	7.81	8.81	<0.236	0.0291	29.6
BKG01@4' [1]	8/28/2024	4	5.44	55.2	0.232	<0.30*	8.35	7.74	7.69	<0.260	0.0360	30
BKG02@4	4/8/2025	4	4.13	94.6	0.418	<0.30*	6.55	11.0	6.53	<0.260	0.0525	26.3
BKG02@9	4/8/2025	9	6.33	103	0.497	<0.30*	7.82	11.4	6.60	<0.260	0.0812	26.1
BKG03@4	4/8/2025	4	2.80	43.4	<0.200	<0.30*	4.31	5.51	4.10	<0.260	<0.0200	16.9
BKG03@9	4/8/2025	9	6.48	185	0.385	<0.30*	7.79	9.33	9.45	<0.260	0.0387	32.1
BKG04@4	4/8/2025	4	1.38	38.8	<0.200	<0.30*	4.60	6.52	5.59	0.561	0.0243	26.7
BKG04@9	4/8/2025	9	1.66	20.9	0.249	<0.30*	13.8	15.2	5.49	<0.260	0.0845	25.2
BKG05@3	5/30/2025	3	1.43	94.6	0.465	<0.30*	11.3	9.78	18.5	0.381	0.0379	19.3
BKG06@3	5/30/2025	3	3.43	39.4	<0.200	<0.30*	14.6	11.1	7.77	0.540	0.0485	25.6
BKG07@3	5/30/2025	3	1.27	50.7	0.222	<0.30*	17.8	13.8	9.67	0.668	0.0909	14.1
Maximum Background Concentration X 1.25			8.40	231	0.621	-	22.3	19.0	23.1	0.835	0.114	69.9

Table created by Entrada Consulting Group
Bold faced values exceed the ECMC Table 915-1 limit(s), but are within 1.25x background concentrations.
Red faced values exceed the ECMC Table 915-1 limit(s)
Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL)
Grey highlighted soil analytical values indicate result is less than laboratory reporting limit
* Indicates laboratory reporting or minimum detection limit in excess of SSL
ft-bgs - feet below ground surface
mg/kg - milligrams per kilogram
[1] - 3rd party consultant responsible for initial sample collection and data management
= Material excavated and transported off site for disposal.