

TABLE 1
FIRST QUARTER 2026
SUMMARY OF GROUNDWATER ELEVATION DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO

Location	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (feet amsl)	Change in Groundwater Elevation Since Previous Event ⁽¹⁾ (feet)
BH01R	5/8/2025	8.56	-	-	16.08	4,805.57	4,797.01	0.16
BH01R	8/14/2025	8.50	-	-	15.77	4,805.57	4,797.07	0.06
BH01R	11/12/2025	8.79	-	-	15.79	4,805.57	4,796.78	-0.29
BH01R	2/5/2026	8.63	-	-	15.79	4,805.57	4,796.94	0.16
BH02	5/8/2025	10.40	-	-	18.40	4,807.70	4,797.30	0.15
BH02	8/14/2025	10.68	-	-	18.40	4,807.70	4,797.02	-0.28
BH02	11/12/2025	10.88	-	-	18.39	4,807.70	4,796.82	-0.20
BH02	2/5/2026	10.91	-	-	18.39	4,807.70	4,796.79	-0.03
BH03	5/8/2025	7.12	-	-	16.27	4,804.31	4,797.19	0.13
BH03	8/14/2025	7.39	-	-	16.27	4,804.31	4,796.92	-0.27
BH03	11/12/2025	7.58	-	-	16.29	4,804.31	4,796.73	-0.19
BH03	2/5/2026	7.58	-	-	16.29	4,804.31	4,796.73	0.00
BH04	5/8/2025	9.24	-	-	16.02	4,806.95	4,797.71	0.13
BH04	8/14/2025	9.50	-	-	16.02	4,806.95	4,797.45	-0.26
BH04	11/12/2025	9.70	-	-	16.01	4,806.95	4,797.25	-0.20
BH04	2/5/2026	9.71	-	-	16.01	4,806.95	4,797.24	-0.01
BH05	5/8/2025	8.95	-	-	15.80	4,806.51	4,797.56	0.13
BH05	8/14/2025	9.21	-	-	15.80	4,806.51	4,797.30	-0.26
BH05	11/12/2025	9.42	-	-	15.80	4,806.51	4,797.09	-0.21
BH05	2/5/2026	9.41	-	-	15.80	4,806.51	4,797.10	0.01
BH06	5/8/2025	9.40	-	-	16.34	4,806.46	4,797.06	-0.12
BH06	8/14/2025	9.70	-	-	16.38	4,806.46	4,796.76	-0.30
BH06	11/12/2025	9.66	-	-	16.81	4,806.46	4,796.80	0.04
BH06	2/5/2026	9.59	-	-	16.81	4,806.46	4,796.87	0.07
BH07	5/8/2025	8.63	-	-	15.15	4,806.01	4,797.38	0.14
BH07	8/14/2025	8.88	-	-	15.15	4,806.01	4,797.13	-0.25
BH07	11/12/2025	9.09	-	-	15.16	4,806.01	4,796.92	-0.21
BH07	2/5/2026	9.10	-	-	15.16	4,806.01	4,796.91	-0.01
BH08	5/8/2025	6.79	-	-	15.12	4,803.78	4,796.99	0.12
BH08	8/14/2025	7.02	-	-	15.12	4,803.78	4,796.76	-0.23
BH08	11/12/2025	7.22	-	-	15.14	4,803.78	4,796.56	-0.20
BH08	2/5/2026	7.22	-	-	15.14	4,803.78	4,796.56	0.00
BH09	5/8/2025	6.98	-	-	15.25	4,804.08	4,797.10	0.12
BH09	8/14/2025	7.25	-	-	15.25	4,804.08	4,796.83	-0.27
BH09	11/12/2025	7.42	-	-	15.25	4,804.08	4,796.66	-0.17
BH09	2/5/2026	7.41	-	-	15.25	4,804.08	4,796.67	0.01
BH10	5/8/2025	7.88	-	-	14.88	4,805.37	4,797.49	0.14
BH10	8/14/2025	8.19	-	-	14.88	4,805.37	4,797.18	-0.31
BH10	11/12/2025	8.34	-	-	14.85	4,805.37	4,797.03	-0.15
BH10	2/5/2026	8.34	-	-	14.85	4,805.37	4,797.03	0.00
BH11	5/8/2025	7.69	-	-	14.30	4,804.97	4,797.28	1.11
BH11	8/14/2025	7.98	-	-	14.28	4,804.97	4,796.99	-0.29
BH11	11/12/2025	8.12	-	-	14.28	4,804.97	4,796.85	-0.14
BH11	2/5/2026	8.13	-	-	14.28	4,804.97	4,796.84	-0.01
BH12	5/8/2025	7.99	-	-	14.84	4,805.13	4,797.14	0.13
BH12	8/14/2025	8.28	-	-	14.84	4,805.13	4,796.85	-0.29
BH12	11/12/2025	8.44	-	-	14.83	4,805.13	4,796.69	-0.16
BH12	2/5/2026	8.43	-	-	14.83	4,805.13	4,796.70	0.01
Average change in groundwater elevation (11/12/2025 to 2/5/2026)								0.02

Notes:

1- Changes in groundwater elevation calculated by subtracting the measurement collected during the previous monitoring event from the measurement collected during the most recent monitoring event.

amsl = feet above mean sea level

TOC = top of casing

Groundwater elevation = (TOC Elevation - Measured Depth to Water)

TABLE 2
FIRST QUARTER 2026
SUMMARY OF VOLATILE ORGANIC COMPOUND CONCENTRATIONS IN GROUNDWATER
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	
BH01R	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	
BH02	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	
BH03	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	
BH04	2/5/2026	<1.00	<1.00	1.32	<3.00	12.1	<1.00	<5.00 C3	
BH05	2/5/2026	1.60	<1.00	2.29	<3.00	15.6	<1.00	8.42 C3	
BH06	2/5/2026	<50.0*	<50.0	617	2,280	260	70.6	<250* C3	
BH07	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	
BH08	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	
BH09	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	
BH10	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	
BH11	2/5/2026	<1.00	<1.00	11.4	<3.00	47.6	1.32	16.8 C3	
BH12	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	

Notes:
1). The environmental cleanup standards for groundwater that are applicable to this site are the Colorado Energy & Carbon Management Commission (ECMC) standards for contaminants in groundwater according Table 915-1 of the ECMC 900 Series Rule for E&P Waste Management.

Red values indicate an exceedance of the ECMC groundwater standards for the Site.

µg/L = micrograms per liter.

*Compound falls within ECMC Table 915-1 footnote 9.

C3 – The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Napthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH01	2/19/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH01R	11/12/2015	82	<1.0	7.5	3.8	-	-	-	-	-	-	
BH01R	2/23/2016	35	<1.0	3.7	1.5	-	-	-	-	-	-	
BH01R	5/27/2016	4.2	<1.0	2.0	<1.0	-	-	-	-	-	-	
BH01R	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	11/9/2016	<1.0	<1.0	3.4	<1.0	-	-	-	-	-	-	
BH01R	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	8/28/2018	<1.0	<1.0	3.4	<2.0	-	-	-	-	-	-	
BH01R	11/15/2018	<1.0	<1.0	5.2	<2.0	-	-	-	-	-	-	
BH01R	2/14/2019	1.2	<1.0	2.2	<2.0	-	-	-	-	-	-	
BH01R	5/28/2019	<1.0	<1.0	7.3	<1.0	-	-	-	-	-	-	
BH01R	8/20/2019	<1.0	<1.0	3.42	<1.0	-	-	-	-	-	-	
BH01R	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	2/28/2020	<1.0	<1.0	2.13	<1.0	-	-	-	-	-	-	
BH01R	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	8/13/2020	<1.0	<1.0	2.83	<1.0	-	-	-	-	-	-	
BH01R	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH01R	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH01R	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH01R	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH01R	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	2.93	-	-	-	
BH01R	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	8/23/2023	<1.00	<1.00	8.35	6.54	<2.00	<2.00	<2.00	-	-	-	
BH01R	11/6/2023	<1.00	<1.00	6.79	5.89	2.34	<2.00	<2.00	-	-	-	
BH01R	2/14/2024	<1.00	<1.00	6.09	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH01R	5/8/2024	<1.00	<1.00	4.34	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH01R	8/7/2024	<1.00	<1.00	8.17	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH01R	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH01R	2/20/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH01R	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH01R	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH01R	11/12/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH01R	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH02	2/19/2015	<1.0	1.7	<1.0	1.1	-	-	-	-	-	-	
BH02	11/12/2015	<1.0	1.6	<1.0	4.5	-	-	-	-	-	-	
BH02	2/23/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	5/27/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	2/1/2017	<1.0	<1.0	1.9	<1.0	-	-	-	-	-	-	
BH02	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH02	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH02	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH02	11/11/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH02	2/15/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH02	5/16/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH02	8/19/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH02	11/16/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH02	2/16/2023	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH02	5/11/2023	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH02	8/23/2023	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH02	11/6/2023	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH02	2/14/2024	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0	-	-	-	
BH02	5/8/2024	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0	-	-	-	
BH02	8/7/2024	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0	-	-	-	
BH02	11/5/2024	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0	-	-	-	
BH02	2/20/2025	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0	-	-	-	
BH02	5/8/2025	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0 C3 J3	-	-	-	
BH02	8/14/2025	<1.0	<1.0	<1.0	<3.0	<2.0	<1.0	<5.0	-	-	-	
BH02	11/12/2025	<1.0	<1.0	<1.0	<3.0	<2.0	<1.0	<5.0	-	-	-	
BH02	2/5/2026	<1.0	<1.0	<1.0	<3.0	<2.0	<1.0	<5.0 C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH03	2/19/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH03	11/12/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH03	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH03	5/27/2016	53	65	100	700	-	-	-	-	-	-	
BH03	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	8/2/2017	1.1	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH03	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH03	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH03	11/11/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH03	2/15/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<2.0	-	-	-	
BH03	5/16/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH03	8/19/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH03	11/16/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH03	2/16/2023	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH03	5/11/2023	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH03	8/23/2023	23.9	<1.0	<1.0	40.6	<2.0	<2.0	44.5	-	-	-	
BH03	11/6/2023	<1.0	<1.0	<1.0	<1.0	10.1	<2.0	<2.0	-	-	-	
BH03	2/14/2024	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0	-	-	-	
BH03	5/8/2024	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0	-	-	-	
BH03	8/7/2024	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0	-	-	-	
BH03	11/5/2024	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0	-	-	-	
BH03	2/20/2025	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0	-	-	-	
BH03	5/8/2025	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<5.0 C3 J3	-	-	-	
BH03	8/14/2025	<1.0	<1.0	<1.0	<3.0	<2.0	<1.0	<5.0	-	-	-	
BH03	11/12/2025	<1.0	<1.0	<1.0	<3.0	<2.0	<1.0	<5.0	-	-	-	
BH03	2/5/2026	<1.0	<1.0	<1.0	<3.0	<2.0	<1.0	<5.0 C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH04	11/12/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH04	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH04	5/27/2016	120	490	560	2,600	-	-	-	-	-	-	
BH04	8/17/2016	28	73	140	840	-	-	-	-	-	-	LNAPL
BH04	11/9/2016	120	590	1,800	5,500	-	-	-	-	-	-	LNAPL
BH04	2/1/2017	3.9	46	220	560	-	-	-	-	-	-	
BH04	5/1/2017	1.0	13	83	280	-	-	-	-	-	-	
BH04	8/2/2017	<1.0	8.6	190	390	-	-	-	-	-	-	
BH04	11/28/2017	<1.0	3.7	140	440	-	-	-	-	-	-	
BH04	2/15/2018	<1.0	2.7	200	520	-	-	-	-	-	-	
BH04	5/3/2018	<1.0	<1.0	180	350	-	-	-	-	-	-	
BH04	8/28/2018	<1.0	1.0	160	370	-	-	-	-	-	-	
BH04	11/15/2018	2.2	1.2	350	730	-	-	-	-	-	-	
BH04	2/14/2019	<1.0	<1.0	330	740	-	-	-	-	-	-	
BH04	5/28/2019	<1.0	<1.0	265	608	-	-	-	-	-	-	
BH04	8/20/2019	<4.0	<4.0	163	441	-	-	-	-	-	-	
BH04	11/15/2019	<4.0	<4.0	267	622	-	-	-	-	-	-	
BH04	2/28/2020	<4.0	<4.0	248	601	-	-	-	-	-	-	
BH04	5/14/2020	<1.0	<1.0	247	550	-	-	-	-	-	-	
BH04	8/13/2020	<4.0	<4.0	139	329	-	-	-	-	-	-	
BH04	11/19/2020	<4.0	<4.0	147	338	-	-	-	-	-	-	
BH04	3/29/2021	<1.0	<1.0	100	200	75	5.3	30	483	15.0	15.0	
BH04	6/2/2021	<4.0	<4.0	70.0	159	104	9.04	25.0	-	-	-	
BH04	8/16/2021	<1.0	<1.0	121	193	160	11.3	32.0	-	-	-	
BH04	11/11/2021	<4.00	<4.00	81.0	<4.00	137	19.4	25.4	-	-	-	
BH04	2/15/2022	<1.00	<1.00	59.4	101	150	18.8	26.7	-	-	-	
BH04	5/16/2022	<1.00	<1.00	59.1	86.0	197	36.1	26.1	-	-	-	
BH04	8/19/2022	<1.00	<1.00	48.6	66.6	177	38.9	43.1	-	-	-	
BH04	11/16/2022	<1.00	<1.00	47.9	61.2	<2.00	54.8	37.1	-	-	-	
BH04	2/16/2023	<1.00	<1.00	31.5	46.3	137	40.9	23.3	-	-	-	
BH04	5/11/2023	<1.00	<1.00	39.9	41.5	115	134	30.0	-	-	-	
BH04	8/23/2023	<1.00	2.12	11.6	27.7	175	8.56	23.7	-	-	-	
BH04	11/6/2023	<1.00	<1.00	1.32	<1.00	8.36	2.52	<2.00	-	-	-	
BH04	2/14/2024	<10.0*	<10.0	<10.0	<30.0	70.5	<10.00	<50.00	-	-	-	
BH04	5/8/2024	<1.00	<1.00	6.31	9.40	74.2	<1.00	10.4	-	-	-	
BH04	8/7/2024	<1.00	<1.00	8.33	8.22	129	<1.00	15.0	-	-	-	
BH04	11/5/2024	<1.00	<1.00	5.10	6.26	84.6	<1.00	10.6	-	-	-	
BH04	2/20/2025	<1.00	<1.00	3.28	2.92 J	41.1	0.290 J	3.05 J	-	-	-	
BH04	5/8/2025	<1.00	<1.00	3.81	1.66 J	56.5	<1.00	2.66 C3 J J3	-	-	-	
BH04	8/14/2025	<1.00	<1.00	3.02	<3.00	35.6	<1.00	<5.00	-	-	-	
BH04	11/12/2025	<1.00	<1.00	1.86	<3.00	23.9	<1.00	<5.00	-	-	-	
BH04	2/5/2026	<1.00	<1.00	1.32	<3.00	12.1	<1.00	<5.00 C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH05	11/12/2015	6,700	590	610	2,300	-	-	-	-	-	-	
BH05	2/23/2016	2,900	180	540	1,500	-	-	-	-	-	-	
BH05	5/27/2016	2,300	130	610	2,900	-	-	-	-	-	-	
BH05	8/17/2016	1,800	30	100	1,100	-	-	-	-	-	-	
BH05	11/9/2016	19,000	2,000	3,500	15,000	-	-	-	-	-	-	
BH05	2/1/2017	2,300	95	450	1,800	-	-	-	-	-	-	
BH05	5/1/2017	1,500	17	210	1,000	-	-	-	-	-	-	
BH05	8/2/2017	1,700	<1.0	230	1,400	-	-	-	-	-	-	
BH05	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH05	2/15/2018	1.6	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH05	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH05	8/28/2018	7.6	<1.0	3.6	7.3	-	-	-	-	-	-	
BH05	11/15/2018	18	<1.0	3.6	7.2	-	-	-	-	-	-	
BH05	2/14/2019	11	<1.0	2.4	4.1	-	-	-	-	-	-	
BH05	5/28/2019	39	<1.0	13	10.3	-	-	-	-	-	-	
BH05	8/20/2019	46.3	<1.0	12.6	5.59	-	-	-	-	-	-	
BH05	11/15/2019	54.7	<1.0	47.7	9.12	-	-	-	-	-	-	
BH05	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH05	5/14/2020	24.7	<1.0	22.7	17.6	-	-	-	-	-	-	
BH05	8/13/2020	90.6	<1.0	107	53.7	-	-	-	-	-	-	
BH05	11/19/2020	<1.0	<1.0	10.6	7.49	-	-	-	-	-	-	
BH05	3/29/2021	<1.0	<1.0	<1.0	14	<1.0	<1.0	<1.0	-	-	-	
BH05	6/2/2021	12.4	<1.0	54.7	29.1	<1.0	<1.0	19.0	-	-	-	
BH05	8/16/2021	106	<1.0	160	23.6	15.9	<1.0	21.7	-	-	-	
BH05	11/11/2021	122	<1.00	114	<1.00	18	4.8	17.6	-	-	-	
BH05	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH05	5/16/2022	40.6	<1.00	108	8.61	22.7	5.04	17.8	-	-	-	
BH05	8/19/2022	14.1	<1.00	10.2	7.79	27.6	6.74	48.3	-	-	-	
BH05	11/16/2022	9.92	<1.00	80.9	3.49	24.9	5.07	15.2	-	-	-	
BH05	2/16/2023	2.95	<1.00	<1.00	<1.00	5.88	<2.00	<2.00	-	-	-	
BH05	5/11/2023	81.1	<1.00	2.01	<1.00	12.5	<2.00	7.10	-	-	-	
BH05	8/23/2023	198	<1.00	172	59	37.6	4.83	35.60	-	-	-	
BH05	11/6/2023	51.6	<1.00	219	107	63.2	7.06	48.1	-	-	-	
BH05	2/14/2024	17.7	<1.00	115	46.4	64.7	7.88	45.8	-	-	-	
BH05	5/8/2024	32.8	<1.00	18.6	14.5	32.3	3.62	20.5	-	-	-	
BH05	8/7/2024	30.8	<1.00	10.4	9.86	54.2	6.41	35.2	-	-	-	
BH05	11/5/2024	3.99	<1.00	3.80	5.35	80.8	3.29	59.8	-	-	-	
BH05	2/20/2025	7.58	<1.00	1.01	1.05 J	40.1	0.452 J	20.7	-	-	-	
BH05	5/8/2025	2.31	<1.00	4.26	3.07	34.0	0.962 J	14.9 C3 J3	-	-	-	
BH05	8/14/2025	1.77	<1.00	6.27	<3.00	25.4	<1.00	16.4	-	-	-	
BH05	11/12/2025	14.2	<1.00	<1.00	<3.00	7.08	<1.00	6.57	-	-	-	
BH05	2/5/2026	1.60	<1.00	2.29	<3.00	15.6	<1.00	8.42 C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH06	11/12/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH06	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH06	5/27/2016	6,500	6,200	2,500	14,000	-	-	-	-	-	-	
BH06	8/17/2016	5,400	3,100	1,400	7,600	-	-	-	-	-	-	
BH06	11/9/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH06	2/1/2017	2,000	800	510	2,100	-	-	-	-	-	-	LNAPL
BH06	5/1/2017	1,100	620	260	1,900	-	-	-	-	-	-	LNAPL
BH06	8/2/2017	3,000	2,600	570	4,100	-	-	-	-	-	-	
BH06	11/28/2017	1,400	770	190	1,900	-	-	-	-	-	-	
BH06	2/15/2018	1,300	340	1.7	2,100	-	-	-	-	-	-	
BH06	5/3/2018	690	500	230	2,200	-	-	-	-	-	-	
BH06	8/28/2018	370	17	560	2,000	-	-	-	-	-	-	
BH06	11/15/2018	230	10	620	2,400	-	-	-	-	-	-	
BH06	2/14/2019	140	1.9	580	2,100	-	-	-	-	-	-	
BH06	5/28/2019	83.8	3.95	638	2,480	-	-	-	-	-	-	
BH06	8/20/2019	19.0	<10.0	436	1,810	-	-	-	-	-	-	
BH06	11/15/2019	16.9	<10.0	574	2,170	-	-	-	-	-	-	
BH06	2/28/2020	9.40	20.1	576	2,280	-	-	-	-	-	-	
BH06	5/14/2020	8.18	43.0	647	2,700	-	-	-	-	-	-	
BH06	8/13/2020	<4.0	21.3	546	2,340	-	-	-	-	-	-	
BH06	11/19/2020	<4.0	16.2	482	2,080	-	-	-	-	-	-	
BH06	3/29/2021	<1.0	140	210	1,100	130	56	55	446	15.7	7.6	
BH06	6/2/2021	<4.0	273	518	1,910	290	71.3	79.0	-	-	-	
BH06	8/16/2021	<2.0	256	490	2,510	312	60.8	107	-	-	-	
BH06	11/11/2021	<4.00	497	596	<4.00	306	79.5	78.3	-	-	-	
BH06	2/15/2022	<1.00	280	123	2,080	210	48.9	35.5	-	-	-	
BH06	5/16/2022	<1.00	460	715	3,100	335	77.5	63.5	-	-	-	
BH06	8/19/2022	<1.00	280	251	2,070	255	92.9	147	-	-	-	
BH06	11/16/2022	<1.00	339	<1.00	<1.00	<2.00	110	112	-	-	-	
BH06	2/16/2023	<1.00	208	641	2,730	335	79.2	122	-	-	-	
BH06	5/11/2023	<1.00	73.2	576	1,730	288	55.2	60.0	-	-	-	
BH06	8/23/2023	<1.00	1.04	441	1,440	222	51.1	77.0	-	-	-	
BH06	11/6/2023	<1.00	2.14	572	2,320	262	71.9	69.4	-	-	-	
BH06	2/14/2024	<1.00	1.54	584	2,050	250	45.6	29.7	-	-	-	
BH06	5/8/2024	<20.0*	<20.0	447	1,450	190	26.1	<100	-	-	-	
BH06	8/7/2024	<1.00	2.47	499	1,670	225	47.7	61.6	-	-	-	
BH06	11/5/2024	<10.0*	<10.0	498	1,970	251	56.8	71.8	-	-	-	
BH06	2/20/2025	<5.00	3.36 J	709	2,750	394	82.2	78.6	-	-	-	
BH06	5/8/2025	<50.0*	<50.0	649	2,460	303	82.0	<250* C3 J3	-	-	-	
BH06	8/14/2025	<10.0*	<10.0	615	2,440	299	88.6	90.2	-	-	-	
BH06	11/12/2025	<10.0*	<10.0	688	2,700	377	112	107	-	-	-	
BH06	2/5/2026	<50.0*	<50.0	617	2,280	260	70.6	<250* C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Napthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH07	11/12/2015	1,600	1,000	290	1,000	-	-	-	-	-	-	
BH07	2/23/2016	130	70	170	110	-	-	-	-	-	-	
BH07	5/27/2016	3,100	1,500	500	2,700	-	-	-	-	-	-	
BH07	8/17/2016	2,500	170	550	2,600	-	-	-	-	-	-	
BH07	11/9/2016	790	71	510	2,400	-	-	-	-	-	-	
BH07	2/1/2017	240	30	410	2,000	-	-	-	-	-	-	
BH07	5/1/2017	56	9.3	300	1,400	-	-	-	-	-	-	
BH07	8/2/2017	26	5.3	130	1,600	-	-	-	-	-	-	
BH07	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	11/15/2018	<1.0	<1.0	<1.0	3.5	-	-	-	-	-	-	
BH07	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	5/28/2019	<1.0	<1.0	7.7	13.1	-	-	-	-	-	-	
BH07	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	11/19/2020	<4.0	<4.0	<4.0	<4.0	-	-	-	-	-	-	
BH07	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH07	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH07	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH07	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH07	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH07	8/23/2023	<1.00	<1.00	1.57	4.34	<2.00	<2.00	2.3	-	-	-	
BH07	11/6/2023	<1.00	<1.00	1.81	4.57	2.77	<2.00	3.02	-	-	-	
BH07	2/14/2024	<1.00	<1.00	2.64	10.7	4.77	1.27	<5.00	-	-	-	
BH07	5/8/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH07	8/7/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH07	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH07	2/20/2025	<1.00	<1.00	0.576 J	1.56 J	2.02	0.344 J	1.32 J	-	-	-	
BH07	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH07	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH07	11/12/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH07	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH08	11/12/2015	160	16	11	40	-	-	-	-	-	-	
BH08	2/23/2016	150	37	15	74	-	-	-	-	-	-	
BH08	5/27/2016	60	10	19	110	-	-	-	-	-	-	
BH08	8/17/2016	5.1	6.2	20	320	-	-	-	-	-	-	
BH08	11/9/2016	<1.0	<1.0	<1.0	9.1	-	-	-	-	-	-	
BH08	2/1/2017	4.6	<1.0	11	32	-	-	-	-	-	-	
BH08	5/1/2017	<1.0	<1.0	4.7	6.8	-	-	-	-	-	-	
BH08	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH08	11/28/2017	1.6	<1.0	7.5	41	-	-	-	-	-	-	
BH08	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH08	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH08	8/28/2018	<1.0	<1.0	9.7	<2.0	-	-	-	-	-	-	
BH08	11/15/2018	<1.0	<1.0	11	5.1	-	-	-	-	-	-	
BH08	2/14/2019	<1.0	<1.0	7.3	<2.0	-	-	-	-	-	-	
BH08	5/28/2019	<1.0	<1.0	5.6	<1.0	-	-	-	-	-	-	
BH08	8/20/2019	<1.0	<1.0	5.43	<1.0	-	-	-	-	-	-	
BH08	11/15/2019	<1.0	<1.0	3.66	<1.0	-	-	-	-	-	-	
BH08	2/28/2020	<1.0	<1.0	<1.0	3.24	-	-	-	-	-	-	
BH08	5/14/2020	<1.0	<1.0	<1.0	3.71	-	-	-	-	-	-	
BH08	8/13/2020	<1.0	<1.0	3.73	2.82	-	-	-	-	-	-	
BH08	11/19/2020	<1.0	<1.0	2.49	3.38	-	-	-	-	-	-	
BH08	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH08	6/2/2021	<1.0	<1.0	1.89	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH08	8/16/2021	<1.0	<1.0	1.82	1.05	<1.0	1.24	<4.0	-	-	-	
BH08	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH08	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH08	5/16/2022	<1.00	<1.00	20.6	<1.00	11.0	<2.00	2.26	-	-	-	
BH08	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH08	11/16/2022	<1.00	<1.00	<1.00	<1.00	2.62	6.42	<2.00	-	-	-	
BH08	2/16/2023	<1.00	<1.00	<1.00	<1.00	2.40	<2.00	<2.00	-	-	-	
BH08	5/11/2023	<1.00	<1.00	<1.00	<1.00	3.00	<2.00	<2.00	-	-	-	
BH08	8/23/2023	<1.00	<1.00	1.60	2.45	3.88	<2.00	<2.00	-	-	-	
BH08	11/6/2023	<1.00	<1.00	2.57	2.47	12.0	13.4	<2.00	-	-	-	
BH08	2/14/2024	<1.00	<1.00	2.49	<3.00	22.7	<1.00	<5.00	-	-	-	
BH08	5/8/2024	<1.00	<1.00	1.21	<3.00	11.9	<1.00	<5.00	-	-	-	
BH08	8/7/2024	<1.00	<1.00	<1.00	<3.00	1.57	<1.00	<5.00	-	-	-	
BH08	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH08	2/20/2025	<1.00	<1.00	0.465 J	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH08	5/8/2025	<1.00	<1.00	0.530 J	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH08	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH08	11/12/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH08	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH09	11/12/2015	610	46	18	80	-	-	-	-	-	-	
BH09	2/23/2016	23	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	5/27/2016	8.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	1,100	51.4	548	
BH09	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH09	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH09	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH09	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	11/6/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH09	5/8/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH09	8/7/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH09	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH09	2/20/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH09	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH09	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH09	11/12/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH09	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH10	11/12/2015	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	2/23/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	5/27/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	8/28/2018	<1.0	9.5	540	380	-	-	-	-	-	-	
BH10	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH10	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH10	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH10	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH10	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	11/6/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH10	5/8/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH10	8/7/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH10	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH10	2/20/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH10	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH10	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH10	11/12/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH10	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH11	11/12/2015	2,100	1,800	200	840	-	-	-	-	-	-	
BH11	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH11	5/27/2016	2,100	180	600	1,900	-	-	-	-	-	-	
BH11	8/17/2016	1,100	3.5	34	770	-	-	-	-	-	-	
BH11	11/9/2016	27	<1.0	100	260	-	-	-	-	-	-	
BH11	2/1/2017	2.0	<1.0	290	330	-	-	-	-	-	-	
BH11	5/1/2017	<1.0	<1.0	160	14	-	-	-	-	-	-	
BH11	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH11	11/28/2017	<1.0	22	370	430	-	-	-	-	-	-	
BH11	2/15/2018	<1.0	32	210	440	-	-	-	-	-	-	
BH11	5/3/2018	<1.0	9.4	30	310	-	-	-	-	-	-	
BH11	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH11	11/15/2018	<1.0	6.1	770	640	-	-	-	-	-	-	
BH11	2/14/2019	<1.0	2.7	790	700	-	-	-	-	-	-	
BH11	5/28/2019	<1.0	<1.0	689	582	-	-	-	-	-	-	
BH11	8/20/2019	<4.0	<4.0	781	651	-	-	-	-	-	-	
BH11	11/15/2019	<4.0	<4.0	670	794	-	-	-	-	-	-	
BH11	2/28/2020	<1.0	<1.0	514	685	-	-	-	-	-	-	
BH11	5/14/2020	<1.0	<1.0	546	736	-	-	-	-	-	-	
BH11	8/13/2020	<4.0	<4.0	439	623	-	-	-	-	-	-	
BH11	11/19/2020	<1.0	<1.0	31.1	40.0	-	-	-	-	-	-	
BH11	3/29/2021	<1.0	<1.0	200	310	95	3.8	63	-	-	-	
BH11	6/2/2021	<4.0	<4.0	183	327	121	6.16	57.1	-	-	-	
BH11	8/16/2021	<2.0	<2.0	355	310	155	33.0	71.6	-	-	-	
BH11	11/11/2021	<4.00	<4.00	4.6	<4.00	137	21.6	50.4	-	-	-	
BH11	2/15/2022	<1.00	<1.00	<1.00	106	53.7	7.86	9.21	-	-	-	
BH11	5/16/2022	<1.00	1.02	84.4	142	120	8.65	21.2	-	-	-	
BH11	8/19/2022	<1.00	<1.00	<1.00	323	153	21.4	75.0	-	-	-	
BH11	11/16/2022	<1.00	<1.00	272	429	191	41.2	89.7	-	-	-	
BH11	2/16/2023	<1.00	1.18	210	334	143	43.8	69.8	-	-	-	
BH11	5/11/2023	<1.00	<1.00	171	235	117	65.2	86.9	-	-	-	
BH11	8/23/2023	<1.00	<1.00	153	263	122	61.4	104	-	-	-	
BH11	11/6/2023	<1.00	<1.00	18.0	16.4	134	46.0	73.3	-	-	-	
BH11	2/14/2024	<1.00	<1.00	78.4	53.0	76.5	16.5	19.6	-	-	-	
BH11	5/8/2024	<1.00	<1.00	89.8	54.9	83.5	16.0	27.6	-	-	-	
BH11	8/7/2024	<1.00	<1.00	112	54.2	159	39.2	57.1	-	-	-	
BH11	11/5/2024	<10.0*	<10.0	68.5	<30.0	61.4	12.1	<50.0	-	-	-	
BH11	2/20/2025	<1.00	<1.00	55.9	16.1	91.8	16.6	34.7	-	-	-	
BH11	5/8/2025	<1.00	<1.00	34.8	6.92	61.3	8.82	21.2 C3 J3	-	-	-	
BH11	8/14/2025	<1.00	<1.00	24.3	<3.00	48.9	5.46	<5.00	-	-	-	
BH11	11/12/2025	<5.00	<5.00	23.0	<15.0	58.5	6.41	34.3	-	-	-	
BH11	2/5/2026	<1.00	<1.00	11.4	<3.00	47.6	1.32	16.8 C3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH12	11/12/2015	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	2/23/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	5/27/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH12	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH12	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH12	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH12	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	11/6/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH12	5/8/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH12	8/7/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH12	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH12	2/20/2025	<1.00	<1.00	<1.00	<3.00	0.327 J	<1.00	<5.00	-	-	-	
BH12	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	(<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH12	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH12	11/12/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH12	2/5/2026	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00 C3	-	-	-	
W Bldg GW	9/25/2020	<1.0	<1.0	<1.0	4.96	-	-	-	-	-	-	

Notes:

1). The environmental cleanup standards for groundwater that are applicable to this site are the Colorado Energy & Carbon Management Commission (ECMC) standards for contaminants in groundwater according to Table 910-1 (Prior to January 15th, 2021) and Table **Red** values indicate an exceedance of the ECMC groundwater standards for the Site.

NS = Not sampled.

µg/L = micrograms per liter.

LNAPL - Light non-aqueous phase liquid

*Compound falls within ECMC Table 915-1 Footnote 9.

J - The identification of the analyte is acceptable; the reported value is an estimate

J3 - The associated batch QC was outside the established quality control range for precision.

C3 - The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.