

**FORM  
INSP**

Rev  
X/20

**State of Colorado  
Energy and Carbon Management Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

03/02/2026

Submitted Date:

03/06/2026

Document Number:

717000655

**FIELD INSPECTION FORM**

Loc ID 320208 Inspector Name: Finkenbinder, Chane On-Site Inspection  2A Doc Num: \_\_\_\_\_

**Status Summary:**

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED

**Operator Information:**

ECMC Operator Number: 46290  
Name of Operator: KP KAUFFMAN COMPANY INC  
Address: 1700 LINCOLN ST STE 4550  
City: DENVER State: CO Zip: 80203

**Findings:**

- 7 Number of Comments
- 1 Number of Corrective Actions
- Corrective Action Response Requested

**ANY CORRECTIVE ACTION(S) FROM PREVIOUS INSPECTIONS THAT HAVE NOT BEEN ADDRESSED ARE STILL APPLICABLE**

**Contact Information:**

Contact Name	Phone	Email	Comment
,		cogcc@kpk.com	<a href="#">All Inspections</a>

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
203043	WELL	PR	05/01/2025	OW	001-08449	RUEBEL ET AL 1-1	SI

**General Comment:**

[This is a field audit of the scout card, related documents, and the location. No Equipment changes since last inspection.](#)

**Location**

Overall Good:

Emergency Contact Number:

Comment: Adequate

Corrective Action:

Date: \_\_\_\_\_

**Good Housekeeping:**

Type WEEDS

Comment: Weeds and dead weeds throughout the location.

Corrective Action: Rule 606: Weeds, dead weeds, trash, debris & unnecessary / unused equipment. Within the designated setback (25 feet around any and all equipment), remove trash, debris and weeds per Rule 606.

Date: 03/27/2026

Overall Good:

**Spills:**

Type	Area	Volume

In Containment: No

Comment:

Multiple Spills and Releases?

**Venting:**

Yes/No NO

Comment:

Corrective Action:

Date:

**Flaring:**

Type

Comment:

Corrective Action:

Date:

**Inspected Facilities**

Facility ID: 203043 Type: WELL API Number: 001-08449 Status: PR Insp. Status: SI

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder: \_\_\_\_\_

Comment: SI

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Date of Last Brhd Test: 02/21/2024 Annual Brhd Completed? Yes

Last Brhd Test Results Initial Surf Csg Pressure: 0 Fluid Type: \_\_\_\_\_

End Surf Csg Pressure: 0

Comment: Appeared to be plumbed to the surface

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

The subreport 'InspWellFlowline' could not be found at the specified location \\10.14.12

**ECMC Comments**

Comment	User	Date
<p>CECMC Inspection Report Summary                      On Monday March 2, 2026 at approximately 12:15pm. I, Inspector Chane Finkenbinder, conducted an on-site inspection.                      Operator: KP KAUFFMAN COMPANY INC                      Location name: RUEBEL ET AL 1-1                      API # 001-08449                      Location ID #: 320208                      County: Adams                      While there, I observed a shut in well.                      During this inspection the following possible compliance issues were observed:                      Rule 606: Weeds, dead weeds, trash, debris &amp; unnecessary / unused equipment. Within the designated setback (25 feet around any and all equipment), remove trash, debris and weeds per Rule 606. Corrective Action Date 3/27/2026. See all attached photos.                      A follow-up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules.                      This is a summary of inspection report.</p>	finkenbc	03/06/2026

**Attached Documents**

You can go to ECMC Images (<https://ecmc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
404573413	INSPECTION SUBMITTED	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=7474225">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=7474225</a>
717000658	Inspection photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=7474221">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=7474221</a>