

FORM
5A
Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:
404586091

Date Received:

COMPLETED INTERVAL REPORT

The Completed Interval Report, Form 5A, will be submitted by the Operator within thirty (30) days after the operations listed in Rule 416.a. The Operator will report the details of any Stimulation performed including, but not limited to, Hydraulic Fracturing Treatment and acidizing Stimulation. In order to resolve completed interval information uncertainties, the Director may require an Operator to submit further information in an additional Form 5A.

1. ECMC Operator Number: 96850

2. Name of Operator: TEP ROCKY MOUNTAIN LLC

3. Address: 1058 COUNTY ROAD 215
City: PARACHUTE State: CO Zip: 81635

4. Contact Name: Jeff Kirtland
Phone: (970) 293-1469
Fax: _____
Email: jeff.kirtland@flywheelenergy.com

5. API Number 05-103-11151-00

6. County: RIO BLANCO

7. Well Name: FEDERAL RGU Well Number: 432-6-297

8. Location: QtrQtr: NESW Section: 6 Township: 2S Range: 97W Meridian: 6

9. Field Name: SULPHUR CREEK Field Code: 80090

10. If Directional, footage at Top of Prod. Zone: 2155 Feet FNL 1848 Feet FEL
Sec: 6 Twp: 2S Rng: 98W

Completed Interval

FORMATION: COZZETTE Status: TEMPORARILY ABANDONED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date this Formation was Completed: 07/01/2008

Perforations Top: 11156 Bottom: 11314 No. Holes: 10 Hole size: 36/100 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Recycled Produced Water Alternative used in treatment (bbls): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: TA for offset drilling and completion operations. TSBP @ 8275' with 2 sacks of sand

Date formation Abandoned: 03/11/2026 Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: 8275 ** Sacks cement on top: 0 ** Wireline and Cement Job Summary must be attached.

FORMATION: CORCORAN Status: TEMPORARILY ABANDONED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date this Formation was Completed: 06/28/2008

Perforations Top: 11347 Bottom: 11465 No. Holes: 11 Hole size: 36/100 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Recycled Produced Water Alternative used in treatment (bbls): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: TA for offset drilling and completion operations. TSBP @ 8275' with 2 sacks of sand

Date formation Abandoned: 03/11/2026 Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: 8275 ** Sacks cement on top: 0 ** Wireline and Cement Job Summary must be attached.

FORMATION: SEGO Status: TEMPORARILY ABANDONED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date this Formation was Completed: 06/28/2008

Perforations Top: 11574 Bottom: 11935 No. Holes: 34 Hole size: 36/100 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Recycled Produced Water Alternative used in treatment (bbls): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: TA for offset drilling and completion operations. TSBP @ 8275' with 2 sacks of sand

Date formation Abandoned: 03/11/2026 Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: 8275 ** Sacks cement on top: 0 ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK-ILES Status: COMMINGLED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date this Formation was Completed: 06/28/2008

Perforations Top: 8352 Bottom: 11935 No. Holes: 238 Hole size: 36/100 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Recycled Produced Water Alternative used in treatment (bbls): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

_____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK Status: TEMPORARILY ABANDONED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date this Formation was Completed: 07/01/2008

Perforations Top: 8352 Bottom: 10733 No. Holes: 183 Hole size: 36/100 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Recycled Produced Water Alternative used in treatment (bbls): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: TA for offset drilling and completion operations. TSBP @ 8275' with 2 sacks of sand

Date formation Abandoned: 03/11/2026 Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: 8275 ** Sacks cement on top: 0 ** Wireline and Cement Job Summary must be attached.

Comment: _____

TEP Rocky Mountain LLC submits this sundry with T&A documentation for subject well. T&A for offset drilling and completion operations. TSBP set by rig with tubing, therefore no wireline ticket.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Blythe Befus

Title: Sr. Regulatory Analyst Date: _____ Email: Progressive@flywheelenergy.com

ATTACHMENT LIST

Att Doc Num	Name
404586180	OPERATIONS SUMMARY
404589018	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

User Group

Comment

Comment Date

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)