

FORM
5A
Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:
404595672

Date Received:

COMPLETED INTERVAL REPORT

The Completed Interval Report, Form 5A, will be submitted by the Operator within thirty (30) days after the operations listed in Rule 416.a. The Operator will report the details of any Stimulation performed including, but not limited to, Hydraulic Fracturing Treatment and acidizing Stimulation. In order to resolve completed interval information uncertainties, the Director may require an Operator to submit further information in an additional Form 5A.

1. ECMC Operator Number: 69175

2. Name of Operator: PDC ENERGY INC

3. Address: 1099 18TH STREET SUITE 1500
City: DENVER State: CO Zip: 80202

4. Contact Name: Mo Montoya
Phone: (303) 228-4000
Fax: _____
Email: DenverRegulatory@chevron.com

5. API Number 05-123-19535-00

6. County: WELD

7. Well Name: CLARK Well Number: 32-20

8. Location: QtrQtr: SWNE Section: 20 Township: 6N Range: 65W Meridian: 6

9. Field Name: GREELEY Field Code: 32760

10. If Directional, footage at Top of Prod. Zone: 0 Feet 0 Feet
Sec: _____ Twp: _____ Rng: _____

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date this Formation was Completed: 03/05/1998

Perforations Top: 7150 Bottom: 7161 No. Holes: 0 Hole size: _____ Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Recycled Produced Water Alternative used in treatment (bbls): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: TEMPORARILY ABANDONED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date this Formation was Completed: 01/09/2008

Perforations Top: 6876 Bottom: 7161 No. Holes: 0 Hole size: _____ Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Recycled Produced Water Alternative used in treatment (bbls): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
 Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
 Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
 Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
 Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: TA for MIT

Date formation Abandoned: 03/20/2026 Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: 6768 ** Sacks cement on top: 2 ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date this Formation was Completed: 01/09/2008

Perforations Top: 6876 Bottom: 7008 No. Holes: 0 Hole size: _____ Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
 Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
 Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
 Total acid used in treatment (bbl): _____ Number of staged intervals: _____
 Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
 Recycled Produced Water Alternative used in treatment (bbls): _____
 Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
 Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
 Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
 Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
 Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
 Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment:

Form 5A is being submitted to report TA status and correct per/prod intervals.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Kim Bauer
 Title: Regulatory Analyst II Date: _____ Email: DenverRegulatory@chevron.com
 :

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
404595681	WIRELINE JOB SUMMARY
404595682	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)