

| WELL DATA  |                  |                    |                           |  |  |                |                |         |
|--|------------------|--------------------|---------------------------|--|--|----------------|----------------|---------|
| LICENSE #  | API              | EVENT              |                           | COST CENTRE  |  |                |                |         |
| <b>NON OP/RE-ENTRY</b>   |                  | <b>Abandonment</b> |                           | <b>NA</b>  |  |                |                |         |
| GROUND ELE   | KB > GROUND      | KB ELE             | CF > GROUND               | TH > GROUND  | KB > TH  | DH > GROUND    | KB > DH        |         |
| <b>0.00 ft</b>   | -                | -                  | -                         | <b>0.00 ft</b>   | <b>0.00 ft</b>   | <b>0.00 ft</b> | <b>0.00 ft</b> |         |
| REPORT DETAILS   |                  |                    |                           |  |  |                |                |         |
| REPORT DATE  | PERCENT COMPLETE | RIG TIME           | TOTAL RIG TIME            | MAN HOURS  | TOTAL MAN HOURS  |                |                |         |
| <b>2026-02-02</b>  | -                | -                  | <b>0.00 hr</b>            | -  | <b>0.00 hr</b>   |                |                |         |
| TOTAL TIME   | NON-PRODUCTIVE   | FLARE VOLUME       | TOTAL DAILY FLARE         | CASING PRESSURE  | TUBING PRESSURE  |                |                |         |
| <b>24.00 hr</b>  | <b>0.00 hr</b>   | -                  | <b>0.00 scf</b>           | -  | -  |                |                |         |
| DAILY OPERATIONS   |                  |                    |                           |  | PERSONNEL  |                |                |         |
| <b>DAILY STATUS</b><br>MIRU rig & equipment  |                  |                    |                           |  | ABANDONMENT COORDINATOR - <b>On Site</b><br><b>Rusty Tucker 970-380-2326</b> |                |                |         |
| <b>24 HOUR SUMMARY</b><br>MIRU rig & equipment, tag top plug @ 12' drilled through, there was no second plug at the bottom of the surface CSG. Drill & circulate to 370', POOH w/bit, RIH w/2 7/8" mule shoe & TBG, Safety Meeting, JSA, TIH w/ 50 jts 2-7/8 @ 1528.34', Cir every 5 jts, cir hole @ 2 bpm 200 psi, good cir, TIH w/ 70 jts 2-7/8 @ 2139.26', cir hole @ 4 bpm 400 psi, good cir, cir every 5 jts, TIH w/ 96 jts 2-7/8 @ 2942.43', start cir @ 4 bpm & lost cir, L/D 3 jts, 93 jts @ 2847.21', start back to pump and regain cir 4 bpm, TIH w/ 3 jts, 96 jts 2-7/8 @ 2942.43', cir well @ 4 bpm, condition hole, Continue to TIH w/ 2-7/8 w/ mule shoe |                  |                    |                           |  | ABANDONMENT COORDINATOR - <b>On Site</b><br><b>Mike Griffin 307-421-9309</b> |                |                |         |
| <b>NEXT 24 HOURS</b><br>Continue to drill & circulate  |                  |                    |                           |  | COMPLETION RIGS  |                |                |         |
|  |                  |                    |                           |  | CONTRACTOR   | #              | START          | RELEASE |
|  |                  |                    |                           |  | Axis   | 242<br>7       | 2026-02-02     |         |
|  |                  |                    |                           |  | WEATHER  |                |                |         |
|  |                  |                    |                           |  | GENERAL<br>-   |                |                |         |
|  |                  |                    |                           |  | ROAD CONDITION<br>-  |                |                |         |
|  |                  |                    |                           |  | TIME   |                | TEMP           | -       |
| TIME LOG   |                  |                    |                           |  |  |                |                |         |
| FROM   | TO               | DUR                | NPT CODE                  | DETAILS  |  |                |                |         |
| 06:00  | 13:00            | 7.0 h              | WO-RU/RD: Rig Up/Rig Down | MIRU rig & equipment, NUBOP, spot pipe wrangler & TBG  |  |                |                |         |
| 13:00  | 15:00            | 2.0 h              | WO-CIRC: Pump - Circulate | MU 6 1/4" bit & 3 1/2" drill collar, tag top cement plug @ 15', drilled through it @ 25'. There was no second plug, circulating @ 180' |  |                |                |         |
| 15:00  | 17:00            | 2.0 h              | WO-CIRC: Pump - Circulate | No second plug, circulate to 370' w/bit  |  |                |                |         |
| 17:00  | 18:00            | 1.0 h              | WO-TOOH: Tripping Out     | POOH, LD drill collars & bit, TIH w/mule shoe  |  |                |                |         |
| 18:00  | 18:30            | 0.5 h              | WO-PJSM: Safety Meeting   | Crew change, Safety Meeting, JSA   |  |                |                |         |
| 18:30  | 21:00            | 2.5 h              | WO-CIRC: Pump - Circulate | TIH w/ 50 jts 2-7/8 @ 1528.34', Cir every 5 jts, cir hole @ 2 bpm 200 psi, good cir  |  |                |                |         |
| 21:00  | 21:45            | 0.75 h             | WO-CIRC: Pump - Circulate | TIH w/ 70 jts 2-7/8 @ 2139.26', cir hole @ 4 bpm 400 psi, good cir, cir every 5 jts  |  |                |                |         |
| 21:45  | 04:00            | 6.25 h             | WO-CIRC: Pump - Circulate | TIH w/ 96 jts 2-7/8 @ 2942.43', start cir @ 4 bpm & lost cir, L/D 3 jts, 93 jts @ 2847.21', start back to pump and regain cir 4 bpm,   |  |                |                |         |
| 04:00  | 05:30            | 1.5 h              | WO-CIRC: Pump - Circulate | TIH w/ 3 jts, 96 jts 2-7/8 @ 2942.43', cir well @ 4 bpm, condition hole  |  |                |                |         |
| 05:30  | 06:00            | 0.5 h              | WO-CIRC: Pump - Circulate | Continue to TIH w/ 2-7/8 w/ mule shoe  |  |                |                |         |

| WELL DATA  |                  |                    |                           |   |  |                |                |                |
|--|------------------|--------------------|---------------------------|---|--|----------------|----------------|----------------|
| LICENSE #  | API              | EVENT              |                           | COST CENTRE   |  |                |                |                |
| <b>NON OP/RE-ENTRY</b>   |                  | <b>Abandonment</b> |                           | <b>NA</b>   |  |                |                |                |
| GROUND ELE   | KB > GROUND      | KB ELE             | CF > GROUND               | TH > GROUND   | KB > TH  | DH > GROUND    | KB > DH        |                |
| <b>0.00 ft</b>   | -                | -                  | -                         | <b>0.00 ft</b>  | <b>0.00 ft</b>   | <b>0.00 ft</b> | <b>0.00 ft</b> |                |
| REPORT DETAILS   |                  |                    |                           |   |  |                |                |                |
| REPORT DATE  | PERCENT COMPLETE | RIG TIME           | TOTAL RIG TIME            | MAN HOURS   | TOTAL MAN HOURS  |                |                |                |
| <b>2026-02-03</b>  | -                | -                  | <b>0.00 hr</b>            | -   | <b>0.00 hr</b>   |                |                |                |
| TOTAL TIME   | NON-PRODUCTIVE   | FLARE VOLUME       | TOTAL DAILY FLARE         | CASING PRESSURE   | TUBING PRESSURE  |                |                |                |
| <b>24.00 hr</b>  | <b>0.00 hr</b>   | -                  | <b>0.00 scf</b>           | -   | -  |                |                |                |
| DAILY OPERATIONS   |                  |                    |                           |   | PERSONNEL  |                |                |                |
| <b>DAILY STATUS</b><br>Drill to TD, start setting cement plugs   |                  |                    |                           |   | ABANDONMENT COORDINATOR - <b>On Site</b><br><b>Rusty Tucker 970-380-2326</b> |                |                |                |
| <b>24 HOUR SUMMARY</b><br>Drill and circulate from 2,942' to TIH w/ 209 jts tag 22' in on jt 209 @ 6460', R/U power swivel, Rotate & cir down 3 jts to 6563' 212 jts TD, good cir pump 4 bpm, Condition hole, R/U Axis Cementers, Pump 1st plug @ 6563'-6393', 50 sx Class G @ 15.8 ppg, 1.15 yield, displace w/ 35 bbls water, good cir, TOOH & L/D 21 jts, land tbg @ 5912' w/ 191 jts, R/U cementers, pump 2nd plug, F/ 5912'-5612' w/ 100 sx Class G @ 15.8 ppg, 1.15 yield, displace 30.5 bbls water, good cir, TOOH & L/D 142 jts, land tbg @ 1499' w/ 49 jts, R/U Cementers, pump 3rd plug F/ 1499'-1330', w/ 100 sx Class G w/ 2% CACL & LCM @ 15.8 ppg, 1.15 yield, good cir, TOOH, L/D 5 jts 2-7/8 & std back 44 jts 2-7/8, WOC 4 hrs, |                  |                    |                           |   | ABANDONMENT COORDINATOR - <b>On Site</b><br><b>Mike Griffin 307-421-9309</b> |                |                |                |
| <b>NEXT 24 HOURS</b><br>Finish cement plugs, RDMO  |                  |                    |                           |   | <b>COMPLETION RIGS</b>   |                |                |                |
|  |                  |                    |                           |   | <b>CONTRACTOR</b>  | <b>#</b>       | <b>START</b>   | <b>RELEASE</b> |
|  |                  |                    |                           |   | Axis   | 242<br>7       | 2026-02-02     |                |
|  |                  |                    |                           |   | <b>WEATHER</b>   |                |                |                |
|  |                  |                    |                           |   | GENERAL  |                |                |                |
|  |                  |                    |                           |   | -  |                |                |                |
|  |                  |                    |                           |   | ROAD CONDITION   |                |                |                |
|  |                  |                    |                           |   | -  |                |                |                |
|  |                  |                    |                           |   | TIME   |                | TEMP           |                |
|  |                  |                    |                           |   |  |                | -              |                |
| TIME LOG   |                  |                    |                           |   |  |                |                |                |
| FROM   | TO               | DUR                | NPT CODE                  | DETAILS   |  |                |                |                |
| 06:00  | 09:00            | 3.0 h              | WO-CIRC: Pump - Circulate | Circulating @ 3,550'  |  |                |                |                |
| 09:00  | 12:00            | 3.0 h              | WO-CIRC: Pump - Circulate | Circulating to 4,400'   |  |                |                |                |
| 12:00  | 15:00            | 3.0 h              | WO-CIRC: Pump - Circulate | Circulate down to 5,408'  |  |                |                |                |
| 15:00  | 18:30            | 3.5 h              | WO-CIRC: Pump - Circulate | TIH w/ 209 jts tag 22' in on jt 209 @ 6460', R/U power swivel   |  |                |                |                |
| 18:30  | 19:30            | 1.0 h              | WO-CIRC: Pump - Circulate | Rotate & cir down 3 jts to 6563' 212 jts TD, good cir pump 4 bpm  |  |                |                |                |
| 19:30  | 21:00            | 1.5 h              | WO-CCMUD: Condition Mud   | Condition hole, R/U Axis Cementers  |  |                |                |                |
| 21:00  | 21:30            | 0.5 h              | WO-CEMENT: Pumping Cement | Pump 1st plug @ 6563'-6393', 50 sx Class G @ 15.8 ppg, 1.15 yield, displace w/ 35 bbls water, good cir                    |  |                |                |                |
| 21:30  | 22:00            | 0.5 h              | WO-TOOH: Tripping Out     | TOOH & L/D 21 jts, land tbg @ 5912' w/ 191 jts  |  |                |                |                |
| 22:00  | 22:30            | 0.5 h              | WO-CEMENT: Pumping Cement | R/U cementers, pump 2nd plug, F/ 5912'-5612' w/ 100 sx Class G @ 15.8 ppg, 1.15 yield, displace 30.5 bbls water, good cir |  |                |                |                |
| 22:30  | 02:00            | 3.5 h              | WO-TOOH: Tripping Out     | TOOH & L/D 142 jts, land tbg @ 1499' w/ 49 jts  |  |                |                |                |
| 02:00  | 02:30            | 0.5 h              | WO-CEMENT: Pumping Cement | R/U Cementers, pump 3rd plug F/ 1499'-1330', w/ 100 sx Class G w/ 2% CACL & LCM @ 15.8 ppg, 1.15 yield, good cir          |  |                |                |                |
| 02:30  | 03:00            | 0.5 h              | WO-TOOH: Tripping Out     | TOOH, L/D 5 jts 2-7/8 & std back 44 jts 2-7/8   |  |                |                |                |
| 03:00  | 06:00            | 3.0 h              | WO-WOC: Wait on Cement    | WOC 4 hrs,  |  |                |                |                |

| WELL DATA  |                  |                    |                                |   |  |                |                |
|--|------------------|--------------------|--------------------------------|---|--|----------------|----------------|
| LICENSE #  | API              | EVENT              |                                | COST CENTRE   |  |                |                |
| <b>NON OP/RE-ENTRY</b>   |                  | <b>Abandonment</b> |                                | <b>NA</b>   |  |                |                |
| GROUND ELE   | KB > GROUND      | KB ELE             | CF > GROUND                    | TH > GROUND   | KB > TH                                  | DH > GROUND    | KB > DH        |
| <b>0.00 ft</b>   | -                | -                  | -                              | <b>0.00 ft</b>  | <b>0.00 ft</b>                           | <b>0.00 ft</b> | <b>0.00 ft</b> |
| REPORT DETAILS   |                  |                    |                                |   |  |                |                |
| REPORT DATE  | PERCENT COMPLETE | RIG TIME           | TOTAL RIG TIME                 | MAN HOURS   | TOTAL MAN HOURS                          |                |                |
| <b>2026-02-04</b>  | -                | -                  | <b>0.00 hr</b>                 | -   | <b>0.00 hr</b>                           |                |                |
| TOTAL TIME   | NON-PRODUCTIVE   | FLARE VOLUME       | TOTAL DAILY FLARE              | CASING PRESSURE   | TUBING PRESSURE                          |                |                |
| <b>11.99 hr</b>  | <b>1.25 hr</b>   | -                  | <b>0.00 scf</b>                | -   | -  |                |                |
| DAILY OPERATIONS   |                  |                    |                                |   | PERSONNEL                                |                |                |
| <b>DAILY STATUS</b><br>No Daily Status   |                  |                    |                                |   | ABANDONMENT COORDINATOR - <b>On Site</b> |                |                |
| <b>24 HOUR SUMMARY</b><br>Wait on cement, tag plug @ 1,227'. LD 27 JTS, EOT @ 350', circulate while attending safety meeting in Greeley. Pumped 255 sks of 15.8#, 1.15Y cement w/3% calcium and poly flake back to surface. RD the rig floor, NDBOP & WH, toppoff with 1 bbl, 10 sks of 15.8, 1.15 Y. RDMO rig & equipment |                  |                    |                                |   | Rusty Tucker <b>970-380-2326</b>         |                |                |
| <b>NEXT 24 HOURS</b><br>RDMO   |                  |                    |                                |   | ABANDONMENT COORDINATOR - <b>On Site</b> |                |                |
|  |                  |                    |                                |   | Mike Griffin <b>307-421-9309</b>         |                |                |
| COMPLETION RIGS  |                  |                    |                                |   |  |                |                |
| CONTRACTOR   | #                | START              | RELEASE                        |   |  |                |                |
| Axis   | 242              | 2026-02-02         |                                |   |  |                |                |
|  | 7                |                    |                                |   |  |                |                |
| WEATHER  |                  |                    |                                |   |  |                |                |
| GENERAL  |                  |                    |                                |   |  |                |                |
| -  |                  |                    |                                |   |  |                |                |
| ROAD CONDITION   |                  |                    |                                |   |  |                |                |
| -  |                  |                    |                                |   |  |                |                |
| TIME   |                  |                    |                                | TEMP  |  |                |                |
|  |                  |                    |                                | -   |  |                |                |
| TIME LOG   |                  |                    |                                |   |  |                |                |
| FROM   | TO               | DUR                | NPT CODE                       | DETAILS   |  |                |                |
| 06:00  | 06:30            | 0.5 h              | WO-WOC: Wait on Cement         | Wait on cement  |  |                |                |
| 06:30  | 07:00            | 0.5 h              | WO-TGCMNT: Tag Cement          | Tag cement @ 1,227'   |  |                |                |
| 07:00  | 07:30            | 0.5 h              | WO-TOOH: Tripping Out          | LD 27 JTS, EOT @ 350'   |  |                |                |
| 07:30  | 11:30            | 4.0 h              | WO-OTHER: Other                | RU to circulate well while attending Bison safety meeting in Greeley, crew changed clothes & leave for the safety meeting |  |                |                |
| 11:30  | 12:45            | 1.25 h             | WO-OTHER: Other                | Waiting for cementers to get back   |  |                |                |
| 12:45  | 13:20            | 0.58 h             | WO-CEMENT: Pumping Cement      | RU Axis and pumped 255 sks of 15.8#, 1.15Y w/2% calcium & poly flake, had cement to surface                               |  |                |                |
| 13:20  | 13:40            | 0.33 h             | WO-TOOH: Tripping Out          | LD 11 JTS of Tubing   |  |                |                |
| 13:40  | 14:10            | 0.5 h              | WO-ND BOP: Nipple Down BOP     | Rig down rig floor & NDBOP  |  |                |                |
| 14:10  | 14:30            | 0.33 h             | WO-ND WH: Nipple Down Wellhead | NDWH  |  |                |                |
| 14:30  | 14:45            | 0.25 h             | WO-CEMENT: Pumping Cement      | Top off cement w/1 bbl, 10 sks of 15.8#, 1.15Y  |  |                |                |
| 14:45  | 18:00            | 3.25 h             | WO-RU/RD: Rig Up/Rig Down      | RDMO rig & equipment  |  |                |                |

| WELL DATA  |                  |              |                    |   |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
|--|------------------|--------------|--------------------|---|-----------------|----------------|----------------|------------|---|-------|---------|------|-----|------------|--|--|---|--|--|
| LICENSE #  | API              | EVENT        |                    | COST CENTRE   |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| <b>NON OP/RE-ENTRY</b>   |                  |              | <b>Abandonment</b> |   | <b>NA</b>       |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| GROUND ELE   | KB > GROUND      | KB ELE       | CF > GROUND        | TH > GROUND   | KB > TH         | DH > GROUND    | KB > DH        |            |   |       |         |      |     |            |  |  |   |  |  |
| <b>0.00 ft</b>   | -                | -            | -                  | <b>0.00 ft</b>  | <b>0.00 ft</b>  | <b>0.00 ft</b> | <b>0.00 ft</b> |            |   |       |         |      |     |            |  |  |   |  |  |
| REPORT DETAILS   |                  |              |                    |   |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| REPORT DATE  | PERCENT COMPLETE | RIG TIME     | TOTAL RIG TIME     | MAN HOURS   | TOTAL MAN HOURS |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| <b>2026-02-26</b>  | -                | -            | <b>0.00 hr</b>     | -   | <b>0.00 hr</b>  |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| TOTAL TIME   | NON-PRODUCTIVE   | FLARE VOLUME | TOTAL DAILY FLARE  | CASING PRESSURE   | TUBING PRESSURE |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| <b>0.00 hr</b>   | <b>0.00 hr</b>   | -            | <b>0.00 scf</b>    | -   | -               |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| DAILY OPERATIONS   |                  |              |                    | PERSONNEL   |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| <b>DAILY STATUS</b><br><i>No Daily Status</i>  |                  |              |                    | ABANDONMENT COORDINATOR - <b>On Site</b><br><b>Rusty Tucker 970-380-2326</b><br>ABANDONMENT COORDINATOR - <b>On Site</b><br><b>Mike Griffin 307-421-9309</b>  |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| <b>24 HOUR SUMMARY</b><br>MIRU CHAMPION CREW.<br>DIG UP WELL HEAD.<br>CUT CASING OFF 8" BELOW GROUND LEVEL.<br>PERFORM 30 MIN BUBBLE TEST. GOOD TEST.<br>WELD ON IDENTIFYING CAP.<br>RDMO CHAMPION CREW. |                  |              |                    | <b>COMPLETION RIGS</b>  |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| <b>NEXT 24 HOURS</b><br><i>No Next Day</i>   |                  |              |                    | <table border="1"> <thead> <tr> <th>CONTRACTOR</th> <th>#</th> <th>START</th> <th>RELEASE</th> </tr> </thead> <tbody> <tr> <td>Axis</td> <td>242</td> <td>2026-02-02</td> <td></td> </tr> <tr> <td></td> <td>7</td> <td></td> <td></td> </tr> </tbody> </table> |                 |                |                | CONTRACTOR | # | START | RELEASE | Axis | 242 | 2026-02-02 |  |  | 7 |  |  |
| CONTRACTOR   | #                | START        | RELEASE            |   |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
| Axis   | 242              | 2026-02-02   |                    |   |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
|  | 7                |              |                    |   |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
|  |                  |              |                    | <b>WEATHER</b>  |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |
|  |                  |              |                    | GENERAL<br>-<br>ROAD CONDITION<br>-<br>TIME<br>TEMP<br>-  |                 |                |                |            |   |       |         |      |     |            |  |  |   |  |  |