

**MV 31-28 Wellbore Diagram**

Last Updated: 3/30/2026



| Well      | County   | API          |                 | Mineral/Surface |
|-----------|----------|--------------|-----------------|-----------------|
| MV 31-28  | Garfield | 05-045-06553 |                 | FED             |
| Spud Date | Lease #  | TOC          | Location        |                 |
| 5/14/1993 | 12599    | 1,285        | NESW 28 6S96W 6 |                 |
| Top Perf  | Bot Perf | PBTD         | TD              |                 |
| 3,653     | 4,676    | 6,615        | 6,715           |                 |

| Wellbore details     |        |        |           |       |        |
|----------------------|--------|--------|-----------|-------|--------|
| CASING DETAIL        | Depth  | Size   | Weight    | Grade | Thread |
| <b>Conductor Csg</b> |        |        |           |       |        |
| Hole size            | Notes: |        |           |       |        |
| <b>Surface Csg</b>   | 310    | 8 5/8  | 23.00     |       |        |
|                      | 200    |        |           |       |        |
| Hole size            | 12 1/4 | Notes: |           |       |        |
| <b>Prod Csg</b>      | 6,706  | 5 1/2  | 15.5 & 17 |       |        |
|                      | 1400   |        |           |       |        |
| Hole size            | 7 7/8  | Notes: |           |       |        |
| <b>TUBING DETAIL</b> | 6,179  | 2 3/8  | 0.00      | 0     | 0      |
| <b>Current EOT</b>   | 247.0% | Notes: |           |       |        |
| <b>KB</b>            | 0      |        |           |       |        |

