



Confluence Compliance Companies, LLC

January 26, 2026

Brody Poss

403 1/2 Rockwood Lane

Grand Junction CO 81507

Project Name - Noble - Kohlhoff USX AB #17-03P

Project Number - CHE0089 (REM 29684)

Attached are your analytical results for Noble - Kohlhoff USX AB #17-03P received by Origins Laboratory January 13, 2026. This project is associated with Origins project number DJA0164-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

The laboratory is TNI accredited by the Utah DHHS ELAP under certificate number CO010822024.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory
303.433.1322
projectmanager@originslab.com



1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645



Confluence Compliance Companies, LLC
403 1/2 Rockwood Lane
Grand Junction CO 81507

Brody Poss
Project Number: CHE0089 (REM 29684)
Project: Noble - Kohlhoff USX AB #17-03P

CROSS REFERENCE REPORT

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|-----------|---------------|--------|------------------------|------------------|
| BKG06@5' | DJA0164-01 | Soil | January 13, 2026 10:30 | 01/13/2026 17:15 |
| BKG06@7' | DJA0164-02 | Soil | January 13, 2026 11:45 | 01/13/2026 17:15 |
| BKG07@5' | DJA0164-03 | Soil | January 13, 2026 11:00 | 01/13/2026 17:15 |
| BKG07@7' | DJA0164-04 | Soil | January 13, 2026 12:00 | 01/13/2026 17:15 |
| BKG08@5' | DJA0164-05 | Soil | January 13, 2026 10:45 | 01/13/2026 17:15 |
| BKG08@7' | DJA0164-06 | Soil | January 13, 2026 12:10 | 01/13/2026 17:15 |
| BKG09@5' | DJA0164-07 | Soil | January 13, 2026 11:15 | 01/13/2026 17:15 |
| BKG09@7' | DJA0164-08 | Soil | January 13, 2026 12:20 | 01/13/2026 17:15 |
| BKG10@5' | DJA0164-09 | Soil | January 13, 2026 11:30 | 01/13/2026 17:15 |
| BKG10@7' | DJA0164-10 | Soil | January 13, 2026 12:35 | 01/13/2026 17:15 |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS

DSA01064

Client:

Address:

Telephone Number:

Email Address:

Confluence Compliance Companies

209 Main Street Unit E

Mead, CO 80542

(920) 419-7942

con-compliance.com | brody_pos@confluence-co.com

Project Manager: Brody Pos

Project Name:

Project Number:

Collected By:

Invoice/Billing Info:

Kohlhoff USX AB #17-03P

LHE0089 (REM 29684)

Ben Nickman

Noble/Chevron - Lander H&E

Key:

W=Water

GW=Groundwater

SW=Surface Water

L=Liquid

S=Soil | SO=Solid | O=Oil | A=Air | G=Gas | U=Umpires | HCL=Hydrochloric | HNO3=Nitric | H2SO4=Sulfuric | NaOH=Sodium Hydroxide

| Sample ID | Date Sampled | Time Sampled | # of Containers | Matrix | Preservative | Analysis | | | | Comments | | | | | | | | | |
|-------------------------------------|--------------|--------------|-----------------|--------|--------------|---------------------|------------------|------------------|--------------------|-------------|---|-----------------------------|---------------------|--|--|--|--|--|--|
| | | | | | | TRH (GRO, DRO, ORD) | Table 915-1 VOCs | Table 915-1 PAHs | Table 915-1 Metals | | pH, EC, SAR | Boron (hot water leachable) | Hexavalent Chromium | | | | | | |
| BKG 06051 | 1/13/20 | 10:30 | 3 | S | UNP | | | | | | | | | | | | | | |
| BKG 06071 | 1/13/20 | 11:45 | 3 | S | UNP | | | | | | | | | | | | | | |
| BKG 07051 | 1/13/20 | 11:00 | 3 | S | UNP | | | | | | | | | | | | | | |
| BKG 07071 | 1/13/20 | 12:00 | 3 | S | UNP | | | | | | | | | | | | | | |
| BKG 08051 | 1/13/20 | 10:45 | 3 | S | UNP | | | | | | | | | | | | | | |
| BKG 08071 | 1/13/20 | 12:10 | 3 | S | UNP | | | | | | | | | | | | | | |
| BKG 09051 | 1/13/20 | 11:15 | 3 | S | UNP | | | | | | | | | | | | | | |
| BKG 09071 | 1/13/20 | 12:30 | 3 | S | UNP | | | | | | | | | | | | | | |
| BKG 10051 | 1/13/20 | 11:30 | 3 | S | UNP | | | | | | | | | | | | | | |
| BKG 10071 | 1/13/20 | 12:35 | 3 | S | UNP | | | | | | | | | | | | | | |
| Relinquished By: <u>[Signature]</u> | | | | | | Date: 1/13/20 | Time: 15:20 | Received By: JN | Date: 1/13/20 | Time: 13:21 | Turnaround Time | | | | | | | | |
| Relinquished By: JN | | | | | | Date: 1/13/20 | Time: 17:10 | Received By: NB | Date: 1/13/20 | Time: 17:15 | Temp Received- 5.1°C Received On Ice? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | | | | | | | |

Sample Receipt Checklist

Origins Work Order: DSAD164

Client: Confluence Compliance

Client Project ID: Konhoff...

Checklist Completed by: NB/NB

Shipped Via: HD
(UPS, FedEx, Hand Delivered, Pick-up, etc.)

Date/time completed: 1/14/26

Airbill #: N/A

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other: _____

Cooler Number/Temperature: 1/5.1 °C / _____ °C / _____ °C / _____ °C (Describe)

Thermometer ID: T004

| Requirement Description | Yes | No | N/A | Comments (if any) |
|---|-----|----|-----|-------------------|
| If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ? | X | | | |
| Is there ice present (document if blue ice is used) | X | | | |
| Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact) | | X | | |
| Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact) | | X | | |
| Were all samples received intact ⁽¹⁾ ? | X | | | |
| Was adequate sample volume provided ⁽¹⁾ ? | X | | | |
| Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ? | | X | | |
| Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ? | X | | | |
| Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ? | X | | | |
| Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ? | X | | | |
| Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ? | X | | | |
| For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative. | | | X | |
| Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO ₃ , HCL, H ₂ SO ₄) / (pH >10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH) | | | X | |
| Additional Comments (if any): | | | | |

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Jack Atz
Reviewed by (Project Manager)

1/15/26
Date/Time Reviewed



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG06@5'

1/13/2026 10:30:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

**DJA0164-01 (Soil)
 Enthalpy Orange**

TOTAL METALS BY EPA 7199

| | | | | | | | | | |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|
| Hexavalent Chromium | ND | 0.16 | 0.30 | mg/Kg dry | 1 | 392953 | 01/19/2026 | 01/21/2026 | ND |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|

Origins Laboratory

Boron (DTPA Sorbitol)

| | | | | | | | | | |
|-----------------------|-------|--|-------|----------|---|---------|------------|------------|--|
| (DTPA Sorbitol) Boron | 0.290 | | 0.104 | mg/L dry | 1 | 6A15028 | 01/15/2026 | 01/16/2026 | |
|-----------------------|-------|--|-------|----------|---|---------|------------|------------|--|

CA MG NA SAR H2O ext

| | | | | | | | | | |
|---------------|------|--|------|------|----|---------|------------|------------|---|
| Calcium PPM | 16.6 | | 10.0 | mg/L | 10 | 6A15036 | 01/15/2026 | 01/16/2026 | |
| Magnesium PPM | ND | | 10.0 | " | " | " | " | " | U |
| Sodium PPM | 17.8 | | 10.0 | " | " | " | " | " | |

Metals by Saturated Paste by EPA 6010

| | | | | | | | | | |
|-----------|-------|--|-------|-------|---|--------|---|---|--|
| Calcium | 0.828 | | 0.499 | meq/L | " | [CALC] | " | " | |
| Magnesium | ND | | 0.823 | " | " | " | " | " | |
| Sodium | 0.773 | | 0.435 | " | " | " | " | " | |

Percent Solids

| | | | | | | | | | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|
| Total Solids, Percent | 97.2 | | | mass percent | 1 | 6A14094 | 01/14/2026 | 01/14/2026 | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG06@5'

1/13/2026 10:30:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|--|--------|-----------------|-----------------|-----------|----------|---------|------------|------------|-------|
| DJA0164-01 (Soil) | | | | | | | | | |
| Origins Laboratory | | | | | | | | | |
| pH in Soil by 9045D | | | | | | | | | |
| pH | 8.49 | | | pH Units | 1 | 6A15044 | 01/15/2026 | 01/16/2026 | |
| SAR by 20B Saturated Paste | | | | | | | | | |
| SAR | 0.859 | | 0.0100 | SAR | 1 | 6A15036 | " | 01/16/2026 | |
| Specific Conductance Mod. 9050A | | | | | | | | | |
| Specific Conductance (EC) | 0.254 | | 0.00500 | mmhos/cm | 1 | 6A15044 | " | 01/16/2026 | |
| Table 915 metals by EPA 6020B | | | | | | | | | |
| Arsenic | 3.19 | | 0.202 | mg/kg dry | 10 | 6A15055 | 01/15/2026 | 01/17/2026 | |
| Barium | 141 | | 57.0 | " | " | " | " | " | |
| Cadmium | ND | | 0.264 | " | " | " | " | " | U |
| Copper | ND | | 32.0 | " | " | " | " | " | U |
| Lead | ND | | 9.73 | " | " | " | " | " | U |
| Nickel | ND | | 18.1 | " | " | " | " | " | U |
| Selenium | ND | | 0.171 | " | " | " | " | " | U |
| Silver | ND | | 0.556 | " | " | " | " | " | U |
| Zinc | ND | | 257 | " | " | " | " | " | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG06@7'

1/13/2026 11:45:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

**DJA0164-02 (Soil)
 Enthalpy Orange**

TOTAL METALS BY EPA 7199

| | | | | | | | | | |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|
| Hexavalent Chromium | ND | 0.17 | 0.31 | mg/Kg dry | 1 | 392953 | 01/19/2026 | 01/21/2026 | ND |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|

Origins Laboratory

Boron (DTPA Sorbitol)

| | | | | | | | | | |
|-----------------------|-------|--|-------|----------|---|---------|------------|------------|--|
| (DTPA Sorbitol) Boron | 0.356 | | 0.106 | mg/L dry | 1 | 6A15028 | 01/15/2026 | 01/16/2026 | |
|-----------------------|-------|--|-------|----------|---|---------|------------|------------|--|

CA MG NA SAR H2O ext

| | | | | | | | | | |
|---------------|------|--|------|------|----|---------|------------|------------|---|
| Calcium PPM | 27.7 | | 10.0 | mg/L | 10 | 6A15036 | 01/15/2026 | 01/16/2026 | |
| Magnesium PPM | 23.2 | | 10.0 | " | " | " | " | " | " |
| Sodium PPM | 61.7 | | 10.0 | " | " | " | " | " | " |

Metals by Saturated Paste by EPA 6010

| | | | | | | | | | |
|-----------|------|--|-------|-------|---|--------|---|---|---|
| Calcium | 1.38 | | 0.499 | meq/L | " | [CALC] | " | " | " |
| Magnesium | 1.91 | | 0.823 | " | " | " | " | " | " |
| Sodium | 2.69 | | 0.435 | " | " | " | " | " | " |

Percent Solids

| | | | | | | | | | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|
| Total Solids, Percent | 93.8 | | | mass percent | 1 | 6A14094 | 01/14/2026 | 01/14/2026 | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG06@7'

1/13/2026 11:45:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|--|--------|-----------------|-----------------|-----------|----------|---------|------------|------------|-------|
| DJA0164-02 (Soil) | | | | | | | | | |
| Origins Laboratory | | | | | | | | | |
| pH in Soil by 9045D | | | | | | | | | |
| pH | 8.85 | | | pH Units | 1 | 6A15044 | 01/15/2026 | 01/16/2026 | |
| SAR by 20B Saturated Paste | | | | | | | | | |
| SAR | 2.09 | | 0.0100 | SAR | 1 | 6A15036 | " | 01/16/2026 | |
| Specific Conductance Mod. 9050A | | | | | | | | | |
| Specific Conductance (EC) | 0.287 | | 0.00500 | mmhos/cm | 1 | 6A15044 | " | 01/16/2026 | |
| Table 915 metals by EPA 6020B | | | | | | | | | |
| Arsenic | 1.62 | | 0.199 | mg/kg dry | 10 | 6A15055 | 01/15/2026 | 01/17/2026 | |
| Barium | ND | | 56.2 | " | " | " | " | " | U |
| Cadmium | ND | | 0.261 | " | " | " | " | " | U |
| Copper | ND | | 31.5 | " | " | " | " | " | U |
| Lead | ND | | 9.60 | " | " | " | " | " | U |
| Nickel | ND | | 17.8 | " | " | " | " | " | U |
| Selenium | ND | | 0.169 | " | " | " | " | " | U |
| Silver | ND | | 0.549 | " | " | " | " | " | U |
| Zinc | ND | | 254 | " | " | " | " | " | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG07@5'

1/13/2026 11:00:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

**DJA0164-03 (Soil)
 Enthalpy Orange**

TOTAL METALS BY EPA 7199

| | | | | | | | | | |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|
| Hexavalent Chromium | ND | 0.16 | 0.30 | mg/Kg dry | 1 | 392953 | 01/19/2026 | 01/21/2026 | ND |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|

Origins Laboratory

Boron (DTPA Sorbitol)

| | | | | | | | | | |
|-----------------------|-------|--|-------|----------|---|---------|------------|------------|--|
| (DTPA Sorbitol) Boron | 0.115 | | 0.102 | mg/L dry | 1 | 6A15028 | 01/15/2026 | 01/16/2026 | |
|-----------------------|-------|--|-------|----------|---|---------|------------|------------|--|

CA MG NA SAR H2O ext

| | | | | | | | | | |
|---------------|------|--|------|------|----|---------|------------|------------|---|
| Calcium PPM | 17.1 | | 10.0 | mg/L | 10 | 6A15036 | 01/15/2026 | 01/16/2026 | |
| Magnesium PPM | 10.0 | | 10.0 | " | " | " | " | " | |
| Sodium PPM | ND | | 10.0 | " | " | " | " | " | U |

Metals by Saturated Paste by EPA 6010

| | | | | | | | | | |
|-----------|-------|--|-------|-------|---|--------|---|---|--|
| Calcium | 0.851 | | 0.499 | meq/L | " | [CALC] | " | " | |
| Magnesium | 0.823 | | 0.823 | " | " | " | " | " | |
| Sodium | ND | | 0.435 | " | " | " | " | " | |

Percent Solids

| | | | | | | | | | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|
| Total Solids, Percent | 97.4 | | | mass percent | 1 | 6A14094 | 01/14/2026 | 01/14/2026 | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG07@5'

1/13/2026 11:00:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

DJA0164-03 (Soil)
Origins Laboratory

pH in Soil by 9045D

| | | | | | | | | | |
|----|------|--|--|----------|---|---------|------------|------------|--|
| pH | 8.51 | | | pH Units | 1 | 6A15044 | 01/15/2026 | 01/16/2026 | |
|----|------|--|--|----------|---|---------|------------|------------|--|

SAR by 20B Saturated Paste

| | | | | | | | | | |
|-----|-------|--|--------|-----|---|---------|---|------------|--|
| SAR | 0.226 | | 0.0100 | SAR | 1 | 6A15036 | " | 01/16/2026 | |
|-----|-------|--|--------|-----|---|---------|---|------------|--|

Specific Conductance Mod. 9050A

| | | | | | | | | | |
|---------------------------|-------|--|---------|----------|---|---------|---|------------|--|
| Specific Conductance (EC) | 0.223 | | 0.00500 | mmhos/cm | 1 | 6A15044 | " | 01/16/2026 | |
|---------------------------|-------|--|---------|----------|---|---------|---|------------|--|

Table 915 metals by EPA 6020B

| | | | | | | | | | |
|----------|------|--|-------|-----------|----|---------|------------|------------|---|
| Arsenic | 2.94 | | 0.192 | mg/kg dry | 10 | 6A15055 | 01/15/2026 | 01/17/2026 | |
| Barium | 182 | | 54.3 | " | " | " | " | " | |
| Cadmium | ND | | 0.251 | " | " | " | " | " | U |
| Copper | ND | | 30.4 | " | " | " | " | " | U |
| Lead | ND | | 9.26 | " | " | " | " | " | U |
| Nickel | ND | | 17.2 | " | " | " | " | " | U |
| Selenium | ND | | 0.163 | " | " | " | " | " | U |
| Silver | ND | | 0.529 | " | " | " | " | " | U |
| Zinc | ND | | 245 | " | " | " | " | " | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG07@7'
1/13/2026 12:00:00PM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|--|--------|-----------------|-----------------|--------------|----------|---------|------------|------------|-------|
| DJA0164-04 (Soil) | | | | | | | | | |
| Enthalpy Orange | | | | | | | | | |
| TOTAL METALS BY EPA 7199 | | | | | | | | | |
| Hexavalent Chromium | ND | 0.16 | 0.31 | mg/Kg dry | 1 | 392953 | 01/19/2026 | 01/20/2026 | ND |
| Origins Laboratory | | | | | | | | | |
| Boron (DTPA Sorbitol) | | | | | | | | | |
| (DTPA Sorbitol) Boron | 0.120 | | 0.103 | mg/L dry | 1 | 6A15028 | 01/15/2026 | 01/16/2026 | |
| CA MG NA SAR H2O ext | | | | | | | | | |
| Calcium PPM | 15.7 | | 10.0 | mg/L | 10 | 6A15036 | 01/15/2026 | 01/16/2026 | |
| Magnesium PPM | ND | | 10.0 | " | " | " | " | " | U |
| Sodium PPM | 21.0 | | 10.0 | " | " | " | " | " | |
| Metals by Saturated Paste by EPA 6010 | | | | | | | | | |
| Calcium | 0.783 | | 0.499 | meq/L | " | [CALC] | " | " | |
| Magnesium | ND | | 0.823 | " | " | " | " | " | |
| Sodium | 0.912 | | 0.435 | " | " | " | " | " | |
| Percent Solids | | | | | | | | | |
| Total Solids, Percent | 97.1 | | | mass percent | 1 | 6A14094 | 01/14/2026 | 01/14/2026 | |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG07@7'

1/13/2026 12:00:00PM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|--|--------|-----------------|-----------------|-----------|----------|---------|------------|------------|-------|
| DJA0164-04 (Soil) | | | | | | | | | |
| Origins Laboratory | | | | | | | | | |
| pH in Soil by 9045D | | | | | | | | | |
| pH | 8.42 | | | pH Units | 1 | 6A15044 | 01/15/2026 | 01/16/2026 | |
| SAR by 20B Saturated Paste | | | | | | | | | |
| SAR | 1.03 | | 0.0100 | SAR | 1 | 6A15036 | " | 01/16/2026 | |
| Specific Conductance Mod. 9050A | | | | | | | | | |
| Specific Conductance (EC) | 0.281 | | 0.00500 | mmhos/cm | 1 | 6A15044 | " | 01/16/2026 | |
| Table 915 metals by EPA 6020B | | | | | | | | | |
| Arsenic | 2.41 | | 0.209 | mg/kg dry | 10 | 6A15055 | 01/15/2026 | 01/17/2026 | |
| Barium | 70.2 | | 58.9 | " | " | " | " | " | |
| Cadmium | ND | | 0.273 | " | " | " | " | " | U |
| Copper | ND | | 33.0 | " | " | " | " | " | U |
| Lead | ND | | 10.1 | " | " | " | " | " | U |
| Nickel | ND | | 18.7 | " | " | " | " | " | U |
| Selenium | ND | | 0.177 | " | " | " | " | " | U |
| Silver | ND | | 0.575 | " | " | " | " | " | U |
| Zinc | ND | | 266 | " | " | " | " | " | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG08@5'

1/13/2026 10:45:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

**DJA0164-05 (Soil)
 Enthalpy Orange**

TOTAL METALS BY EPA 7199

| | | | | | | | | | |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|
| Hexavalent Chromium | ND | 0.16 | 0.30 | mg/Kg dry | 1 | 392953 | 01/19/2026 | 01/20/2026 | ND |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|

Origins Laboratory

Boron (DTPA Sorbitol)

| | | | | | | | | | |
|-----------------------|----|--|-------|----------|---|---------|------------|------------|---|
| (DTPA Sorbitol) Boron | ND | | 0.104 | mg/L dry | 1 | 6A15028 | 01/15/2026 | 01/16/2026 | U |
|-----------------------|----|--|-------|----------|---|---------|------------|------------|---|

CA MG NA SAR H2O ext

| | | | | | | | | | |
|---------------|------|--|------|------|----|---------|------------|------------|---|
| Calcium PPM | 16.6 | | 10.0 | mg/L | 10 | 6A15036 | 01/15/2026 | 01/16/2026 | |
| Magnesium PPM | ND | | 10.0 | " | " | " | " | " | U |
| Sodium PPM | ND | | 10.0 | " | " | " | " | " | U |

Metals by Saturated Paste by EPA 6010

| | | | | | | | | | |
|-----------|-------|--|-------|-------|---|--------|---|---|--|
| Calcium | 0.828 | | 0.499 | meq/L | " | [CALC] | " | " | |
| Magnesium | ND | | 0.823 | " | " | " | " | " | |
| Sodium | ND | | 0.435 | " | " | " | " | " | |

Percent Solids

| | | | | | | | | | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|
| Total Solids, Percent | 97.2 | | | mass percent | 1 | 6A14094 | 01/14/2026 | 01/14/2026 | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG08@5'

1/13/2026 10:45:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|--|--------|-----------------|-----------------|-----------|----------|---------|------------|------------|-------|
| DJA0164-05 (Soil) | | | | | | | | | |
| Origins Laboratory | | | | | | | | | |
| pH in Soil by 9045D | | | | | | | | | |
| pH | 8.47 | | | pH Units | 1 | 6A15044 | 01/15/2026 | 01/16/2026 | |
| SAR by 20B Saturated Paste | | | | | | | | | |
| SAR | 0.247 | | 0.0100 | SAR | 1 | 6A15036 | " | 01/16/2026 | |
| Specific Conductance Mod. 9050A | | | | | | | | | |
| Specific Conductance (EC) | 0.195 | | 0.00500 | mmhos/cm | 1 | 6A15044 | " | 01/16/2026 | |
| Table 915 metals by EPA 6020B | | | | | | | | | |
| Arsenic | 2.74 | | 0.197 | mg/kg dry | 10 | 6A15055 | 01/15/2026 | 01/17/2026 | |
| Barium | 65.6 | | 55.7 | " | " | " | " | " | |
| Cadmium | ND | | 0.258 | " | " | " | " | " | U |
| Copper | ND | | 31.2 | " | " | " | " | " | U |
| Lead | ND | | 9.51 | " | " | " | " | " | U |
| Nickel | ND | | 17.7 | " | " | " | " | " | U |
| Selenium | ND | | 0.167 | " | " | " | " | " | U |
| Silver | ND | | 0.543 | " | " | " | " | " | U |
| Zinc | ND | | 251 | " | " | " | " | " | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG08@7'
1/13/2026 12:10:00PM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

DJA0164-06 (Soil)
Enthalpy Orange

TOTAL METALS BY EPA 7199

| | | | | | | | | | |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|
| Hexavalent Chromium | ND | 0.16 | 0.30 | mg/Kg dry | 1 | 392953 | 01/19/2026 | 01/20/2026 | ND |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|

Origins Laboratory

Boron (DTPA Sorbitol)

| | | | | | | | | | |
|-----------------------|----|--|-------|----------|---|---------|------------|------------|---|
| (DTPA Sorbitol) Boron | ND | | 0.104 | mg/L dry | 1 | 6A15029 | 01/15/2026 | 01/16/2026 | U |
|-----------------------|----|--|-------|----------|---|---------|------------|------------|---|

CA MG NA SAR H2O ext

| | | | | | | | | | |
|---------------|------|--|------|------|----|---------|------------|------------|---|
| Calcium PPM | 10.4 | | 10.0 | mg/L | 10 | 6A15036 | 01/15/2026 | 01/16/2026 | |
| Magnesium PPM | ND | | 10.0 | " | " | " | " | " | U |
| Sodium PPM | 18.1 | | 10.0 | " | " | " | " | " | |

Metals by Saturated Paste by EPA 6010

| | | | | | | | | | |
|-----------|-------|--|-------|-------|---|--------|---|---|--|
| Calcium | 0.521 | | 0.499 | meq/L | " | [CALC] | " | " | |
| Magnesium | ND | | 0.823 | " | " | " | " | " | |
| Sodium | 0.788 | | 0.435 | " | " | " | " | " | |

Percent Solids

| | | | | | | | | | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|
| Total Solids, Percent | 97.1 | | | mass percent | 1 | 6A14102 | 01/14/2026 | 01/14/2026 | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG08@7'

1/13/2026 12:10:00PM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|--|--------|-----------------|-----------------|-----------|----------|---------|------------|------------|-------|
| DJA0164-06 (Soil) | | | | | | | | | |
| Origins Laboratory | | | | | | | | | |
| pH in Soil by 9045D | | | | | | | | | |
| pH | 8.53 | | | pH Units | 1 | 6A15044 | 01/15/2026 | 01/16/2026 | |
| SAR by 20B Saturated Paste | | | | | | | | | |
| SAR | 1.11 | | 0.0100 | SAR | 1 | 6A15036 | " | 01/16/2026 | |
| Specific Conductance Mod. 9050A | | | | | | | | | |
| Specific Conductance (EC) | 0.206 | | 0.00500 | mmhos/cm | 1 | 6A15044 | " | 01/16/2026 | |
| Table 915 metals by EPA 6020B | | | | | | | | | |
| Arsenic | 4.39 | | 0.208 | mg/kg dry | 10 | 6A15055 | 01/15/2026 | 01/17/2026 | |
| Barium | 65.7 | | 58.7 | " | " | " | " | " | |
| Cadmium | ND | | 0.272 | " | " | " | " | " | U |
| Copper | ND | | 32.9 | " | " | " | " | " | U |
| Lead | ND | | 10.0 | " | " | " | " | " | U |
| Nickel | ND | | 18.6 | " | " | " | " | " | U |
| Selenium | ND | | 0.176 | " | " | " | " | " | U |
| Silver | ND | | 0.572 | " | " | " | " | " | U |
| Zinc | ND | | 265 | " | " | " | " | " | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG09@5'

1/13/2026 11:15:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

**DJA0164-07 (Soil)
 Enthalpy Orange**

TOTAL METALS BY EPA 7199

| | | | | | | | | | |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|
| Hexavalent Chromium | ND | 0.17 | 0.34 | mg/Kg dry | 1 | 393034 | 01/20/2026 | 01/20/2026 | ND |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|

Origins Laboratory

Boron (DTPA Sorbitol)

| | | | | | | | | | |
|-----------------------|------|--|-------|----------|---|---------|------------|------------|--|
| (DTPA Sorbitol) Boron | 2.09 | | 0.118 | mg/L dry | 1 | 6A15029 | 01/15/2026 | 01/16/2026 | |
|-----------------------|------|--|-------|----------|---|---------|------------|------------|--|

CA MG NA SAR H2O ext

| | | | | | | | | | |
|---------------|-----|--|------|------|----|---------|------------|------------|---|
| Calcium PPM | 494 | | 10.0 | mg/L | 10 | 6A15036 | 01/15/2026 | 01/16/2026 | |
| Magnesium PPM | 338 | | 10.0 | " | " | " | " | " | " |
| Sodium PPM | 456 | | 10.0 | " | " | " | " | " | " |

Metals by Saturated Paste by EPA 6010

| | | | | | | | | | |
|-----------|------|--|-------|-------|---|--------|---|---|---|
| Calcium | 24.7 | | 0.499 | meq/L | " | [CALC] | " | " | " |
| Magnesium | 27.8 | | 0.823 | " | " | " | " | " | " |
| Sodium | 19.8 | | 0.435 | " | " | " | " | " | " |

Percent Solids

| | | | | | | | | | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|
| Total Solids, Percent | 86.1 | | | mass percent | 1 | 6A14102 | 01/14/2026 | 01/14/2026 | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG09@5'

1/13/2026 11:15:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|--|--------|-----------------|-----------------|-----------|----------|---------|------------|------------|-------|
| DJA0164-07 (Soil) | | | | | | | | | |
| Origins Laboratory | | | | | | | | | |
| pH in Soil by 9045D | | | | | | | | | |
| pH | 7.92 | | | pH Units | 1 | 6A15044 | 01/15/2026 | 01/16/2026 | |
| SAR by 20B Saturated Paste | | | | | | | | | |
| SAR | 3.87 | | 0.0100 | SAR | 1 | 6A15036 | " | 01/16/2026 | |
| Specific Conductance Mod. 9050A | | | | | | | | | |
| Specific Conductance (EC) | 4.88 | | 0.00500 | mmhos/cm | 1 | 6A15044 | " | 01/16/2026 | |
| Table 915 metals by EPA 6020B | | | | | | | | | |
| Arsenic | 6.39 | | 0.232 | mg/kg dry | 10 | 6A15055 | 01/15/2026 | 01/17/2026 | |
| Barium | ND | | 65.3 | " | " | " | " | " | U |
| Cadmium | ND | | 0.303 | " | " | " | " | " | U |
| Copper | ND | | 36.6 | " | " | " | " | " | U |
| Lead | 15.0 | | 11.2 | " | " | " | " | " | |
| Nickel | ND | | 20.7 | " | " | " | " | " | U |
| Selenium | 0.295 | | 0.196 | " | " | " | " | " | |
| Silver | ND | | 0.637 | " | " | " | " | " | U |
| Zinc | ND | | 295 | " | " | " | " | " | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG09@7'
1/13/2026 12:20:00PM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

DJA0164-08 (Soil)
Enthalpy Orange

TOTAL METALS BY EPA 7199

| | | | | | | | | | |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|
| Hexavalent Chromium | ND | 0.17 | 0.33 | mg/Kg dry | 1 | 393034 | 01/20/2026 | 01/20/2026 | ND |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|

Origins Laboratory

Boron (DTPA Sorbitol)

| | | | | | | | | | |
|-----------------------|------|--|-------|----------|---|---------|------------|------------|--|
| (DTPA Sorbitol) Boron | 1.44 | | 0.115 | mg/L dry | 1 | 6A15029 | 01/15/2026 | 01/16/2026 | |
|-----------------------|------|--|-------|----------|---|---------|------------|------------|--|

CA MG NA SAR H2O ext

| | | | | | | | | | |
|---------------|-----|--|------|------|----|---------|------------|------------|---|
| Calcium PPM | 462 | | 10.0 | mg/L | 10 | 6A15037 | 01/15/2026 | 01/16/2026 | |
| Magnesium PPM | 224 | | 10.0 | " | " | " | " | " | " |
| Sodium PPM | 339 | | 10.0 | " | " | " | " | " | " |

Metals by Saturated Paste by EPA 6010

| | | | | | | | | | |
|-----------|------|--|-------|-------|---|--------|---|---|---|
| Calcium | 23.1 | | 0.499 | meq/L | " | [CALC] | " | " | " |
| Magnesium | 18.5 | | 0.823 | " | " | " | " | " | " |
| Sodium | 14.8 | | 0.435 | " | " | " | " | " | " |

Percent Solids

| | | | | | | | | | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|
| Total Solids, Percent | 87.7 | | | mass percent | 1 | 6A14102 | 01/14/2026 | 01/14/2026 | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG09@7'

1/13/2026 12:20:00PM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|--|--------|-----------------|-----------------|-----------|----------|---------|------------|------------|-------|
| DJA0164-08 (Soil) | | | | | | | | | |
| Origins Laboratory | | | | | | | | | |
| pH in Soil by 9045D | | | | | | | | | |
| pH | 7.74 | | | pH Units | 1 | 6A15045 | 01/15/2026 | 01/16/2026 | |
| SAR by 20B Saturated Paste | | | | | | | | | |
| SAR | 3.24 | | 0.0100 | SAR | 1 | 6A15037 | 01/15/2026 | 01/16/2026 | |
| Specific Conductance Mod. 9050A | | | | | | | | | |
| Specific Conductance (EC) | 4.53 | | 0.00500 | mmhos/cm | 1 | 6A15045 | 01/15/2026 | 01/16/2026 | |
| Table 915 metals by EPA 6020B | | | | | | | | | |
| Arsenic | 4.79 | | 0.217 | mg/kg dry | 10 | 6A15055 | 01/15/2026 | 01/19/2026 | |
| Barium | 233 | | 61.2 | " | " | " | " | " | |
| Cadmium | 1.04 | | 0.284 | " | " | " | " | " | |
| Copper | ND | | 34.3 | " | " | " | " | " | U |
| Lead | 16.3 | | 10.4 | " | " | " | " | " | |
| Nickel | 56.8 | | 19.4 | " | " | " | " | " | |
| Selenium | 1.09 | | 0.184 | " | " | " | " | " | |
| Silver | ND | | 0.597 | " | " | " | " | " | U |
| Zinc | ND | | 276 | " | " | " | " | " | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG10@5'

1/13/2026 11:30:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

**DJA0164-09 (Soil)
 Enthalpy Orange**

TOTAL METALS BY EPA 7199

| | | | | | | | | | |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|
| Hexavalent Chromium | ND | 0.20 | 0.39 | mg/Kg dry | 1 | 393034 | 01/20/2026 | 01/20/2026 | ND |
|---------------------|----|------|------|-----------|---|--------|------------|------------|----|

Origins Laboratory

Boron (DTPA Sorbitol)

| | | | | | | | | | |
|-----------------------|------|--|-------|----------|---|---------|------------|------------|--|
| (DTPA Sorbitol) Boron | 1.80 | | 0.134 | mg/L dry | 1 | 6A15029 | 01/15/2026 | 01/16/2026 | |
|-----------------------|------|--|-------|----------|---|---------|------------|------------|--|

CA MG NA SAR H2O ext

| | | | | | | | | | |
|---------------|-----|--|------|------|----|---------|------------|------------|---|
| Calcium PPM | 515 | | 10.0 | mg/L | 10 | 6A15037 | 01/15/2026 | 01/16/2026 | |
| Magnesium PPM | 271 | | 10.0 | " | " | " | " | " | " |
| Sodium PPM | 595 | | 10.0 | " | " | " | " | " | " |

Metals by Saturated Paste by EPA 6010

| | | | | | | | | | |
|-----------|------|--|-------|-------|---|--------|---|---|---|
| Calcium | 25.7 | | 0.499 | meq/L | " | [CALC] | " | " | " |
| Magnesium | 22.3 | | 0.823 | " | " | " | " | " | " |
| Sodium | 25.9 | | 0.435 | " | " | " | " | " | " |

Percent Solids

| | | | | | | | | | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|
| Total Solids, Percent | 76.0 | | | mass percent | 1 | 6A14102 | 01/14/2026 | 01/14/2026 | |
|-----------------------|------|--|--|--------------|---|---------|------------|------------|--|

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG10@5'

1/13/2026 11:30:00AM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

DJA0164-09 (Soil)
Origins Laboratory

pH in Soil by 9045D

| | | | | | | | | | |
|----|------|--|--|----------|---|---------|------------|------------|--|
| pH | 7.91 | | | pH Units | 1 | 6A15045 | 01/15/2026 | 01/16/2026 | |
|----|------|--|--|----------|---|---------|------------|------------|--|

SAR by 20B Saturated Paste

| | | | | | | | | | |
|-----|------|--|--------|-----|---|---------|------------|------------|--|
| SAR | 5.29 | | 0.0100 | SAR | 1 | 6A15037 | 01/15/2026 | 01/16/2026 | |
|-----|------|--|--------|-----|---|---------|------------|------------|--|

Specific Conductance Mod. 9050A

| | | | | | | | | | |
|---------------------------|------|--|---------|----------|---|---------|------------|------------|--|
| Specific Conductance (EC) | 5.35 | | 0.00500 | mmhos/cm | 1 | 6A15045 | 01/15/2026 | 01/16/2026 | |
|---------------------------|------|--|---------|----------|---|---------|------------|------------|--|

Table 915 metals by EPA 6020B

| | | | | | | | | | |
|----------|-------|--|-------|-----------|----|---------|------------|------------|---|
| Arsenic | 5.88 | | 0.264 | mg/kg dry | 10 | 6A15055 | 01/15/2026 | 01/17/2026 | |
| Barium | 121 | | 74.4 | " | " | " | " | " | |
| Cadmium | ND | | 0.345 | " | " | " | " | " | U |
| Copper | ND | | 41.7 | " | " | " | " | " | U |
| Lead | 25.9 | | 12.7 | " | " | " | " | " | |
| Nickel | ND | | 23.6 | " | " | " | " | " | U |
| Selenium | 0.475 | | 0.223 | " | " | " | " | " | |
| Silver | ND | | 0.726 | " | " | " | " | " | U |
| Zinc | ND | | 336 | " | " | " | " | " | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG10@7'
1/13/2026 12:35:00PM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|--|--------|-----------------|-----------------|--------------|----------|---------|------------|------------|-------|
| DJA0164-10 (Soil) | | | | | | | | | |
| Enthalpy Orange | | | | | | | | | |
| TOTAL METALS BY EPA 7199 | | | | | | | | | |
| Hexavalent Chromium | ND | 0.17 | 0.33 | mg/Kg dry | 1 | 393034 | 01/20/2026 | 01/20/2026 | ND |
| Origins Laboratory | | | | | | | | | |
| Boron (DTPA Sorbitol) | | | | | | | | | |
| (DTPA Sorbitol) Boron | 0.650 | | 0.110 | mg/L dry | 1 | 6A15029 | 01/15/2026 | 01/16/2026 | |
| CA MG NA SAR H2O ext | | | | | | | | | |
| Calcium PPM | 168 | | 10.0 | mg/L | 10 | 6A15037 | 01/15/2026 | 01/16/2026 | |
| Magnesium PPM | 89.3 | | 10.0 | " | " | " | " | " | " |
| Sodium PPM | 369 | | 10.0 | " | " | " | " | " | " |
| Metals by Saturated Paste by EPA 6010 | | | | | | | | | |
| Calcium | 8.40 | | 0.499 | meq/L | " | [CALC] | " | " | " |
| Magnesium | 7.35 | | 0.823 | " | " | " | " | " | " |
| Sodium | 16.1 | | 0.435 | " | " | " | " | " | " |
| Percent Solids | | | | | | | | | |
| Total Solids, Percent | 90.6 | | | mass percent | 1 | 6A14102 | 01/14/2026 | 01/14/2026 | |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

BKG10@7'

1/13/2026 12:35:00PM

| Analyte | Result | Detection Limit | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Notes |
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|
|---------|--------|-----------------|-----------------|-------|----------|-------|----------|----------|-------|

DJA0164-10 (Soil)
Origins Laboratory

pH in Soil by 9045D

| | | | | | | | | | |
|----|------|--|--|----------|---|---------|------------|------------|--|
| pH | 7.91 | | | pH Units | 1 | 6A15045 | 01/15/2026 | 01/16/2026 | |
|----|------|--|--|----------|---|---------|------------|------------|--|

SAR by 20B Saturated Paste

| | | | | | | | | | |
|-----|------|--|--------|-----|---|---------|------------|------------|--|
| SAR | 5.72 | | 0.0100 | SAR | 1 | 6A15037 | 01/15/2026 | 01/16/2026 | |
|-----|------|--|--------|-----|---|---------|------------|------------|--|

Specific Conductance Mod. 9050A

| | | | | | | | | | |
|---------------------------|------|--|---------|----------|---|---------|------------|------------|--|
| Specific Conductance (EC) | 2.83 | | 0.00500 | mmhos/cm | 1 | 6A15045 | 01/15/2026 | 01/16/2026 | |
|---------------------------|------|--|---------|----------|---|---------|------------|------------|--|

Table 915 metals by EPA 6020B

| | | | | | | | | | |
|----------|-------|--|-------|-----------|----|---------|------------|------------|---|
| Arsenic | 2.96 | | 0.227 | mg/kg dry | 10 | 6A15055 | 01/15/2026 | 01/17/2026 | |
| Barium | 68.6 | | 63.9 | " | " | " | " | " | |
| Cadmium | ND | | 0.296 | " | " | " | " | " | U |
| Copper | ND | | 35.9 | " | " | " | " | " | U |
| Lead | 15.0 | | 10.9 | " | " | " | " | " | |
| Nickel | ND | | 20.3 | " | " | " | " | " | U |
| Selenium | 0.198 | | 0.192 | " | " | " | " | " | |
| Silver | ND | | 0.624 | " | " | " | " | " | U |
| Zinc | ND | | 288 | " | " | " | " | " | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

***** DEFAULT GENERAL METHOD *** - Quality Control**
Origins Laboratory

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 6A14094 - % Solids

Duplicate (6A14094-DUP1) Source: DJA0159-10 Prepared: 01/14/2026 Analyzed: 01/14/2026

| | | | | | | | | | | |
|-----------------------|------|--|--------------|--|------|--|--|------|----|--|
| Total Solids, Percent | 85.4 | | mass percent | | 86.6 | | | 1.37 | 20 | |
|-----------------------|------|--|--------------|--|------|--|--|------|----|--|

Duplicate (6A14094-DUP2) Source: DJA0162-01 Prepared: 01/14/2026 Analyzed: 01/14/2026

| | | | | | | | | | | |
|-----------------------|------|--|--------------|--|------|--|--|-------|----|--|
| Total Solids, Percent | 98.3 | | mass percent | | 98.0 | | | 0.249 | 20 | |
|-----------------------|------|--|--------------|--|------|--|--|-------|----|--|

Batch 6A14102 - % Solids

Duplicate (6A14102-DUP1) Source: DJA0164-06 Prepared: 01/14/2026 Analyzed: 01/14/2026

| | | | | | | | | | | |
|-----------------------|------|--|--------------|--|------|--|--|-------|----|--|
| Total Solids, Percent | 97.4 | | mass percent | | 97.1 | | | 0.347 | 20 | |
|-----------------------|------|--|--------------|--|------|--|--|-------|----|--|

Duplicate (6A14102-DUP2) Source: DJA0164-07 Prepared: 01/14/2026 Analyzed: 01/14/2026

| | | | | | | | | | | |
|-----------------------|------|--|--------------|--|------|--|--|-------|----|--|
| Total Solids, Percent | 86.0 | | mass percent | | 86.1 | | | 0.219 | 20 | |
|-----------------------|------|--|--------------|--|------|--|--|-------|----|--|

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

Classical Chemistry Parameters - Quality Control
Origins Laboratory

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 6A15028 - DTPA Sorbitol Preparation

Blank (6A15028-BLK1)

Prepared: 01/15/2026 Analyzed: 01/16/2026

(DTPA Sorbitol) Boron ND 0.100 mg/L wet U

Duplicate (6A15028-DUP1)

Source: **DJA0162-04**

Prepared: 01/15/2026 Analyzed: 01/16/2026

(DTPA Sorbitol) Boron ND 0.102 mg/L dry ND 50 U

Batch 6A15029 - DTPA Sorbitol Preparation

Blank (6A15029-BLK1)

Prepared: 01/15/2026 Analyzed: 01/16/2026

(DTPA Sorbitol) Boron ND 0.100 mg/L wet U

Duplicate (6A15029-DUP1)

Source: **DJA0164-06**

Prepared: 01/15/2026 Analyzed: 01/16/2026

(DTPA Sorbitol) Boron 0.0930 0.102 mg/L dry 0.0891 4.29 50 U

Batch 6A15036 - Saturated Paste Metals

Blank (6A15036-BLK1)

Prepared: 01/15/2026 Analyzed: 01/16/2026

SAR ND 0.0100 SAR U

Calcium PPM ND 10.0 mg/L U

Magnesium PPM ND 10.0 " U

Sodium PPM ND 10.0 " U

Duplicate (6A15036-DUP1)

Source: **DJA0162-06**

Prepared: 01/15/2026 Analyzed: 01/16/2026

SAR ND 0.0100 SAR 0.261 200 U

Calcium PPM 5.18 10.0 mg/L 4.83 6.99 50 U

Magnesium PPM 1.56 10.0 " 1.47 5.94 50 U

Sodium PPM 2.82 10.0 " 2.55 10.1 50 U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

Classical Chemistry Parameters - Quality Control
Origins Laboratory

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 6A15037 - Saturated Paste Metals

Blank (6A15037-BLK1)

Prepared: 01/15/2026 Analyzed: 01/16/2026

| | | | | | | | | | | |
|---------------|----|--------|------|--|--|--|--|--|--|---|
| SAR | ND | 0.0100 | SAR | | | | | | | U |
| Calcium PPM | ND | 10.0 | mg/L | | | | | | | U |
| Magnesium PPM | ND | 10.0 | " | | | | | | | U |
| Sodium PPM | ND | 10.0 | " | | | | | | | U |

Duplicate (6A15037-DUP1)

Source: DJA0164-08

Prepared: 01/15/2026 Analyzed: 01/16/2026

| | | | | | | | | | | |
|---------------|-----|--------|------|------|--|--|------|-----|--|---|
| SAR | ND | 0.0100 | SAR | 3.24 | | | | 200 | | U |
| Calcium PPM | 482 | 10.0 | mg/L | 462 | | | 4.32 | 50 | | |
| Magnesium PPM | 232 | 10.0 | " | 224 | | | 3.41 | 50 | | |
| Sodium PPM | 349 | 10.0 | " | 339 | | | 2.70 | 50 | | |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

Metals by EPA 6000/7000 Series Methods - Quality Control
Origins Laboratory

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 6A15055 - EPA 3050B

Prepared: 01/15/2026 Analyzed: 01/17/2026

Blank (6A15055-BLK1)

| | | | | | | | | | | |
|----------|----|-------|-----------|--|--|--|--|--|--|---|
| Arsenic | ND | 0.218 | mg/kg wet | | | | | | | U |
| Barium | ND | 61.5 | " | | | | | | | U |
| Cadmium | ND | 0.285 | " | | | | | | | U |
| Copper | ND | 34.5 | " | | | | | | | U |
| Lead | ND | 10.5 | " | | | | | | | U |
| Nickel | ND | 19.5 | " | | | | | | | U |
| Selenium | ND | 0.184 | " | | | | | | | U |
| Silver | ND | 0.600 | " | | | | | | | U |
| Zinc | ND | 278 | " | | | | | | | U |

LCS (6A15055-BS1)

Prepared: 01/15/2026 Analyzed: 01/17/2026

| | | | | | | | | | | |
|----------|------|-------|-----------|------|--|------|--------|--|--|---|
| Arsenic | 5.14 | 0.218 | mg/kg wet | 5.00 | | 103 | 80-120 | | | |
| Barium | 533 | 61.5 | " | 500 | | 107 | 80-120 | | | |
| Cadmium | 5.03 | 0.285 | " | 5.00 | | 101 | 80-120 | | | |
| Copper | 52.4 | 34.5 | " | 50.0 | | 105 | 80-120 | | | |
| Lead | 5.04 | 10.5 | " | 5.00 | | 101 | 80-120 | | | U |
| Nickel | 5.43 | 19.5 | " | 5.00 | | 109 | 80-120 | | | U |
| Selenium | 4.78 | 0.184 | " | 5.00 | | 95.5 | 80-120 | | | |
| Silver | 5.01 | 0.600 | " | 5.00 | | 100 | 80-120 | | | |
| Zinc | 51.6 | 278 | " | 50.0 | | 103 | 80-120 | | | U |

Matrix Spike (6A15055-MS1)

Source: DJA0163-02

Prepared: 01/15/2026 Analyzed: 01/17/2026

| | | | | | | | | | | |
|---------|------|-------|-----------|------|--------|------|--------|--|--|---|
| Arsenic | 6.14 | 0.204 | mg/kg dry | 4.68 | 2.28 | 82.4 | 75-125 | | | |
| Barium | 514 | 57.6 | " | 468 | 59.0 | 97.1 | 75-125 | | | |
| Cadmium | 4.64 | 0.267 | " | 4.68 | 0.0975 | 97.1 | 75-125 | | | |
| Copper | 50.0 | 32.3 | " | 46.8 | 5.67 | 94.7 | 75-125 | | | |
| Lead | 9.31 | 9.83 | " | 4.68 | 5.43 | 82.8 | 75-125 | | | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

Metals by EPA 6000/7000 Series Methods - Quality Control
Origins Laboratory

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 6A15055 - EPA 3050B

Matrix Spike (6A15055-MS1)

Source: DJA0163-02

Prepared: 01/15/2026 Analyzed: 01/17/2026

| | | | | | | | | | | |
|----------|------|-------|-----------|------|--------|------|--------|--|--|----------|
| Nickel | 8.64 | 18.3 | mg/kg dry | 4.68 | 5.23 | 72.8 | 75-125 | | | QM-07, U |
| Selenium | 4.37 | 0.173 | " | 4.68 | 0.150 | 90.1 | 75-125 | | | |
| Silver | 4.56 | 0.562 | " | 4.68 | 0.0199 | 97.0 | 75-125 | | | |
| Zinc | 57.7 | 260 | " | 46.8 | 20.1 | 80.3 | 75-125 | | | U |

Matrix Spike Dup (6A15055-MSD1)

Source: DJA0163-02

Prepared: 01/15/2026 Analyzed: 01/17/2026

| | | | | | | | | | | |
|----------|------|-------|-----------|------|--------|------|--------|------|----|---|
| Arsenic | 7.17 | 0.209 | mg/kg dry | 4.79 | 2.28 | 102 | 75-125 | 15.4 | 20 | |
| Barium | 619 | 58.9 | " | 479 | 59.0 | 117 | 75-125 | 18.5 | 20 | |
| Cadmium | 5.47 | 0.273 | " | 4.79 | 0.0975 | 112 | 75-125 | 16.3 | 20 | |
| Copper | 60.0 | 33.0 | " | 47.9 | 5.67 | 113 | 75-125 | 18.2 | 20 | |
| Lead | 9.97 | 10.1 | " | 4.79 | 5.43 | 94.8 | 75-125 | 6.89 | 20 | U |
| Nickel | 10.2 | 18.7 | " | 4.79 | 5.23 | 103 | 75-125 | 16.2 | 20 | U |
| Selenium | 5.15 | 0.177 | " | 4.79 | 0.150 | 104 | 75-125 | 16.4 | 20 | |
| Silver | 5.47 | 0.575 | " | 4.79 | 0.0199 | 114 | 75-125 | 18.1 | 20 | |
| Zinc | 66.4 | 266 | " | 47.9 | 20.1 | 96.7 | 75-125 | 14.1 | 20 | U |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

Saturated Paste - Quality Control
Origins Laboratory

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 6A15044 - Saturated Paste pH/EC

Blank (6A15044-BLK1)

Prepared: 01/15/2026 Analyzed: 01/16/2026

Specific Conductance (EC) ND 0.00500 mmhos/cm U

Duplicate (6A15044-DUP1)

Source: DJA0162-06

Prepared: 01/15/2026 Analyzed: 01/16/2026

Specific Conductance (EC) 0.0771 0.00500 mmhos/cm 0.0747 3.16 25

pH 7.22 pH Units 7.28 0.828 25

Batch 6A15045 - Saturated Paste pH/EC

Blank (6A15045-BLK1)

Prepared: 01/15/2026 Analyzed: 01/16/2026

Specific Conductance (EC) ND 0.00500 mmhos/cm U

Duplicate (6A15045-DUP1)

Source: DJA0164-08

Prepared: 01/15/2026 Analyzed: 01/16/2026

Specific Conductance (EC) 4.39 0.00500 mmhos/cm 4.53 3.16 25

pH 7.78 pH Units 7.74 0.515 25

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CHE0089 (REM 29684)
 Project: Noble - Kohlhoff USX AB #17-03P

TOTAL METALS BY EPA 7199 - Quality Control
Enthalpy Orange

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------------------------------|--------|-----------------|-----------|-------------|--|------|-------------|-----|-----------|-------|
| Batch 392953 - EPA 3060A | | | | | | | | | | |
| BLANK (QC1332254) | | | | | | | | | | |
| | | | | | Prepared: 01/19/2026 Analyzed: 01/20/2026 | | | | | |
| Hexavalent Chromium | ND | 0.30 | mg/Kg | | | | - | | | ND |
| LCS (QC1332255) | | | | | | | | | | |
| | | | | | Prepared: 01/19/2026 Analyzed: 01/20/2026 | | | | | |
| Hexavalent Chromium | 39.06 | 0.6000 | mg/Kg | 40.00 | | 98 | 80-120 | | | |
| Duplicate (QC1332257) | | | | | | | | | | |
| | | | | | Source: 550989-001 Prepared: 01/19/2026 Analyzed: 01/20/2026 | | | | | |
| Hexavalent Chromium | ND | 0.3145 | mg/Kg dry | | 0 | | - | | 30 | ND |
| Matrix Spike (QC1332258) | | | | | | | | | | |
| | | | | | Source: 550989-001 Prepared: 01/19/2026 Analyzed: 01/20/2026 | | | | | |
| Hexavalent Chromium | 34.95 | 0.6316 | mg/Kg dry | 42.11 | 0 | 83 | 70-130 | | | |

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS LABORATORY

Confluence Compliance Companies, LLC
403 1/2 Rockwood Lane
Grand Junction CO 81507

Brody Poss
Project Number: CHE0089 (REM 29684)
Project: Noble - Kohlhoff USX AB #17-03P

Notes and Definitions

- U Sample is Non-Detect.
- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- ND Not Detected
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference

Origins Laboratory



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.