

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

Document Number:
 404624969
 Date Received:

ECMC Operator Number: 100322 Contact Name: Kevin Monaghan
 Name of Operator: NOBLE ENERGY INC Phone: (303) 228-4000
 Address: 1099 18TH STREET SUITE 1500 Fax: _____
 City: DENVER State: CO Zip: 80202 Email: Kevin.Monaghan@chevron.com

For "Intent" 24 hour notice required, Name: _____ Tel: _____
 Email: _____
ECMC contact:

Type of Well Abandonment Report: Notice of Intent to Abandon Subsequent Report of Abandonment

API Number 05-123-13658-00
 Well Name: ADAMS Well Number: 3-20
 Location: QtrQtr: SENW Section: 20 Township: 6N Range: 65W Meridian: 6
 County: WELD Federal, Indian or State Lease Number: 56030
 Field Name: GREELEY Field Number: 32760

Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.474810 Longitude: -104.689650
 GPS Data: GPS Quality Value: 0.9 Type of GPS Quality Value: PDOP Date of Measurement: 01/06/2026
 Reason for Abandonment: Dry Production Sub-economic Mechanical Problems
 Other _____
 Casing to be pulled: Yes No Estimated Depth: _____
 Fish in Hole: Yes No If yes, explain details below
 Wellbore has Uncemented Casing leaks: Yes No If yes, explain details below
 Details: _____

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
CODELL	7194	7204	01/22/1992	CEMENT	6800
Total: 1 zone(s)					

Casing History

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
SURF	12+1/4	8+5/8	J55	24	0	310	170	310	0	VISU
1ST	7+7/8	4+1/2	NA	15.1	0	7240	225	7240	6100	CALC

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 2880 with _____ sacks cmt on top. CIBP #2: Depth 2500 with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 28 sks cmt from 2372 ft. to 1972 ft. Plug Type: CASING Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:

Perforate and squeeze at 2472 ft. with 142 sacks. Leave at least 100 ft. in casing 2372 CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set 279 sacks half in. half out surface casing from 500 ft. to 0 ft. Plug Tagged:
Set 9 sacks at surface
Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: Yes No
Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: 1850 ft. of 4+1/2 inch casing
Surface Plug Setting Date: 03/16/2026 Cut and Cap Date: 03/26/2026 Number of Days from Setting Surface Plug to Capping or Sealing the Well: 10

*Wireline Contractor: Ranger Energy Services *Cementing Contractor: Ranger Energy Services

Type of Cement and Additives Used: Upper AGM, Surface AGM

Flowline/Pipeline has been abandoned per Rule 1105 Yes No

Technical Detail/Comments:

Form 42 doc # 404560004
Existing Cement Plug @ 6800'-6300' (1/22/1992)
MIRU 2/27/2026 to re-enter and re-plug well, began drilling out existing surface cement plug
CIBP @ 2880' (3/12/2026), pressure test failed, reached out to State to set an additional plug
CIBP @ 2500' (3/13/2026)
Shoot perms @ 2472' (3/13/2026)
Set CICR w/ tubing @ 2372' (3/13/2026)
Squeezed and pumped 170 sxs cmt total = Sting in 142 sxs cmt through CICR and Sting out 28 sxs cmt on top of CICR. TOC @ 1972'
Cut 4 1/2" casing @ 1850' (3/14/2025)
Surface plug @ 500', pumped 279 sxs cmt total (3/16/2026)
Surface plug cement tagged & topped off w/ 9 additional sxs cmt total

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Valerie Danson

Title: Reg Analyst

Date:

Email: DenverRegulatory@chevron.onmicrosoft.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved:

Date:

CONDITIONS OF APPROVAL, IF ANY LIST

COA Type	Description
0 COA	

ATTACHMENT LIST

Att Doc Num	Name
404625546	CEMENT JOB SUMMARY
404625549	OPERATIONS SUMMARY
404625557	CORRESPONDENCE
404625567	CORRESPONDENCE
404625572	WELLBORE DIAGRAM
404625574	WIRELINE JOB SUMMARY

Total Attach: 6 Files

General Comments

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)