

**State of Colorado**  
**Energy & Carbon Management Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>404638705</u>			
Date Received: <u>04/29/2026</u>			

**SUNDRY NOTICE**

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>69175</u>	Contact Name <u>Raul Sanchez</u>
Name of Operator: <u>PDC ENERGY INC</u>	Phone: <u>(303) 8707730</u>
Address: <u>1099 18TH STREET SUITE 1500</u>	Fax: <u>( )</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>DenverRegulatory@chevron.onmicrosoft.com</u>

**FORM 4 SUBMITTED FOR:**

Facility Type: WELL  
 API Number : 05- 001 10267 00 ID Number: 458717  
 Name: B-Farm LD Number: 18-382HC  
 Location QtrQtr: NENW Section: 7 Township: 1S Range: 67W Meridian: 6  
 County: ADAMS Field Name: WATTENBERG

**Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information**

**Location(s)**

Location ID	Location Name and Number
452914	B-Farm LD Pad 19-381HNX

**OGDP(s)**

No OGDP

**WELL LOCATION CHANGE OR AS-BUILT GPS REPORT**

- Change of Location for Well \*     As-Built GPS Location Report     As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

**SURFACE LOCATION GPS DATA**    Data must be provided for Change of Surface Location and As Built Reports.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
 GPS Quality Value: \_\_\_\_\_ Type of GPS Quality Value: \_\_\_\_\_ Measurement Date: \_\_\_\_\_  
 Well Ground Elevation: \_\_\_\_\_ feet (Required for change of Surface Location.)

**WELL LOCATION CHANGE**

Well plan is: \_\_\_\_\_ (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From**:

FNL/FSL		FEL/FWL	
894	FNL	1743	FWL

Change of **Surface** Footage **To**:

Current <b>Surface</b> Location <b>From</b>	QtrQtr <u>NENW</u>	Sec <u>7</u>	Twp <u>1S</u>	Range <u>67W</u>	Meridian <u>6</u>
New <b>Surface</b> Location <b>To</b>	QtrQtr <u> </u>	Sec <u> </u>	Twp <u> </u>	Range <u> </u>	Meridian <u> </u>

Change of **Top of Productive Zone** Footage **From:**

460 FNL

470 FWL

Change of **Top of Productive Zone** Footage **To:**

\*\*

Current **Top of Productive Zone** Location

Sec 7

Twp 1S

Range 67W

New **Top of Productive Zone** Location

Sec

Twp

Range

Change of **Base of Productive Zone** Footage **From:**

FNL

FWL

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

9 FNL

495 FWL

Change of **Bottomhole** Footage **To:**

\*\*

Current **Bottomhole** Location

Sec 19

Twp 1S

Range 67W

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

### SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building: \_\_\_\_\_ Feet  
 Building Unit: \_\_\_\_\_ Feet  
 Public Road: \_\_\_\_\_ Feet  
 Above Ground Utility: \_\_\_\_\_ Feet  
 Railroad: \_\_\_\_\_ Feet  
 Property Line: \_\_\_\_\_ Feet

**INSTRUCTIONS:**  
 - Specify all distances per Rule 308.b.(1).  
 - Enter 5280 for distance greater than 1 mile.  
 - Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.  
 - Building Unit – as defined in 100 Series Rules.

### SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? \_\_\_\_\_

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

### Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

### LOCATION CHANGE COMMENTS

\_\_\_\_\_



- Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

- Route to the Area Reclamation Specialist

Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

- REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

- REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

- NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date \_\_\_\_\_

- SUBSEQUENT REPORT      Date of Activity    04/29/2026

<input checked="" type="checkbox"/> Bradenhead Plan	<input type="checkbox"/> Venting or Flaring (Rule 903)	<input type="checkbox"/> E&P Waste Mangement
<input type="checkbox"/> Change Drilling Plan	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Change		
<input type="checkbox"/> Underground Injection Control		
<input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)		
<input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.)		
<input type="checkbox"/> Other		

- Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

- Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

A form 4 fluid pull mitigation plan for this well was approved on 04/26/2023. The most recent approval for the continued use of this mitigation was on 10/31/2025. A gas sample was collected on 03/11/2026, and the composition was 2.599 mol % ethane, 1.476 mol % hydrogen, 63.551 mol % methane, and 29.67 mol % nitrogen. Nitrogen is used to pull fluid from the bradenhead. Because the cement passes the well's producing zone, some residual methane is expected. This gas samples indicates Bradenhead gas to be thermogenic gas with somewhat similar composition as the production sample. Chevron performed a fluid pull on 02/25/2026 that had a starting surface casing pressure of 14.0 psi, and when the bradenhead was opened, 0.0 gallons in 1.0 minutes flowed for a calculated initial flow rate of 0.0 gallons/minute. During the fluid pull, we collected 27.0 gallons of fluid from the bradenhead. Chevron performed a fluid pull on 04/06/2026 that had a starting surface casing pressure of 1.0 psi, and when the bradenhead was opened, 0.0 gallons in 1.0 minutes flowed for a calculated initial flow rate of 0.0 gallons/minute. During the fluid pull, we collected 30.0 gallons of fluid from the bradenhead. On 03/31/2026 a form 17 was completed with a starting pressure of 1 psi and an ending pressure of 0 psi. The well was shut in for over seven days prior to the form 17 being performed. Gas was present at the start of the test but was not continuous. We will continue to use this mitigation strategy for the next 6 months to maintain bradenhead pressures below the 50-psi threshold. Pressure did not exceed the bradenhead action pressure threshold while the system was operating. At the end of the period, Chevron will perform another form 17 test, and a follow-up Form-4 will be submitted to the ECOM.

GAS CAPTURE

VENTING AND FLARING:

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

\_\_\_\_\_

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

\_\_\_\_\_

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

\_\_\_\_\_

Total volume of gas vented or flared: \_\_\_\_\_ mcf  estimated  measured

Total duration of emission event: \_\_\_\_\_ hours  consecutive  cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

\_\_\_\_\_

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

CASING PROGRAM

(No Casing Provided)

POTENTIAL FLOW AND CONFINING FORMATIONS

H2S REPORTING

- Intentional release of H2S gas due to Upset Condition or malfunction.
 Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**OIL & GAS LOCATION UPDATES**

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

**SITE EQUIPMENT LIST UPDATES**

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____		Vapor Recovery Towers _____	

**OTHER PERMANENT EQUIPMENT UPDATES**

**OTHER TEMPORARY EQUIPMENT UPDATES**

**CULTURAL AND SAFETY SETBACK UPDATES**

**OTHER LOCATION CHANGES AND UPDATES**

Provide a description of other changes or updates to technical information for this Location:

**POTENTIAL OGDP UPDATES**

**PROPOSED CHANGES TO AN APPROVED OGDP**

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- |  |  |
|--|--|
| <input type="checkbox"/> Add Oil and Gas Location(s)                     | <input type="checkbox"/> Add Drilling and Spacing Unit(s)    |
| <input type="checkbox"/> Amend Oil and Gas Location(s)                   | <input type="checkbox"/> Amend Drilling and Spacing Unit(s)  |
| <input type="checkbox"/> Remove Oil and Gas Location(s)                  | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDG |
| <input type="checkbox"/> Other   |  |

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

### Operator Best Management Practices

**No BMP/COA Type**

**Description**



Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Raul Sanchez  
Title: Regulatory Specialist Email: DenverRegulatory@chevron.onmicrosoft. Date: 4/29/2026

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Jacobson, Eric Date: 4/30/2026

**CONDITIONS OF APPROVAL, IF ANY LIST**

<b>COA Type</b>	<b>Description</b>
	<p>1. Operator will implement measures to control venting, to protect health and safety, and to ensure that vapors and odors from well operations do not constitute a nuisance or hazard to public welfare.</p> <p>2. Bradenhead gas is not to be vented to the atmosphere; any gas from the Bradenhead will be routed to the specified abatement system. Shut in bradenhead pressure shall not exceed threshold pressure. Operator will implement measures to get an estimate of the gas flow rate and/or volume from the bradenhead.</p> <p>3. No later than 04/30/2026, conduct a bradenhead test, submit a Form 17, and submit a Form 4 Sundry that summarizes current well condition. The well should be shut in for seven days to monitor and collect data to characterize build up pressures prior to conducting the bradenhead test. The sundry should include details of the future plans, sample analysis interpretation, bradenhead test description, and the flow rate information and pressure data.</p> <p>4. If a sample has not been collected from surface casing within the last twenty-four months collect bradenhead gas samples for laboratory analysis. Sampling will comply with Operator Guidance - Bradenhead Testing and Reporting Instructions, Appendix A: Liquid and Gas Sampling. Copies of all final laboratory analytical results will be provided to the ECMC within three months of collecting the samples. If a sample has not been collected from production gas, collect production gas samples for laboratory analysis. Operator may use production gas sample data from an adjacent well if on a multi-well pad to analyze and compare to bradenhead sample. Sampling will comply with Operator Guidance - Bradenhead Testing and Reporting Instructions, Appendix A: Liquid and Gas Sampling.</p> <p>5. Due to bradenhead tests that demonstrate liquid flow, on the next bradenhead test form include an estimate on liquid volume and identify the correct fluid flow and type within the table.</p>

1 COA

**General Comments**

<b>User Group</b>	<b>Comment</b>	<b>Comment Date</b>
Engineer	Bradenhead test date 03/31/2026 had 1 psig.	04/30/2026

Total: 1 comment(s)

**ATTACHMENT LIST**

<b>Att Doc Num</b>	<b>Name</b>
404638705	SUNDRY NOTICE APPROVED-OBJ
404638710	NET PRESSURE CHART
404640407	FORM 4 SUBMITTED

Total Attach: 3 Files