

**TABLE 1**  
**SOIL SAMPLE FIELD DATA SUMMARY TABLE**  
**BRIGHT 24-4 WELLHEAD**  
**WELD COUNTY, COLORADO**  
**KERR-MCGEE OIL AND GAS ONSHORE, LP**

Soil Sample Location	Date	Depth (ft. bgs)	PID Reading (ppm)	Visual Observation	Olfactory Observation	Latitude	Longitude	Submitted for Lab Analysis? (Y/N)
<b>WELLHEAD EXCAVATION SAMPLES</b>								
N-Wall(24-4)@2'	11/24/2025	2	3.6	STAIN	NO	40.253675	-104.777427	N
E-Wall(24-4)@2'	11/24/2025	2	0.8	NS	NO	40.253653	-104.777412	N
S-Wall(24-4)@2'	11/24/2025	2	0.3	NS	NO	40.253642	-104.777435	N
W-Wall(24-4)@2'	11/24/2025	2	0.5	NS	NO	40.253659	-104.777444	N
B01(24-4)@4'	11/24/2025	4	0.7	NS	NO	40.253653	-104.777431	Y
FS01@0.5'	11/24/2025	0.5	0.7	NS	NO	40.253697	-104.777416	N
FS02@0.5'	11/24/2025	0.5	1.5	NS	NO	40.253666	-104.777399	N
FS03@0.5'	11/24/2025	0.5	2.9	NS	NO	40.253636	-104.777428	N
FS04@0.5'	11/24/2025	0.5	0.7	NS	NO	40.253667	-104.77746	N
WH-Riser(24-4)@4'	3/2/2026	4	0.2	NS	NO	40.253698	-104.777407	Y
<b>FLOWLINE POTHOLE SAMPLES</b>								
FL01@3'	2/27/2026	3	3.1	NS	NO	40.256918	-104.777809	Y
PH02@3'	2/27/2026	3	2.2	NS	NO	40.256707	-104.777756	N
FL02@3'	2/27/2026	3	1.9	NS	NO	40.256554	-104.777638	Y
PH04@3'	2/27/2026	3	1.2	NS	NO	40.256291	-104.777631	N
PH05@4'	2/27/2026	4	0.7	NS	NO	40.255920	-104.777643	N
PH06@4'	2/27/2026	4	0.8	NS	NO	40.255498	-104.777637	N
PH07@4'	2/27/2026	4	0.6	NS	NO	40.255255	-104.777623	N
PH08(24-4)@4'	3/2/2026	4	0.5	NS	NO	40.254872	-104.777621	N
PH09(24-4)@4'	3/2/2026	4	0.5	NS	NO	40.254427	-104.777615	N
PH10(24-4)@4'	3/2/2026	4	0.7	NS	NO	40.254015	-104.777491	N
<b>SEPARATOR RISER SAMPLE</b>								
SEP-Riser(24-4)@3'	2/25/2026	3	0.7	NS	NO	40.256994	-104.777825	Y
<b>BACKGROUND SOIL SAMPLES</b>								
NATIVE-BG01@3'	11/24/2025	3	0.2	NS	NO	40.253814	-104.777745	Y
NATIVE-BG01@6'	11/24/2025	6	0.3	NS	NO	40.253814	-104.777745	Y
NATIVE-BG02@3'	11/24/2025	3	0.5	NS	NO	40.253964	-104.777234	Y
NATIVE-BG02@6'	11/24/2025	6	0.6	NS	NO	40.253964	-104.777234	Y
NATIVE-BG03@3'	11/24/2025	3	0.3	NS	NO	40.253839	-104.777051	Y
NATIVE-BG03@6'	11/24/2025	6	0.3	NS	NO	40.253839	-104.777051	Y
NATIVE-BG04@3'	11/24/2025	3	0.1	NS	NO	40.253632	-104.777047	Y
NATIVE-BG04@6'	11/24/2025	6	0.1	NS	NO	40.253632	-104.777047	Y
NATIVE-BG05@3'	11/24/2025	3	0.0	NS	NO	40.253395	-104.777164	Y
NATIVE-BG05@6'	11/24/2025	6	0.0	NS	NO	40.253395	-104.777164	Y
NATIVE-BG06@3'	11/24/2025	3	0.4	NS	NO	40.253389	-104.777683	Y

**TABLE 1**  
**SOIL SAMPLE FIELD DATA SUMMARY TABLE**  
**BRIGHT 24-4 WELLHEAD**  
**WELD COUNTY, COLORADO**  
**KERR-MCGEE OIL AND GAS ONSHORE, LP**

Soil Sample Location	Date	Depth (ft. bgs)	PID Reading (ppm)	Visual Observation	Olfactory Observation	Latitude	Longitude	Submitted for Lab Analysis? (Y/N)
<b>BACKGROUND SOIL SAMPLES</b>								
<b>NATIVE-BG06@6'</b>	11/24/2025	6	0.0	NS	NO	40.253389	-104.777683	Y
<b>Native-BG01@3' (Rem No. 40039)</b>	2/25/2026	3	0.7	NS	NO	40.257077	-104.778573	Y
<b>Native-BG01@6' (Rem No. 40039)</b>	2/25/2026	6	0.7	NS	NO	40.257077	-104.778573	Y
<b>Native-BG02@3' (Rem No. 40039)</b>	2/25/2026	3	0.8	NS	NO	40.257003	-104.778488	Y
<b>Native-BG02@6' (Rem No. 40039)</b>	2/25/2026	6	1.3	NS	NO	40.257003	-104.778488	Y
<b>Native-BG03@3' (Rem No. 40039)</b>	2/25/2026	3	0.8	NS	NO	40.256909	-104.778375	Y
<b>Native-BG03@6' (Rem No. 40039)</b>	2/25/2026	6	0.7	NS	NO	40.256909	-104.778375	Y
<b>Native-BG04@3' (Rem No. 40039)</b>	2/25/2026	3	0.9	NS	NO	40.256808	-104.778217	Y
<b>Native-BG04@6' (Rem No. 40039)</b>	2/25/2026	6	0.8	NS	NO	40.256808	-104.778217	Y
<b>Native-BG05@3' (Rem No. 40039)</b>	2/25/2026	3	0.9	NS	NO	40.256752	-104.778078	Y
<b>Native-BG05@6' (Rem No. 40039)</b>	2/25/2026	6	1.3	NS	NO	40.256752	-104.778078	Y
<b>Native-BG06@3' (Rem No. 40039)</b>	2/25/2026	3	1.7	NS	NO	40.256696	-104.777973	Y
<b>Native-BG06@6' (Rem No. 40039)</b>	2/25/2026	6	2.6	NS	NO	40.256696	-104.777973	Y

**Notes:**

ft. - feet  
bgs - below ground surface  
PID - Photoionization detector  
ppm - parts per million

NS - No Staining  
NO - No Odor  
NA - Not Analyzed/Not Applicable

TABLE 2-1  
SOIL SAMPLE ANALYTICAL RESULTS  
VOLATILE ORGANIC COMPOUNDS AND TOTAL PETROLEUM HYDROCARBONS  
BRIGHT 24-4 WELLHEAD  
WELD COUNTY, COLORADO  
KERR-MCGEE OIL AND GAS ONSHORE, LP

Soil Sample ID	Date	Depth (ft. bgs)	TPH-GRO <sup>+</sup> (mg/kg)	TPH-DRO <sup>+</sup> (mg/kg)	TPH-RRO <sup>+</sup> (mg/kg)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	1,2,4-Trimethyl benzene (mg/kg)	1,3,5-Trimethyl benzene (mg/kg)	Naphthalene (mg/kg)
ECMC Table 915-1 Cleanup Concentrations (PGSSLs)			500			0.0026	0.69	0.78	9.9	0.0081	0.0087	0.0038
<b>WELLHEAD EXCAVATION SAMPLES</b>												
<b>B01(24-4)@4'</b>	11/24/2025	4	<0.232	<28.9	<116	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
<b>WH-Riser(24-4)@4'</b>	3/2/2026	4	<0.228	<28.6	<114	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
<b>FLOWLINE SOIL SAMPLES</b>												
<b>FL01@3'</b>	2/27/2026	3	<0.045	<29.9	<120	<0.0006	<0.0007	<0.0006	<0.0003	<0.0006	<0.0006	<0.002
<b>FL02@3'</b>	2/27/2026	3	<0.050	<32.4	<130	<0.0006	<0.0008	<0.0006	<0.0003	<0.0007	<0.0007	<0.003
<b>SEPARATOR RISER SAMPLE</b>												
<b>SEP-Riser(24-4)@3'</b>	2/25/2026	3	<0.236	<29.2	<117	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002

**Notes:**

ECMC - Energy and Carbon Management Commission  
PGSSLs - Protection of Groundwater Soil Screening Level Concentrations  
TPH - total petroleum hydrocarbons  
GRO - gasoline range organics  
DRO - diesel range organics  
RRO - residual range organics  
+Allowable level for TPH is 500 mg/kg for combined GRO, DRO, ORO

ft - feet  
bgs - below ground surface  
mg/kg - milligrams per kilogram  
< - less than laboratory reporting limit  
NA - Not Analyzed/Not Applicable  
**Bold** - exceeds ECMC Table 915-1 allowable level

**TABLE 2-2  
SOIL SAMPLE ANALYTICAL RESULTS  
POLYCYCLIC AROMATIC HYDROCARBONS  
BRIGHT 24-4 WELLHEAD  
WELD COUNTY, COLORADO  
KERR-MCGEE OIL AND GAS ONSHORE, LP**

Soil Sample ID	Date	Depth (ft. bgs)	Acenaphthene (mg/Kg)	Anthracene (mg/Kg)	Benzo (a) anthracene (mg/Kg)	Benzo (b) fluoranthene (mg/Kg)	Benzo (k) fluoranthene (mg/Kg)	Benzo (a) pyrene (mg/Kg)	Chrysene (mg/Kg)	Dibenz (a,h) anthracene (mg/Kg)	Fluoranthene (mg/Kg)	Fluorene (mg/Kg)	Indeno (1,2,3-cd) pyrene (mg/Kg)	1-Methyl naphthalene (mg/Kg)	2-Methyl naphthalene (mg/Kg)	Pyrene (mg/Kg)
ECMC Table 915-1 Cleanup Concentrations (PGSSLs)			0.55	5.8	0.011	0.3	2.9	0.24	9	0.096	8.9	0.54	0.98	0.006	0.019	1.3
<b>WELLHEAD EXCAVATION SAMPLES</b>																
<b>B01(24-4)@4'</b>	11/24/2025	4	<0.024	<0.024	<0.006	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.002	<0.002	<0.024
<b>WH-Riser(24-4)@4'</b>	3/2/2026	4	<0.022	<0.022	<0.006	<0.022	<0.022	<0.022	<0.022	<0.022	<0.022	<0.022	<0.022	<0.002	<0.002	<0.022
<b>FLOWLINE SOIL SAMPLES</b>																
<b>FL01@3'</b>	2/27/2026	3	<0.024	<0.024	<0.006	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.002	<0.002	<0.024
<b>FL02@3'</b>	2/27/2026	3	<0.026	<0.026	<0.006	<0.026	<0.026	<0.026	<0.026	<0.026	<0.026	<0.026	<0.026	<0.003	<0.003	<0.026
<b>SEPARATOR RISER SAMPLE</b>																
<b>SEP-Riser(24-4)@3'</b>	2/25/2026	3	<0.023	<0.023	<0.006	<0.023	<0.023	<0.023	<0.023	<0.023	<0.023	<0.023	<0.023	<0.002	<0.002	<0.023

**Notes:**

ECMC - Energy and Carbon Management Commission  
 PGSSLs - Protection of Groundwater Soil Screening Level Concentrations  
 ft - feet  
 bgs - below ground surface  
 mg/kg - milligrams per kilogram  
 < - less than laboratory reporting limit  
 NA - Not Analyzed/Not Applicable  
**Bold** - exceeds ECMC Table 915-1 allowable level

**TABLE 2-3  
SOIL SAMPLE ANALYTICAL RESULTS  
SOIL SUITABILITY FOR RECLAMATION  
BRIGHT 24-4 WELLHEAD  
WELD COUNTY, COLORADO  
KERR-MCGEE OIL AND GAS ONSHORE, LP**

Soil Sample ID	Date	Depth (ft. bgs)	EC (mmhos/cm)	SAR	pH	Boron (mg/L)
ECMC Table 915-1 Cleanup Concentrations			4	6	6-8.3	2
Site-Specific Background Limits			10.2	32.1	8.66	2.85
<b>WELLHEAD EXCAVATION SAMPLES</b>						
B01(24-4)@4'	11/24/2025	4	0.342	2.28	7.84	<0.117
WH-Riser(24-4)@4'	3/2/2026	4	0.764	1.91	8.20	0.628
<b>WELLHEAD EXCAVATION SAMPLES</b>						
FL01@3'	2/27/2026	3	2.05	10.7*	8.63*	0.812
FL02@3'	2/27/2026	3	0.883	3.81	8.45*	0.819
<b>SEPARATOR RISER SAMPLE</b>						
SEP-Riser(24-4)@3'	2/25/2026	3	2.20	3.87	7.92	0.401
<b>BACKGROUND SAMPLES</b>						
NATIVE-BG01@3'	11/24/2025	3	0.673	9.67	8.40	0.350
NATIVE-BG01@6'	11/24/2025	6	0.372	1.86	7.99	<0.113
NATIVE-BG02@3'	11/24/2025	3	0.847	4.39	8.24	0.507
NATIVE-BG02@6'	11/24/2025	6	0.444	2.00	8.37	<0.121
NATIVE-BG03@3'	11/24/2025	3	6.99	32.1	8.66	2.07
NATIVE-BG03@6'	11/24/2025	6	0.756	3.41	8.26	<0.125
NATIVE-BG04@3'	11/24/2025	3	1.30	9.77	8.44	0.624
NATIVE-BG04@6'	11/24/2025	6	0.468	2.26	8.30	0.371
NATIVE-BG05@3'	11/24/2025	3	10.2	27.0	8.35	2.85
NATIVE-BG05@6'	11/24/2025	6	0.550	3.66	8.32	0.150
NATIVE-BG06@3'	11/24/2025	3	2.54	15.8	8.49	1.26
NATIVE-BG06@6'	11/24/2025	6	0.553	3.03	8.21	0.247
Native-BG01@3' (Rem No. 40039)	2/25/2026	3	1.84	11.7	8.60	0.936
Native-BG01@6' (Rem No. 40039)	2/25/2026	6	0.854	4.09	7.97	0.377
Native-BG02@3' (Rem No. 40039)	2/25/2026	3	1.54	8.75	8.31	0.308
Native-BG02@6' (Rem No. 40039)	2/25/2026	6	1.15	6.22	8.01	0.482
Native-BG03@3' (Rem No. 40039)	2/25/2026	3	2.15	8.36	7.96	0.702
Native-BG03@6' (Rem No. 40039)	2/25/2026	6	1.04	6.98	7.63	0.527
Native-BG04@3' (Rem No. 40039)	2/25/2026	3	2.78	8.71	8.06	0.693
Native-BG04@6' (Rem No. 40039)	2/25/2026	6	0.727	4.14	8.29	0.211
Native-BG05@3' (Rem No. 40039)	2/25/2026	3	2.23	7.70	8.16	0.657
Native-BG05@6' (Rem No. 40039)	2/25/2026	6	0.797	3.36	7.86	0.372
Native-BG06@3' (Rem No. 40039)	2/25/2026	3	1.13	3.13	7.99	0.524
Native-BG06@6' (Rem No. 40039)	2/25/2026	6	0.92	3.43	8.02	0.268

**TABLE 2-3**  
**SOIL SAMPLE ANALYTICAL RESULTS**  
**SOIL SUITABILITY FOR RECLAMATION**  
**BRIGHT 24-4 WELLHEAD**  
**WELD COUNTY, COLORADO**  
**KERR-MCGEE OIL AND GAS ONSHORE, LP**

**Notes:**

ECMC - Energy and Carbon Management Commission

EC - electrical conductivity

SAR - sodium adsorption ratio

< - less than laboratory reporting limit

-V - verification sample collected in separate bottles

NA - Not Analyzed/Not Applicable

**Bold** - exceeds ECMC Table 915-1 allowable level and background

\*Exceeds Table 915-1 allowable level but within background

If site-specific backgrounds are less than cleanup concentrations, then cleanup concentration values will be applied.

ft - feet

bgs - below ground surface

mmhos/cm - millimhos per centimeter

mg/L - milligrams per liter

**TABLE 2-4  
SOIL SAMPLE ANALYTICAL RESULTS  
METALS  
BRIGHT 24-4 WELLHEAD  
WELD COUNTY, COLORADO  
KERR-MCGEE OIL AND GAS ONSHORE, LP**

Soil Sample ID	Date	Depth (ft. bgs)	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
ECMC Table 915-1 Cleanup Concentrations (PGSSLs)			0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
Site-Specific Background Limits^			7.09	173	0.591	0.446	NA	18.3	NA	0.399	NA	NA
<b>WELLHEAD EXCAVATION SAMPLES</b>												
<b>B01(24-4)@4'</b>	11/24/2025	4	3.04*	<62.3	<0.289	<0.34	<34.9	<10.6	<19.7	<0.187	<0.608	<281
<b>WH-Riser(24-4)@4'</b>	3/2/2026	4	2.49*	97.7*	<0.299	0.21*	<36.2	<b>27.2</b>	<20.5	0.254	<0.630	<291
<b>FLOWLINE SOIL SAMPLES</b>												
<b>FL01@3'</b>	2/27/2026	3	1.83*	<67.2	<0.311	<0.35	<37.7	<11.5	<21.3	<0.202	<0.655	<303
<b>FL02@3'</b>	2/27/2026	3	<b>7.92</b>	173*	<0.313	<0.37	<37.8	13.2	<21.4	0.213	<0.658	<304
			5.31*	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>SEPARATOR RISER SAMPLE</b>												
<b>SEP-Riser(24-4)@3'</b>	2/25/2026	3	3.97*	104*	<0.306	0.22*	<37.1	11.5	<21.0	0.204	<0.645	<298
<b>BACKGROUND SAMPLES</b>												
<b>NATIVE-BG01@3'</b>	11/24/2025	3	1.96	83.2	<0.269	<0.32	<32.6	<9.92	<18.4	<0.174	<0.567	<262
<b>NATIVE-BG01@6'</b>	11/24/2025	6	1.84	72.2	<0.302	<0.33	<36.5	<11.1	<20.6	<0.195	<0.635	<294
<b>NATIVE-BG02@3'</b>	11/24/2025	3	3.81	126	<0.285	<0.34	<34.5	<10.5	<19.5	<0.185	<0.600	<278
<b>NATIVE-BG02@6'</b>	11/24/2025	6	2.90	76.6	<0.309	<0.36	<37.4	<11.4	<21.2	<0.200	<0.651	<301
<b>NATIVE-BG03@3'</b>	11/24/2025	3	1.62	76.0	<0.299	<0.34	<36.2	<11.0	<20.4	<0.193	<0.629	<291
<b>NATIVE-BG03@6'</b>	11/24/2025	6	2.04	76.2	<0.320	<0.38	<38.8	<11.8	<21.9	<0.207	<0.675	<312
<b>NATIVE-BG04@3'</b>	11/24/2025	3	1.46	<70.6	<0.327	<0.36	<39.6	<12.1	<22.4	<0.212	<0.689	<319
<b>NATIVE-BG04@6'</b>	11/24/2025	6	3.14	111	<0.315	<0.35	<38.1	<11.6	<21.5	<0.204	<0.663	<307
<b>NATIVE-BG05@3'</b>	11/24/2025	3	2.77	88.6	<0.279	<0.34	<33.8	<10.3	<19.1	<0.181	<0.588	<272
<b>NATIVE-BG05@6'</b>	11/24/2025	6	1.90	74.3	<0.318	<0.35	<38.5	<11.7	<21.7	<0.206	<0.669	<309
<b>NATIVE-BG06@3'</b>	11/24/2025	3	2.54	84.9	<0.264	<0.31	<31.9	<9.72	<18.1	<0.171	<0.555	<257
<b>NATIVE-BG06@6'</b>	11/24/2025	6	2.72	98.0	<0.310	<0.34	<37.5	<11.4	<21.2	<0.201	<0.653	<302
<b>Native-BG01@3' (Rem No. 40039)</b>	2/25/2026	3	3.40	116	<0.319	0.209	<38.6	<11.7	<21.8	<0.206	<0.671	<310
<b>Native-BG01@6' (Rem No. 40039)</b>	2/25/2026	6	3.70	120	<0.324	0.229	<39.2	<11.9	<22.1	<0.210	<0.681	<315
<b>Native-BG02@3' (Rem No. 40039)</b>	2/25/2026	3	2.19	97.2	<0.283	<0.226	<34.3	<10.4	<19.4	0.242	<0.596	<276
<b>Native-BG02@6' (Rem No. 40039)</b>	2/25/2026	6	2.65	111	<0.302	<0.248	<36.6	<11.1	<20.7	0.237	<0.637	<294
<b>Native-BG03@3' (Rem No. 40039)</b>	2/25/2026	3	2.57	88.9	<0.325	<0.252	<39.4	12.2	<22.3	0.319	<0.685	<317
<b>Native-BG03@6' (Rem No. 40039)</b>	2/25/2026	6	3.30	136	<0.312	0.357	<37.8	<11.5	<21.4	0.215	<0.658	<304
<b>Native-BG04@3' (Rem No. 40039)</b>	2/25/2026	3	5.67	133	0.473	<0.228	<36.7	14.6	<20.7	0.287	<0.638	<295
<b>Native-BG04@6' (Rem No. 40039)</b>	2/25/2026	6	3.00	136	0.309	0.201	<36.4	<11.1	<20.6	0.222	<0.634	<293
<b>Native-BG05@3' (Rem No. 40039)</b>	2/25/2026	3	2.92	104	<0.322	<0.242	<39.0	<11.9	<22.1	<0.209	<0.679	<314
<b>Native-BG05@6' (Rem No. 40039)</b>	2/25/2026	6	3.25	138	<0.317	0.225	<38.4	<11.7	<21.7	0.279	<0.668	<309
<b>Native-BG06@3' (Rem No. 40039)</b>	2/25/2026	3	2.39	77.0	<0.294	<0.221	<35.6	<10.8	<20.1	<0.191	<0.620	<287
<b>Native-BG06@6' (Rem No. 40039)</b>	2/25/2026	6	1.79	99.3	<0.295	0.199	<35.8	<10.9	<20.2	<0.191	<0.622	<288

**TABLE 2-4**  
**SOIL SAMPLE ANALYTICAL RESULTS**  
**METALS**  
**BRIGHT 24-4 WELLHEAD**  
**WELD COUNTY, COLORADO**  
**KERR-MCGEE OIL AND GAS ONSHORE, LP**

**Notes:**

ECMC - Energy and Carbon Management Commission

PGSSLs - Protection of Groundwater Soil Screening Level Concentrations

ft - feet

bgs - below ground surface

mg/kg - milligrams per kilogram

< - less than laboratory reporting limit

NA - Not Analyzed/Not Applicable

**Bold** - exceeds ECMC Table 915-1 allowable level and background

<sup>^</sup> - site-specific background is shown as 1.25x maximum background to account for analytical variability

\*Exceeds Table 915-1 allowable level but within background

If site-specific backgrounds are less than cleanup concentrations, then cleanup concentration values will be applied.

**TABLE 3  
GROUNDWATER ANALYTICAL RESULTS  
BRIGHT 24-4 WELLHEAD  
WELD COUNTY, COLORADO  
KERR-MCGEE OIL AND GAS ONSHORE, LP**

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)
<b>ECMC Allowable Levels</b>		<b>5</b>	<b>560</b>	<b>700</b>	<b>1400</b>	<b>140</b>	<b>67</b>	<b>67</b>	<b>NA</b>	<b>250,000</b>	<b>250,000</b>	
GW-FL01@3'	2/27/2026	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	<b>7,630,000</b>	<b>2,230,000</b>	<b>1,830,000</b>	3.0
GW-FL02@3'	2/27/2026	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	<b>3,440,000</b>	<b>718,000</b>	<b>1,020,000</b>	3.0

Notes: ECMC - Energy and Carbon Management Commission

ft bgs - feet below ground surface

NA - not analyzed/not available

**BOLD** = Analytical result is in exceedance of ECMC Table 915-1 groundwater standards.

µg/L - micrograms per liter

< - less than laboratory reporting limit

Excavation groundwater depth is approximate