

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
404400960
Receive Date:
11/06/2025

Report taken by:
Chris Sanchez

Site Investigation and Remediation Workplan (Supplemental Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECMC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

Name of Operator: <u>NOBLE ENERGY INC</u>	Operator No: <u>100322</u>	Phone Numbers
Address: <u>1099 18TH STREET SUITE 1500</u>		
City: <u>DENVER</u>	State: <u>CO</u>	Zip: <u>80202</u>
Contact Person: <u>Lauren Hoff</u>	Email: <u>rbueuf27@chevron.com</u>	Phone: <u>(970) 304-5000</u>
		Mobile: <u>()</u>

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 26903 Initial Form 27 Document #: 403292203

PURPOSE INFORMATION

- Rule 913.c.(1): Pit or Cuttings Trench closure.
- Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- Rule 913.g: Changes of Operator.
- Rule 915.b: Request to leave elevated inorganics in situ.
- Other: _____

SITE INFORMATION

No Multiple Facilities

Facility Type: <u>WELL</u>	Facility ID: _____	API #: <u>123-24128</u>	County Name: <u>WELD</u>
Facility Name: <u>Sater USX CC 19-10</u>	Latitude: <u>40.296180</u>	Longitude: <u>-104.478160</u>	
	** correct Lat/Long if needed: Latitude: <u>40.296173</u>	Longitude: _____	
QtrQtr: <u>NWSE</u>	Sec: <u>19</u>	Twp: <u>4N</u>	Range: <u>63W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u>

SITE CONDITIONS

General soil type - USCS Classifications SM Most Sensitive Adjacent Land Use Rangeland
 Is domestic water well within 1/4 mile? No Is surface water within 1/4 mile? No
 Is groundwater less than 20 feet below ground surface? No

Other Potential Receptors within 1/4 mile

Well Within Pronghorn Winter Concentration Area HPH

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- E&P Waste
- Other E&P Waste
- Non-E&P Waste
- Produced Water
- Workover Fluids
- Oil
- Tank Bottoms
- Condensate
- Pigging Waste
- Drilling Fluids
- Rig Wash
- Drill Cuttings
- Spent Filters
- Pit Bottoms
- Other (as described by EPA)

DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
UNDETERMINED	GROUNDWATER	NA	Laboratory Analysis and Field Screening if Encountered
Yes	SOILS	Refer to Tables and Figures	Laboratory Analysis and Field Screening

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

Pursuant to ECMC Rule 911 a site investigation was conducted pertaining to the SATER USX CC19-10 wellhead cut and cap and flowline removal. The wellhead was cut and capped per ECMC rules. Approximately 1101' of flowline was removed (Form 44 document # 403537200 in process). Flowline closure data will be included on a Supplemental Form 27.

On 4/4/23 one (1) grab soil sample was collected at the wellhead excavation. Soil samples were analyzed by a certified laboratory for TPH (total volatile [C6-C10] and extractable [C10-C36] hydrocarbons), organic compounds in soil per ECMC Table 915-1, EC, SAR, pH, and boron. All samples collected were analyzed by a certified laboratory using approved ECMC laboratory analysis methods.

On 4/25/23 one (1) grab soil sample was collected at the flowline terminus at the separator during the facility decommissioning assessment and was reported under Rem. # 26899 (Form 27 Document Number 403498915). Soil samples were analyzed by a certified laboratory for TPH (total volatile [C6-C10] and extractable [C10-C36] hydrocarbons), organic compounds in soil per ECMC Table 915-1, EC, SAR, pH, and boron. All samples collected were analyzed by a certified laboratory using approved ECMC laboratory analysis methods.

On 5/19/25 5 soil confirmation samples were collected by hand auger from the former wellhead at 6- ft bgs (1) and along the former flowline at 4- ft bgs (4). Soil samples were analyzed by a certified laboratory for full Table 915-1 constituents. All samples collected were analyzed by a certified laboratory using approved ECMC laboratory analysis methods.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

Proposed Groundwater Sampling

Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

If groundwater is encountered during the site investigation, a grab groundwater sample will be collected and analyzed for all organic and inorganic compounds per ECMC Table 915-1; This sample analysis includes, but is not limited to BTEX, naphthalene, 1,2,4-trimethylbenzene (TMB), and 1,3,5-TMB by EPA Method 8260, chloride and sulfate anions by EPA method 300.0, and total dissolved solids (TDS) by Method SM 2540C.

Proposed Surface Water Sampling

Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Additional Investigative Actions

Additional alternative investigative actions described in attached Site Investigation Plan (summary):

All areas suspected of having potential impacts, including the wellhead, associated flowlines, and production equipment, were visually inspected and field screened with a PID. Using these observations and field screening results, soil samples were collected from areas most likely to be impacted. Visual inspection of the wellhead and flowline areas occurred during assessment activities. Field personnel screened all disturbed areas using visual and olfactory senses to determine if laboratory confirmation sampling is required. A detailed summary of decommissioning activities at the wellhead and flowline risers, including an ECMC Tank Battery Closure and Wellhead Closure Checklist, site photos, figures, and laboratory analytical results, were attached to Supplemental Form 27 # 403728009 and 403498915.

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

Soil

Number of soil samples collected 5
Number of soil samples exceeding 915-1 5
Was the areal and vertical extent of soil contamination delineated? No
Approximate areal extent (square feet) 500

NA / ND

-- Highest concentration of TPH (mg/kg) 14.7
-- Highest concentration of SAR 0.187
BTEX > 915-1 No
Vertical Extent > 915-1 (in feet) 6

Groundwater

Number of groundwater samples collected 0
Was extent of groundwater contaminated delineated? Yes
Depth to groundwater (below ground surface, in feet) _____
Number of groundwater monitoring wells installed _____
Number of groundwater samples exceeding 915-1 _____

____ Highest concentration of Benzene (µg/l) _____
____ Highest concentration of Toluene (µg/l) _____
____ Highest concentration of Ethylbenzene (µg/l) _____
____ Highest concentration of Xylene (µg/l) _____
____ Highest concentration of Methane (mg/l) _____

Surface Water

0 Number of surface water samples collected
____ Number of surface water samples exceeding 915-1
If surface water is impacted, other agency notification may be required.

OTHER INVESTIGATION INFORMATION

Were impacts to adjacent property or offsite impacts identified?

Were background samples collected as part of this site investigation?

Background soil samples were obtained sufficiently away from the investigation areas to reflect native conditions not impacted by oil and gas activity, and from similar depths and lithologic materials for comparison to confirmation soil sample results. Background samples were analyzed for ECMC Table 915-1 SSR parameters and metals. Maximum background concentrations for compounds that exceed ECMC Table 915-1 in soil samples collected for closure assessment include: arsenic max X 1.25 (2.21 mg/kg, 4ft bgs)

Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) _____ Volume of liquid waste (barrels) _____

Is further site investigation required?

Operator is evaluating next steps for further assessment of pH and barium against background samples for applicability to Soil Reclamation Criteria.

REMEDIAL ACTION PLAN

Does this Supplemental Form 27A include changes to a previously approved Remedial Action Plan? No

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

No impacted material caused by oil and gas operations was identified at this time.

REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

NFA will be considered when soil concentrations are in compliance with local background comparison. It does not appear further remediation is necessary at this time.

Soil Remediation Summary

In Situ

_____ Bioremediation (or enhanced bioremediation)
_____ Chemical oxidation
_____ Air sparge / Soil vapor extraction
_____ Natural Attenuation
_____ Other _____

Ex Situ

_____ Excavate and offsite disposal
_____ If Yes: Estimated Volume (Cubic Yards) _____
_____ Name of Licensed Disposal Facility or ECMC Facility ID # _____
_____ Excavate and onsite remediation
_____ Land Treatment
_____ Bioremediation (or enhanced bioremediation)
_____ Chemical oxidation
_____ Other _____

Groundwater Remediation Summary

_____ Bioremediation (or enhanced bioremediation)
_____ Chemical oxidation
_____ Air sparge / Soil vapor extraction
_____ Natural Attenuation
_____ Other _____

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

Groundwater was not encountered during the initial decommissioning event or subsequent supplemental site investigation activity.

REMEDIATION PROGRESS UPDATE

PERIODIC REPORTING

Approved Reporting Schedule:

Quarterly Semi-Annually Annually Other

Request Alternative Reporting Schedule:

Semi-Annually Annually Other

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

Report Type: Groundwater Monitoring Land Treatment Progress Report O&M Report

Other Quarterly Update, Supplemental Site Investigation Results

Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

Noble intends to directly address the costs of remediation at the locations as part of our asset retirement obligation process and operations. Noble has general liability insurance (policies MWZZ316714 and MWZX316724) and financial assurance in compliance with ECMC rules. Records are available on the ECMC's website. The cost for remediation is an estimate only, costs may change upwards or downward based on site-specific information. Noble makes no representation or guarantees as to the accuracy of the estimate.

Operator anticipates the remaining cost for this project to be: \$ 50000

WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? No

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Volume of E&P Waste (solid) in cubic yards _____

E&P waste (solid) description _____

ECMC Disposal Facility ID #, if applicable: _____

Non-ECMC Disposal Facility: _____

Volume of E&P Waste (liquid) in barrels _____

E&P waste (liquid) description _____

ECMC Disposal Facility ID #, if applicable: _____

Non-ECMC Disposal Facility: _____

REMEDIATION COMPLETION REPORT

REMEDIATION COMPLETION SUMMARY

Is this a Final Closure Request for this Remediation Project? No

If YES:

Compliant with Rule 913.h.(1).

Compliant with Rule 913.h.(2).

Compliant with Rule 913.h.(3).

Do all soils meet Table 915-1 standards? No

Does the previous reply indicate consideration of background concentrations? _____

Does Groundwater meet Table 915-1 standards? Yes

Is additional groundwater monitoring to be conducted? _____

Operator shall comply with the ECMC 1000-Series Reclamation Requirements for all impacted and disturbed areas.

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

Reclamation will be in accordance with ECMC 1000 Series Rules.

Is the described reclamation complete? Yes

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

Interim Final

Did the Surface Owner provide the seed mix? _____

If YES, does the seed mix comply with local soil conservation district recommendations? _____

Did the local soil conservation district provide the seed mix? _____

SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. 04/04/2023

Proposed date of completion of Reclamation. 04/27/2028

IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

PRIOR DATES

Date of Surface Owner notification/consultation, if required. 12/08/2022

Actual Spill or Release date, or date of discovery. _____

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 04/04/2023

Proposed site investigation commencement. 01/16/2023

Proposed completion of site investigation. 03/31/2026

REMEDIAL ACTION DATES

Proposed start date of Remediation. 03/31/2026

Proposed date of completion of Remediation. 06/30/2026

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

The implementation schedule has been changed due to the completion of the May 2025 supplemental site investigation (SSI) at the Sater USX CC 19-10 wellhead and flowline and potential necessity for additional supplemental site investigation activities adjacent to the wellhead and flowline.

OPERATOR COMMENT

This 4Q25 SF27 for Sater USX CC 19-10 is a quarterly update on supplemental site investigation activities for the site.

On 4/4/23 one (1) grab soil sample was collected at the wellhead excavation. No exceedances were reported.

On 4/25/23 one (1) grab soil sample was collected at the flowline terminus at the separator during the facility decommissioning assessment and was reported under Rem. # 26899 (Form 27 Document Number 403498915). No exceedances were reported.

On 5/19/25 5 soil confirmation samples were collected by hand auger from the former wellhead at 6- ft bgs (1) and along the former flowline at 4- ft bgs (4). Five samples were reported in exceedance of ECMC Table 915-1 soil standards for pH. Five samples were reported in exceedance of ECMC Table 915-1 RSSL standards for arsenic, but found to be below site-specific background arsenic max X 1.25 (2.21 mg/kg, 4- ft bgs). One sample was reported in exceedances of ECMC Table 915-1 GSSL standards for barium.

All areas suspected of having potential impacts, including the wellhead, associated flowlines, and production equipment, were visually inspected and field screened with a PID. Using these observations and field screening results, soil samples were collected from areas most likely to be impacted. Visual inspection of the wellhead and flowline areas occurred during assessment activities. Field personnel screened all disturbed areas using visual and olfactory senses to determine if laboratory confirmation sampling is required. A detailed summary of decommissioning activities at the wellhead and flowline risers, including an ECMC Tank Battery Closure and Wellhead Closure Checklist, site photos, figures, and laboratory analytical results, were attached to Supplemental Form 27 # 403728009 and 403498915.

Operator is currently evaluating next steps for further assessment of pH and barium against background samples for applicability to Soil Reclamation Criteria.

Pursuant to Rule 913.e, quarterly reporting will be conducted until closure criteria are achieved for the remediation project.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Nicholas Umholtz

Title: Environmental Consultant

Submit Date: 11/06/2025

Email: cvxform27@erm.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Chris Sanchez

Date: 05/07/2026

Remediation Project Number: 26903

COA Type**Description**

	Operator shall not delay execution of remedial or investigative actions for ECMC approval. Per Rule 912.a.(1-2): Immediately upon discovering any Spills or Releases of E&P Waste, produced Fluids, or unauthorized Releases of natural gas that meet the criteria of Rules 912.b.(1).H, I, or J, regardless of size or volume, Operators will control and contain the Spill or Release to protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. Operators will investigate, clean up, and document impacts resulting from Spills and Releases as soon as the impacts are discovered.
	Operator shall continue Quarterly Reporting until the Site Assessment is completed, and the remediation area demonstrates Compliance with Full Table 915-1 Standards.
2 COAs	

ATTACHMENT LIST

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num**Name**

404400960	FORM 27-SUPPLEMENTAL-SUBMITTED
404401272	ANALYTICAL RESULTS
404401273	ANALYTICAL RESULTS
404401274	ANALYTICAL RESULTS
404421757	SITE INVESTIGATION REPORT

Total Attach: 5 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)