

ORIGINS LABORATORY

Olsson Associates

October 15, 2025

Trent Watne

1525 Raleigh St, Suite 400

Denver CO 80204

Project Name - Bishop LOC

Project Number - A22-06245

Attached are your analytical results for Bishop LOC received by Origins Laboratory May 21, 2025. This project is associated with Origins project number E5E0760-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

The laboratory is TNI accredited by the Utah DHHS ELAP under certificate number CO010822024.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory
303.433.1322
projectmanager@originslab.com



1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645



Olsson Associates
1525 Raleigh St, Suite 400
Denver CO 80204

Trent Watne
Project Number: A22-06245
Project: Bishop LOC

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
T042-244844	E5E0760-01	Water	May 21, 2025 14:30	05/21/2025 15:50
TripBlank01	E5E0760-02	Water	May 21, 2025 13:30	05/21/2025 15:50

Chain of Custody Modification Request

On 5/27/2025, Trent Watne from Olsson contacted Jordan Bynon via email regarding E5E0760 requesting that the sample ID be revised to T042-244844. Requested modifications to the chain of custody were made by Jordan Bynon on 6/2/2025.

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sample Receipt Checklist

Origins Work Order: ESE0760

Client: OLSSON

Client Project ID: BISHOP LOC

Checklist Completed by: SKM/JWA

Shipped Via: HD
(UPS, FedEx, Hand Delivered, Pick-up, etc.)

Date/time completed: 05/21/25

Airbill #: N/A

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other: _____

Cooler Number/Temperature: 1 / 17.1 °C (Describe)

Thermometer ID: T-007

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?		<input checked="" type="checkbox"/>		SD
Is there ice present (document if blue ice is used)		<input checked="" type="checkbox"/>		
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?	<input checked="" type="checkbox"/>			BAK, No. 1, 2, 3
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.		<input checked="" type="checkbox"/>		
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/ (pH <2 for samples preserved with HNO ₃ , HCL, H ₂ SO ₄) / (pH >10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH)	<input checked="" type="checkbox"/>			NC
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by (Project Manager) [Signature]

Date/Time Reviewed 05/22/25



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

T042-244844

5/21/2025 2:30:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
E5E0760-01 (Water)									
GEL Laboratories, LLC									
Alkalinity by SM 2320B									
Alkalinity, Total as CaCO ₃	256		2.00	mg/L	1	2805044	05/21/2025	05/29/2025	
Bicarbonate alkalinity (CaCO ₃)	240		2.00	"	"	"	"	"	
Carbonate alkalinity (CaCO ₃)	16.0		2.00	"	"	"	"	"	
Dissolved Metals by 200.8									
Barium	16.2		4.00	ug/L	1	2802891	05/28/2025	06/02/2025	
Boron	91.7		15.0	"	"	"	"	"	
Calcium	5830		200	"	"	"	"	"	
Iron	ND		100	"	"	"	"	"	U
Magnesium	1090		30.0	"	"	"	"	"	
Manganese	20.7		5.00	"	"	"	"	"	
Potassium	1440		300	"	"	"	"	"	
Selenium	ND		5.00	"	"	"	"	"	U
Sodium	180000		2500	"	10	"	"	"	
Strontium	166		10.0	"	1	"	"	"	
DRO by 8015D									
Diesel Range Organics	ND		192	ug/L	1	2803033	"	05/29/2025	U
Surrogate: o-Terphenyl	92 %				35-112	"	"	"	

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

T042-244844

5/21/2025 2:30:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
E5E0760-01 (Water)									
GEL Laboratories, LLC									
GRO by 8015D									
Gasoline Range Organics	ND		100	ug/L	1	2802797	05/21/2025	05/27/2025	U
Surrogate: Bromofluorobenzene	111 %			73-125		"	"	"	
Nitrate/Nitrite by EPA 353.2									
Nitrogen, Nitrate/Nitrite	ND		0.100	mg/L	5	2803131	"	05/27/2025	U
SVOC by 8270E									
1,2,4-Trichlorobenzene	ND		9.69	ug/L	1	2802268	05/27/2025	05/27/2025	U
1,2-Dichlorobenzene	ND		9.69	"	"	"	"	"	U
1,2-Diphenylhydrazine	ND		9.69	"	"	"	"	"	U
1,3-Dichlorobenzene	ND		9.69	"	"	"	"	"	U
1,4-Dichlorobenzene	ND		9.69	"	"	"	"	"	U
1,4-Dioxane	ND		9.69	"	"	"	"	"	U
1-Methylnaphthalene	ND		0.969	"	"	"	"	"	U
2,4,5-Trichlorophenol	ND		9.69	"	"	"	"	"	U
2,4,6-Trichlorophenol	ND		9.69	"	"	"	"	"	U
2,4-Dichlorophenol	ND		9.69	"	"	"	"	"	U
2,4-Dimethylphenol	ND		9.69	"	"	"	"	"	U
2,4-Dinitrophenol	ND		19.4	"	"	"	"	"	U

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

T042-244844

5/21/2025 2:30:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
E5E0760-01 (Water)									
GEL Laboratories, LLC									
SVOC by 8270E									
2,4-Dinitrotoluene	ND		9.69	ug/L	1	2802268	05/27/2025	05/27/2025	U
2,6-Dinitrotoluene	ND		9.69	"	"	"	"	"	U
2-Chloronaphthalene	ND		0.969	"	"	"	"	"	U
2-Chlorophenol	ND		9.69	"	"	"	"	"	U
2-Methylnaphthalene	ND		0.969	"	"	"	"	"	U
2-Nitrophenol	ND		9.69	"	"	"	"	"	U
3,3'-Dichlorobenzidine	ND		9.69	"	"	"	"	"	U
4-Bromophenylphenylether	ND		9.69	"	"	"	"	"	U
4-Chlorophenylphenylether	ND		9.69	"	"	"	"	"	U
4-Nitrophenol	ND		9.69	"	"	"	"	"	U
Acenaphthene	ND		0.969	"	"	"	"	"	U
Acenaphthylene	ND		0.969	"	"	"	"	"	U
Anthracene	ND		0.969	"	"	"	"	"	U
Benzidine	ND		9.69	"	"	"	"	"	U
Benzo(a)anthracene	ND		0.969	"	"	"	"	"	U
Benzo(a)pyrene	ND		0.969	"	"	"	"	"	U
Benzo(b)fluoranthene	ND		0.969	"	"	"	"	"	U
Benzo(ghi)perylene	ND		0.969	"	"	"	"	"	U
Benzo(k)fluoranthene	ND		0.969	"	"	"	"	"	U

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

T042-244844

5/21/2025 2:30:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
E5E0760-01 (Water)									
GEL Laboratories, LLC									
SVOC by 8270E									
bis(2-Chloro-1-methylethyl)ether	ND		9.69	ug/L	1	2802268	05/27/2025	05/27/2025	U
bis(2-Chloroethoxy)methane	ND		9.69	"	"	"	"	"	U
bis(2-Chloroethyl) ether	ND		9.69	"	"	"	"	"	U
bis(2-Ethylhexyl)phthalate	ND		0.969	"	"	"	"	"	U
Butylbenzylphthalate	ND		0.969	"	"	"	"	"	U
Chrysene	ND		0.969	"	"	"	"	"	U
Dibenzo(a,h)anthracene	ND		0.969	"	"	"	"	"	U
Diethylphthalate	ND		0.969	"	"	"	"	"	U
Dimethylphthalate	ND		0.969	"	"	"	"	"	U
Di-n-butylphthalate	ND		0.969	"	"	"	"	"	U
Di-n-octylphthalate	ND		0.969	"	"	"	"	"	U
Diphenylamine	ND		9.69	"	"	"	"	"	U
Fluoranthene	ND		0.969	"	"	"	"	"	U
Fluorene	ND		0.969	"	"	"	"	"	U
Hexachlorobenzene	ND		9.69	"	"	"	"	"	U
Hexachlorobutadiene	ND		9.69	"	"	"	"	"	U
Hexachlorocyclopentadiene	ND		9.69	"	"	"	"	"	U
Hexachloroethane	ND		9.69	"	"	"	"	"	U
Indeno(1,2,3-cd)pyrene	ND		0.969	"	"	"	"	"	U

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

T042-244844

5/21/2025 2:30:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

**E5E0760-01 (Water)
 GEL Laboratories, LLC**

SVOC by 8270E

Isophorone	ND		9.69	ug/L	1	2802268	05/27/2025	05/27/2025	U
m,p-Cresols	ND		9.69	"	"	"	"	"	U
Naphthalene	ND		0.969	"	"	"	"	"	U
Nitrobenzene	ND		9.69	"	"	"	"	"	U
N-Methyl-N-nitrosomethylamine	ND		9.69	"	"	"	"	"	U
N-Nitrosodipropylamine	ND		9.69	"	"	"	"	"	U
o-Cresol	ND		9.69	"	"	"	"	"	U
Pentachlorophenol	ND		9.69	"	"	"	"	"	U
Phenanthrene	ND		0.969	"	"	"	"	"	U
Phenol	ND		9.69	"	"	"	"	"	U
Pyrene	ND		0.969	"	"	"	"	"	U
Pyridine	ND		9.69	"	"	"	"	"	U

Surrogate: 2,4,6-Tribromophenol	66 %				31-126	"	"	"	
Surrogate: 2-Fluorobiphenyl	62 %				35-107	"	"	"	
Surrogate: 2-Fluorophenol	31 %				15-72	"	"	"	
Surrogate: Nitrobenzene-d5	61 %				34-107	"	"	"	
Surrogate: Phenol-d5	20 %				15-85	"	"	"	
Surrogate: p-Terphenyl-d14	64 %				20-118	"	"	"	

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

T042-244844

5/21/2025 2:30:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

E5E0760-01 (Water)
GEL Laboratories, LLC

Total Phosphorus by EPA 365.4

Phosphorus, Total as P	0.0800		0.0500	mg/L	1	2802919	05/27/2025	05/27/2025	
------------------------	--------	--	--------	------	---	---------	------------	------------	--

Origins Lab

Bacterial Activity Reaction Tests

Iron Related Bacteria	<1			CFU/mL	1	11111	05/21/2025	06/02/2025	
Slime Forming Bacteria	<20			"	"	"	"	05/29/2025	
Sulfate Reducing Bacteria	<5			"	"	"	"	06/02/2025	

Origins Laboratory

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND		2.00	ug/L	1	B5E2252	05/22/2025	05/23/2025	Ua
1,3,5-Trimethylbenzene	ND		2.00	"	"	"	"	"	Ua
Benzene	ND		1.00	"	"	"	"	"	Ua
Ethylbenzene	ND		1.00	"	"	"	"	"	Ua
Naphthalene	ND		2.00	"	"	"	"	"	Ua
Toluene	ND		1.00	"	"	"	"	"	Ua
Xylenes, total	ND		1.00	"	"	"	"	"	Ua

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

T042-244844

5/21/2025 2:30:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

E5E0760-01 (Water)
Origins Laboratory

BTEX+N+TMBs by 8260D

Surrogate: 1,2-Dichloroethane-d4	110 %			70-130		B5E2252	05/22/2025	05/23/2025	
Surrogate: Toluene-d8	96.8 %			70-130		"	"	"	
Surrogate: 4-Bromofluorobenzene	96.6 %			70-130		"	"	"	

pH in Water by EPA 9040C

pH	8.66			pH Units	1	B5E2132	05/21/2025	05/27/2025	
----	------	--	--	----------	---	---------	------------	------------	--

Specific Conductance Mod. 9050A

Specific Conductance (EC)	884		5.00	uS/cm	"	"	"	"	
---------------------------	-----	--	------	-------	---	---	---	---	--

Total Dissolved Solids by 2540C

Total Dissolved Solids	514		5.00	mg/L	"	B5E2338	05/23/2025	05/28/2025	
------------------------	-----	--	------	------	---	---------	------------	------------	--

Pace Analytical

Dissolved Gasses by RSK 175

Ethane	ND	10.0	10.0	ug/L	1	11111	05/23/2025	05/28/2025	
Methane	13	10.0	10.0	"	"	"	"	"	
n-Propane	ND	10.0	10.0	"	"	"	"	"	

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

TripBlank01
5/21/2025 1:30:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

E5E0760-02 (Water)
Origins Laboratory

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND		2.00	ug/L	1	B5E2252	05/22/2025	05/23/2025	Ua
1,3,5-Trimethylbenzene	ND		2.00	"	"	"	"	"	Ua
Benzene	ND		1.00	"	"	"	"	"	Ua
Ethylbenzene	ND		1.00	"	"	"	"	"	Ua
Naphthalene	ND		2.00	"	"	"	"	"	Ua
Toluene	ND		1.00	"	"	"	"	"	Ua
Xylenes, total	ND		1.00	"	"	"	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	110 %				70-130	"	"	"	
Surrogate: Toluene-d8	97.8 %				70-130	"	"	"	
Surrogate: 4-Bromofluorobenzene	90.0 %				70-130	"	"	"	

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

Classical Chemistry Parameters - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B5E2132 - Default Prep GenChem

Blank (B5E2132-BLK1)

Prepared: 05/21/2025 Analyzed: 05/27/2025

pH	0.00		pH Units							Ua
Specific Conductance (EC)	ND	5.00	uS/cm							Ua

Duplicate (B5E2132-DUP1)

Source: E5E0760-01

Prepared: 05/21/2025 Analyzed: 05/27/2025

Specific Conductance (EC)	889	5.00	uS/cm		884			0.575	10	
---------------------------	-----	------	-------	--	-----	--	--	-------	----	--

Batch B5E2203 - Filter .45um non acidified

Blank (B5E2203-BLK1)

Prepared: 05/22/2025 Analyzed: 05/22/2025

Chloride	ND	0.250	mg/L							Ua
Fluoride	ND	0.100	"							Ua
Sulfate	ND	0.250	"							Ua

LCS (B5E2203-BS1)

Prepared: 05/22/2025 Analyzed: 05/22/2025

Chloride	3.81	0.250	mg/L	4.00		95.3	90-110			
Fluoride	3.94	0.100	"	4.00		98.5	90-110			
Sulfate	3.85	0.250	"	4.00		96.4	90-110			

Matrix Spike (B5E2203-MS1)

Source: E5E0760-01

Prepared: 05/22/2025 Analyzed: 05/22/2025

Chloride	496		mg/L	500	17.9	95.6	90-110			
Fluoride	494		"	500	0.586	98.6	90-110			
Sulfate	678		"	500	168	102	90-110			

Matrix Spike Dup (B5E2203-MSD1)

Source: E5E0760-01

Prepared: 05/22/2025 Analyzed: 05/22/2025

Chloride	483		mg/L	500	17.9	93.1	90-110	2.62	5	
Fluoride	480		"	500	0.586	95.8	90-110	2.88	5	
Sulfate	663		"	500	168	99.0	90-110	2.31	5	

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

Classical Chemistry Parameters - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B5E2338 - NO PREP										
Blank (B5E2338-BLK1)										
					Prepared: 05/23/2025 Analyzed: 05/28/2025					
Total Dissolved Solids	ND	5.00	mg/L							Ua
LCS (B5E2338-BS1)										
					Prepared: 05/23/2025 Analyzed: 05/28/2025					
Total Dissolved Solids	996	5.00	mg/L	1030		96.7	90-110			
Duplicate (B5E2338-DUP1)										
					Source: E5E0756-07 Prepared: 05/23/2025 Analyzed: 05/28/2025					
Total Dissolved Solids	3090	5.00	mg/L		3100			0.129	10	

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B5E2252 - EPA 5030B (Water)

Blank (B5E2252-BLK1)

Prepared: 05/22/2025 Analyzed: 05/23/2025

1,2,4-Trimethylbenzene	ND	2.00	ug/L							Ua
1,3,5-Trimethylbenzene	ND	2.00	"							Ua
Benzene	ND	1.00	"							Ua
Ethylbenzene	ND	1.00	"							Ua
Naphthalene	ND	2.00	"							Ua
Toluene	ND	1.00	"							Ua
Xylenes, total	ND	1.00	"							Ua

Surrogate: 1,2-Dichloroethane-d4	67		"	62.5	107	70-130
Surrogate: Toluene-d8	61		"	62.5	97.3	70-130
Surrogate: 4-Bromofluorobenzene	62		"	62.5	99.9	70-130

LCS (B5E2252-BS1)

Prepared: 05/22/2025 Analyzed: 05/23/2025

1,2,4-Trimethylbenzene	50.0	2.00	ug/L	50.0	99.9	70-130
1,3,5-Trimethylbenzene	49.8	2.00	"	50.0	99.5	70-130
Benzene	45.8	1.00	"	50.0	91.6	70-130
Ethylbenzene	46.2	1.00	"	50.0	92.3	70-130
m,p-Xylene	92.0	2.00	"	100	92.0	70-130
Naphthalene	50.6	2.00	"	50.0	101	70-130
o-Xylene	47.1	1.00	"	50.0	94.2	70-130
Toluene	50.3	1.00	"	50.0	101	70-130

Surrogate: 1,2-Dichloroethane-d4	67		"	62.5	107	70-130
Surrogate: Toluene-d8	68		"	62.5	110	70-130
Surrogate: 4-Bromofluorobenzene	61		"	62.5	97.8	70-130

Matrix Spike (B5E2252-MS1)

Source: E5E0756-01

Prepared: 05/22/2025 Analyzed: 05/23/2025

1,2,4-Trimethylbenzene	55.7	2.00	ug/L	50.0	ND	111	70-130
1,3,5-Trimethylbenzene	56.0	2.00	"	50.0	ND	112	70-130

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini, Project Manager



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B5E2252 - EPA 5030B (Water)

Matrix Spike (B5E2252-MS1)

Source: E5E0756-01

Prepared: 05/22/2025 Analyzed: 05/23/2025

Benzene	45.8	1.00	ug/L	50.0	ND	91.5	70-130			
Ethylbenzene	52.1	1.00	"	50.0	ND	104	70-130			
m,p-Xylene	104	2.00	"	100	ND	104	70-130			
Naphthalene	52.8	2.00	"	50.0	ND	106	70-130			
o-Xylene	52.2	1.00	"	50.0	ND	104	70-130			
Toluene	48.4	1.00	"	50.0	ND	96.9	70-130			

Surrogate: 1,2-Dichloroethane-d4	64		"	62.5		102	70-130			
Surrogate: Toluene-d8	64		"	62.5		102	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		99.4	70-130			

Matrix Spike Dup (B5E2252-MSD1)

Source: E5E0756-01

Prepared: 05/22/2025 Analyzed: 05/23/2025

1,2,4-Trimethylbenzene	55.4	2.00	ug/L	50.0	ND	111	70-130	0.486	20	
1,3,5-Trimethylbenzene	55.2	2.00	"	50.0	ND	110	70-130	1.29	20	
Benzene	45.0	1.00	"	50.0	ND	90.0	70-130	1.65	20	
Ethylbenzene	49.9	1.00	"	50.0	ND	99.7	70-130	4.35	20	
m,p-Xylene	100	2.00	"	100	ND	100	70-130	3.81	20	
Naphthalene	60.4	2.00	"	50.0	ND	121	70-130	13.5	20	
o-Xylene	50.6	1.00	"	50.0	ND	101	70-130	3.06	20	
Toluene	47.5	1.00	"	50.0	ND	95.0	70-130	1.92	20	

Surrogate: 1,2-Dichloroethane-d4	68		"	62.5		109	70-130			
Surrogate: Toluene-d8	61		"	62.5		98.2	70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5		98.2	70-130			

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

Alkalinity by SM 2320B - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2805044 -										
LCS (1206122163-BKS)					Prepared: Analyzed: 05/29/2025					
Alkalinity, Total as CaCO3	54.0	2.00	mg/L	50.0		108	90-110			
DUP (1206122164 D)					Source: 725884002 Prepared: Analyzed: 05/29/2025					
Bicarbonate alkalinity (CaCO3)	ND	20.0	mg/L		<7.25		0-20	N/A	20	U
Alkalinity, Total as CaCO3	11700	20.0	"		11700		0-20	0.0854	20	
Carbonate alkalinity (CaCO3)	11300	20.0	"		11300		0-20	0	20	
MS (1206122165 S)					Source: 725884002 Prepared: Analyzed: 05/29/2025					
Alkalinity, Total as CaCO3	12800	20.0	mg/L	500	11700	0	80-120			

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

Dissolved Metals by 200.8 - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802891 -

FLTB (1206116229-BLK)

Prepared: 05/28/2025 Analyzed: 06/02/2025

Sodium	ND	250	ug/L	-	-	-	-	-	-	U
Potassium	ND	300	"	-	-	-	-	-	-	U
Manganese	ND	5.00	"	-	-	-	-	-	-	U
Magnesium	ND	30.0	"	-	-	-	-	-	-	U
Iron	ND	100	"	-	-	-	-	-	-	U
Calcium	ND	200	"	-	-	-	-	-	-	U
Barium	ND	4.00	"	-	-	-	-	-	-	U
Strontium	ND	10.0	"	-	-	-	-	-	-	U
Boron	ND	15.0	"	-	-	-	-	-	-	U
Selenium	ND	5.00	"	-	-	-	-	-	-	U

BLANK (1206117208-BLK)

Prepared: 05/28/2025 Analyzed: 06/02/2025

Selenium	ND	5.00	ug/L	-	-	-	-	-	-	U
Barium	ND	4.00	"	-	-	-	-	-	-	U
Boron	ND	15.0	"	-	-	-	-	-	-	U
Calcium	ND	200	"	-	-	-	-	-	-	U
Iron	ND	100	"	-	-	-	-	-	-	U
Magnesium	ND	30.0	"	-	-	-	-	-	-	U
Potassium	ND	300	"	-	-	-	-	-	-	U
Sodium	ND	250	"	-	-	-	-	-	-	U
Strontium	ND	10.0	"	-	-	-	-	-	-	U
Manganese	ND	5.00	"	-	-	-	-	-	-	U

LCS (1206117209-BKS)

Prepared: 05/28/2025 Analyzed: 06/02/2025

Strontium	48.2	10.0	ug/L	50.0	96.5	85-115
Barium	52.2	4.00	"	50.0	104	85-115
Boron	101	15.0	"	100	101	85-115

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

Dissolved Metals by 200.8 - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802891 - EPA 200.2

LCS (1206117209-BKS)

Prepared: 05/28/2025 Analyzed: 06/02/2025

Calcium	2220	200	ug/L	2000		111	85-115			
Iron	2090	100	"	2000		105	85-115			
Magnesium	2060	30.0	"	2000		103	85-115			
Manganese	51.8	5.00	"	50.0		104	85-115			
Potassium	2100	300	"	2000		105	85-115			
Sodium	2010	250	"	2000		101	85-115			
Selenium	51.5	5.00	"	50.0		103	85-115			

MS (1206117210 S)

Source: E5E0760-01

Prepared: 05/28/2025 Analyzed: 06/02/2025

Manganese	68.9	5.00	ug/L	50.0	20.7	96.3	75-125			
Barium	62.9	4.00	"	50.0	16.2	93.5	75-125			
Boron	187	15.0	"	100	91.7	95.1	75-125			
Calcium	7680	200	"	2000	5830	92.2	75-125			
Magnesium	2960	30.0	"	2000	1090	93.3	75-125			
Potassium	3400	300	"	2000	1440	98.1	75-125			
Selenium	48.2	5.00	"	50.0	<1.50	95.5	75-125			
Sodium	184000	2500	"	2000	180000	0	75-125			
Strontium	207	10.0	"	50.0	166	82.8	75-125			
Iron	1960	100	"	2000	<33.0	97.5	75-125			

MSD (1206117211 SD)

Source: E5E0760-01

Prepared: 05/28/2025 Analyzed: 06/02/2025

Potassium	3520	300	ug/L	2000	1440	104	75-125	3.53	20	
Manganese	70.8	5.00	"	50.0	20.7	100	75-125	2.71	20	
Strontium	216	10.0	"	50.0	166	101	75-125	4.27	20	
Selenium	50.8	5.00	"	50.0	<1.50	101	75-125	5.14	20	
Calcium	7930	200	"	2000	5830	105	75-125	3.22	20	
Iron	2020	100	"	2000	<33.0	101	75-125	3.22	20	

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

Dissolved Metals by 200.8 - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802891 - EPA 200.2

MSD (1206117211 SD)

Source: E5E0760-01

Prepared: 05/28/2025 Analyzed: 06/02/2025

Barium	66.7	4.00	ug/L	50.0	16.2	101	75-125	5.74	20	
Boron	190	15.0	"	100	91.7	97.9	75-125	1.48	20	
Magnesium	3040	30.0	"	2000	1090	97.7	75-125	2.97	20	
Sodium	188000	2500	"	2000	180000	0	75-125	1.75	20	

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

DRO by 8015D - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2803033 - SW846 3535A										
BLANK (1206117523-BLK)										
					Prepared: 05/28/2025 Analyzed: 05/29/2025					
Diesel Range Organics	ND	200	ug/L				-			U
Surrogate: o-Terphenyl	17.1		"	20.0		86	35-112			
LCS (1206117524-BKS)										
					Prepared: 05/28/2025 Analyzed: 05/29/2025					
Diesel Range Organics	897	200	ug/L	1000		90	36-109			
Surrogate: o-Terphenyl	17.2		"	20.0		86	35-112			
MS (1206117525 S)										
					Source: 725642003		Prepared: 05/28/2025 Analyzed: 05/29/2025			
Diesel Range Organics	918	217	ug/L	1090	88.4	76	35-102			
Surrogate: o-Terphenyl	18.5		"	21.7	18.1	85	35-112			
MSD (1206117526 SD)										
					Source: 725642003		Prepared: 05/28/2025 Analyzed: 05/29/2025			
Diesel Range Organics	1010	217	ug/L	1090	88.4	85	35-102	10	20	
Surrogate: o-Terphenyl	20.6		"	21.7	18.1	95	35-112			

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

GRO by 8015D - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2802797 -										
LCS (1206116971-BKS)					Prepared: Analyzed: 05/27/2025					
Gasoline Range Organics	478	100	ug/L	500		96	84-116			
Surrogate: Bromofluorobenzene	55.1		"	50.0		110	73-125			
BLANK (1206116972-BLK)					Prepared: Analyzed: 05/27/2025					
Gasoline Range Organics	ND	100	ug/L				-			U
Surrogate: Bromofluorobenzene	54.1		"	50.0		108	73-125			
MS (1206116973 S)					Source: 725642004		Prepared: Analyzed: 05/27/2025			
Gasoline Range Organics	532	100	ug/L	500	<16.7	106	-			
Surrogate: Bromofluorobenzene	61.1		"	50.0	55.4	122	73-125			
MSD (1206116974 SD)					Source: 725642004		Prepared: Analyzed: 05/27/2025			
Gasoline Range Organics	552	100	ug/L	500	<16.7	110	-	4		
Surrogate: Bromofluorobenzene	60.5		"	50.0	55.4	121	73-125			

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

Nitrate/Nitrite by EPA 353.2 - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2803131 -										
BLANK (1206117804-BLK)										
					Prepared: Analyzed: 05/27/2025					
Nitrogen, Nitrate/Nitrite	ND	0.0200	mg/L				-			U
LCS (1206117805-BKS)										
					Prepared: Analyzed: 05/27/2025					
Nitrogen, Nitrate/Nitrite	1.07	0.0200	mg/L	1.00		107	90-110			
DUP (1206117806 D)										
					Source: 725341001 Prepared: Analyzed: 05/27/2025					
Nitrogen, Nitrate/Nitrite	ND	0.100	mg/L		<0.0350		0-20	N/A	20	U
PS (1206117807 S)										
					Source: 725341001 Prepared: Analyzed: 05/27/2025					
Nitrogen, Nitrate/Nitrite	5.10	0.100	mg/L	1.00		102	90-110			

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

BLANK (1206115869-BLK)

Prepared: 05/27/2025 Analyzed: 05/27/2025

Di-n-octylphthalate	ND	1.00	ug/L	-	-	-	-	-	-	U
Hexachloroethane	ND	10.0	"	-	-	-	-	-	-	U
Hexachlorocyclopentadiene	ND	10.0	"	-	-	-	-	-	-	U
Hexachlorobutadiene	ND	10.0	"	-	-	-	-	-	-	U
Hexachlorobenzene	ND	10.0	"	-	-	-	-	-	-	U
Fluorene	ND	1.00	"	-	-	-	-	-	-	U
Diphenylamine	ND	10.0	"	-	-	-	-	-	-	U
m,p-Cresols	ND	10.0	"	-	-	-	-	-	-	U
Di-n-butylphthalate	ND	1.00	"	-	-	-	-	-	-	U
Dimethylphthalate	ND	1.00	"	-	-	-	-	-	-	U
Diethylphthalate	ND	1.00	"	-	-	-	-	-	-	U
Dibenzo(a,h)anthracene	ND	1.00	"	-	-	-	-	-	-	U
Chrysene	ND	1.00	"	-	-	-	-	-	-	U
Butylbenzylphthalate	ND	1.00	"	-	-	-	-	-	-	U
Fluoranthene	ND	1.00	"	-	-	-	-	-	-	U
Pentachlorophenol	ND	10.0	"	-	-	-	-	-	-	U
bis(2-Ethylhexyl)phthalate	ND	1.00	"	-	-	-	-	-	-	U
Acenaphthylene	ND	1.00	"	-	-	-	-	-	-	U
Pyridine	ND	10.0	"	-	-	-	-	-	-	U
Pyrene	ND	1.00	"	-	-	-	-	-	-	U
Indeno(1,2,3-cd)pyrene	ND	1.00	"	-	-	-	-	-	-	U
Phenanthrene	ND	1.00	"	-	-	-	-	-	-	U
Isophorone	ND	10.0	"	-	-	-	-	-	-	U
o-Cresol	ND	10.0	"	-	-	-	-	-	-	U
N-Nitrosodipropylamine	ND	10.0	"	-	-	-	-	-	-	U
N-Methyl-N-nitrosomethylamine	ND	10.0	"	-	-	-	-	-	-	U

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

BLANK (1206115869-BLK)

Prepared: 05/27/2025 Analyzed: 05/27/2025

Nitrobenzene	ND	10.0	ug/L	-	-	-	-	-	-	U
Naphthalene	ND	1.00	"	-	-	-	-	-	-	U
Phenol	ND	10.0	"	-	-	-	-	-	-	U
1,4-Dioxane	4.49	10.0	"	-	-	-	-	-	-	J
2-Chloronaphthalene	ND	1.00	"	-	-	-	-	-	-	U
2,6-Dinitrotoluene	ND	10.0	"	-	-	-	-	-	-	U
2,4-Dinitrotoluene	ND	10.0	"	-	-	-	-	-	-	U
2,4-Dinitrophenol	ND	20.0	"	-	-	-	-	-	-	U
2,4-Dimethylphenol	ND	10.0	"	-	-	-	-	-	-	U
2,4-Dichlorophenol	ND	10.0	"	-	-	-	-	-	-	U
2-Chlorophenol	ND	10.0	"	-	-	-	-	-	-	U
1-Methylnaphthalene	ND	1.00	"	-	-	-	-	-	-	UQ
2,4,6-Trichlorophenol	ND	10.0	"	-	-	-	-	-	-	U
1,4-Dichlorobenzene	ND	10.0	"	-	-	-	-	-	-	U
bis(2-Chloroethyl) ether	ND	10.0	"	-	-	-	-	-	-	U
Benzidine	ND	10.0	"	-	-	-	-	-	-	U
1,3-Dichlorobenzene	ND	10.0	"	-	-	-	-	-	-	U
1,2-Diphenylhydrazine	ND	10.0	"	-	-	-	-	-	-	U
1,2-Dichlorobenzene	ND	10.0	"	-	-	-	-	-	-	U
1,2,4-Trichlorobenzene	ND	10.0	"	-	-	-	-	-	-	U
Anthracene	ND	1.00	"	-	-	-	-	-	-	U
Benzo(k)fluoranthene	ND	1.00	"	-	-	-	-	-	-	U
bis(2-Chloro-1-methylethyl)ether	ND	10.0	"	-	-	-	-	-	-	U
bis(2-Chloroethoxy)methane	ND	10.0	"	-	-	-	-	-	-	U
Benzo(b)fluoranthene	ND	1.00	"	-	-	-	-	-	-	U
2,4,5-Trichlorophenol	ND	10.0	"	-	-	-	-	-	-	U

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

BLANK (1206115869-BLK)

Prepared: 05/27/2025 Analyzed: 05/27/2025

Benzo(ghi)perylene	ND	1.00	ug/L				-			U
Benzo(a)anthracene	ND	1.00	"				-			U
Benzo(a)pyrene	ND	1.00	"				-			U
Acenaphthene	ND	1.00	"				-			U
4-Nitrophenol	ND	10.0	"				-			U
4-Chlorophenylphenylether	ND	10.0	"				-			U
4-Bromophenylphenylether	ND	10.0	"				-			U
3,3'-Dichlorobenzidine	ND	10.0	"				-			U
2-Nitrophenol	ND	10.0	"				-			U
2-Methylnaphthalene	ND	1.00	"				-			U
Surrogate: p-Terphenyl-d14	39.4		"	50.0		79	20-118			
Surrogate: Phenol-d5	28.0		"	100		28	15-85			
Surrogate: Nitrobenzene-d5	31.8		"	50.0		64	34-107			
Surrogate: 2,4,6-Tribromophenol	73.0		"	100		73	31-126			
Surrogate: 2-Fluorobiphenyl	34.6		"	50.0		69	35-107			
Surrogate: 2-Fluorophenol	38.9		"	100		39	15-72			

LCS (1206115870-BKS)

Prepared: 05/27/2025 Analyzed: 05/27/2025

4-Bromophenylphenylether	35.5	10.0	ug/L	50.0		71	46-122			
3,3'-Dichlorobenzidine	30.5	10.0	"	50.0		61	45-126			
4-Nitrophenol	10.8	10.0	"	50.0		22	19-94			
Acenaphthene	32.1	1.00	"	50.0		64	47-112			
Acenaphthylene	29.5	1.00	"	50.0		59	46-110			
Anthracene	34.3	1.00	"	50.0		69	51-116			
4-Chlorophenylphenylether	35.6	10.0	"	50.0		71	50-126			
Benzidine	23.2	10.0	"	100		23	34-123			
Benzo(a)anthracene	30.7	1.00	"	50.0		61	49-117			

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini, Project Manager



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

LCS (1206115870-BKS)

Prepared: 05/27/2025 Analyzed: 05/27/2025

Benzo(a)pyrene	29.6	1.00	ug/L	50.0	59	49-120				
Benzo(b)fluoranthene	32.1	1.00	"	50.0	64	49-119				
Benzo(k)fluoranthene	30.6	1.00	"	50.0	61	49-120				
bis(2-Chloro-1-methylethyl)ether	32.1	10.0	"	50.0	64	38-112				
bis(2-Chloroethoxy)methane	32.5	10.0	"	50.0	65	49-114				
bis(2-Chloroethyl) ether	30.4	10.0	"	50.0	61	42-111				
bis(2-Ethylhexyl)phthalate	31.7	1.00	"	50.0	63	43-124				
2-Nitrophenol	26.9	10.0	"	50.0	54	44-117				
1,4-Dichlorobenzene	24.2	10.0	"	50.0	48	39-93				
Benzo(ghi)perylene	31.4	1.00	"	50.0	63	43-129				
2,4-Dichlorophenol	26.4	10.0	"	50.0	53	44-118				
Dibenzo(a,h)anthracene	29.6	1.00	"	50.0	59	43-126				
1,2,4-Trichlorobenzene	26.5	10.0	"	50.0	53	39-101				
1,2-Dichlorobenzene	24.8	10.0	"	50.0	50	35-96				
1,2-Diphenylhydrazine	35.6	10.0	"	50.0	71	47-120				
1,3-Dichlorobenzene	23.9	10.0	"	50.0	48	37-91				
1,4-Dioxane	21.0	10.0	"	50.0	42	39-68				B
2,4,5-Trichlorophenol	29.2	10.0	"	50.0	58	46-129				
1-Methylnaphthalene	30.8	1.00	"	50.0	62	45-113				Q
2,4,6-Trichlorophenol	29.5	10.0	"	50.0	59	46-124				
2-Methylnaphthalene	32.7	1.00	"	50.0	65	44-108				
2,4-Dimethylphenol	19.3	10.0	"	50.0	39	42-91				
2,4-Dinitrophenol	30.1	20.0	"	50.0	60	24-147				
2,4-Dinitrotoluene	34.1	10.0	"	50.0	68	44-133				
2,6-Dinitrotoluene	33.3	10.0	"	50.0	67	52-126				
2-Chloronaphthalene	30.5	1.00	"	50.0	61	44-111				

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini, Project Manager



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

LCS (1206115870-BKS)

Prepared: 05/27/2025 Analyzed: 05/27/2025

2-Chlorophenol	21.2	10.0	ug/L	50.0		42	40-102			
Pentachlorophenol	33.2	10.0	"	50.0		66	38-128			
Chrysene	32.5	1.00	"	50.0		65	52-122			
Pyridine	12.5	10.0	"	50.0		25	28-79			
Pyrene	35.3	1.00	"	50.0		71	46-126			
Butylbenzylphthalate	33.8	1.00	"	50.0		68	49-120			
Phenanthrene	34.2	1.00	"	50.0		68	51-116			
o-Cresol	20.2	10.0	"	50.0		40	36-98			
N-Nitrosodipropylamine	34.0	10.0	"	50.0		68	44-118			
N-Methyl-N-nitrosomethylamine	18.4	10.0	"	50.0		37	33-79			
Nitrobenzene	29.5	10.0	"	50.0		59	47-110			
Naphthalene	28.6	1.00	"	50.0		57	45-106			
m,p-Cresols	19.7	10.0	"	50.0		39	36-90			
Di-n-octylphthalate	30.7	1.00	"	50.0		61	45-128			
Phenol	11.5	10.0	"	50.0		23	12-90			
Isophorone	31.9	10.0	"	50.0		64	37-114			
Diethylphthalate	35.8	1.00	"	50.0		72	53-126			
Di-n-butylphthalate	35.9	1.00	"	50.0		72	51-128			
Diphenylamine	35.2	10.0	"	50.0		70	46-121			
Fluoranthene	35.0	1.00	"	50.0		70	52-126			
Fluorene	34.2	1.00	"	50.0		68	51-116			
Hexachlorobenzene	32.6	10.0	"	50.0		65	47-120			
Hexachlorobutadiene	22.7	10.0	"	50.0		45	39-98			
Hexachlorocyclopentadiene	17.9	10.0	"	50.0		36	32-85			
Hexachloroethane	22.0	10.0	"	50.0		44	34-85			
Indeno(1,2,3-cd)pyrene	29.5	1.00	"	50.0		59	46-123			

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini, Project Manager



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

LCS (1206115870-BKS)

Prepared: 05/27/2025 Analyzed: 05/27/2025

Dimethylphthalate	33.3	1.00	ug/L	50.0		67	54-126			
Surrogate: 2-Fluorobiphenyl	32.2		"	50.0		64	35-107			
Surrogate: 2-Fluorophenol	27.7		"	100		28	15-72			
Surrogate: 2,4,6-Tribromophenol	65.3		"	100		65	31-126			
Surrogate: p-Terphenyl-d14	31.6		"	50.0		63	20-118			
Surrogate: Phenol-d5	21.8		"	100		22	15-85			
Surrogate: Nitrobenzene-d5	30.5		"	50.0		61	34-107			

MS (1206116419 S)

Source: 725694003

Prepared: 05/27/2025 Analyzed: 05/27/2025

Benzo(ghi)perylene	64.1	2.11	ug/L	105	<0.632	61	33-126			
Benzo(k)fluoranthene	60.4	2.11	"	105	<0.632	57	41-122			
Dimethylphthalate	66.9	2.11	"	105	<0.632	64	42-130			
Fluorene	64.0	2.11	"	105	<0.632	61	39-123			
Fluoranthene	66.3	2.11	"	105	<0.632	63	41-126			
Diphenylamine	68.8	21.1	"	105	<6.32	65	38-122			
Di-n-octylphthalate	59.8	2.11	"	105	<0.632	57	35-132			
Di-n-butylphthalate	68.4	2.11	"	105	<0.632	65	40-130			
Diethylphthalate	70.0	2.11	"	105	<0.632	67	42-133			
Dibenzo(a,h)anthracene	60.2	2.11	"	105	<0.632	57	31-128			
Chrysene	64.2	2.11	"	105	<0.632	61	40-126			
Butylbenzylphthalate	65.3	2.11	"	105	<0.632	62	39-133			
bis(2-Ethylhexyl)phthalate	61.2	2.11	"	105	<0.632	58	32-128			
bis(2-Chloroethyl) ether	64.7	21.1	"	105	<6.32	62	34-115			
bis(2-Chloro-1-methylethyl)ether	68.4	21.1	"	105	<6.32	65	29-119			
bis(2-Chloroethoxy)methane	65.6	21.1	"	105	<6.32	62	36-122			
N-Methyl-N-nitrosomethylamine	55.3	21.1	"	105	<6.32	53	22-98			
Pyridine	45.0	21.1	"	105	<6.32	43	19-103			

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

MS (1206116419 S)

Source: 725694003

Prepared: 05/27/2025 Analyzed: 05/27/2025

Pyrene	68.0	2.11	ug/L	105	<0.632	65	36-126			
Hexachlorobenzene	62.0	21.1	"	105	<6.32	59	41-121			
Phenol	39.1	21.1	"	105	<6.32	37	21-75			
Benzo(b)fluoranthene	64.0	2.11	"	105	<0.632	61	38-122			
Pentachlorophenol	65.7	21.1	"	105	<6.32	62	29-140			
Phenanthrene	66.9	2.11	"	105	<0.632	64	42-118			
N-Nitrosodipropylamine	69.2	21.1	"	105	<6.32	66	34-119			
Hexachlorobutadiene	46.4	21.1	"	105	<6.32	44	23-96			
Nitrobenzene	60.1	21.1	"	105	<6.32	57	38-116			
Naphthalene	56.9	2.11	"	105	<0.632	54	31-108			
m,p-Cresols	57.8	21.1	"	105	<7.79	55	27-108			
Isophorone	63.1	21.1	"	105	<7.37	60	36-115			
Indeno(1,2,3-cd)pyrene	59.5	2.11	"	105	<0.632	57	31-126			
Hexachloroethane	45.3	21.1	"	105	<6.32	43	24-92			
o-Cresol	58.2	21.1	"	105	<6.32	55	33-106			
1,4-Dichlorobenzene	50.1	21.1	"	105	<6.32	48	32-93			
2,4-Dinitrotoluene	66.3	21.1	"	105	<6.32	63	31-145			
2,4-Dinitrophenol	63.1	42.1	"	105	<10.5	60	20-138			
2,4-Dimethylphenol	45.9	21.1	"	105	<6.32	44	30-99			
2,4-Dichlorophenol	60.3	21.1	"	105	<6.32	57	40-117			
2,4,6-Trichlorophenol	64.1	21.1	"	105	<6.32	61	39-128			
2,6-Dinitrotoluene	64.4	21.1	"	105	<6.32	61	40-129			
1-Methylnaphthalene	59.2	2.11	"	105	<0.632	56	35-111			Q
2,4,5-Trichlorophenol	64.8	21.1	"	105	<6.32	62	40-126			
1,3-Dichlorobenzene	48.8	21.1	"	105	<6.32	46	28-94			
1,2-Diphenylhydrazine	69.4	21.1	"	105	<6.32	66	35-125			

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

MS (1206116419 S)

Source: 725694003

Prepared: 05/27/2025 Analyzed: 05/27/2025

1,2-Dichlorobenzene	52.1	21.1	ug/L	105	<6.32	50	28-99			
1,2,4-Trichlorobenzene	52.3	21.1	"	105	<6.32	50	27-108			
Hexachlorocyclopentadiene	35.1	21.1	"	105	<6.32	33	17-86			
Benzo(a)pyrene	59.2	2.11	"	105	<0.632	56	39-122			
4-Chlorophenylphenylether	68.9	21.1	"	105	<6.32	65	41-129			
Benzidine	143	21.1	"	211	<8.21	68	12-119			
1,4-Dioxane	45.1	21.1	"	105	<6.32	43	25-88			B
Benzo(a)anthracene	60.1	2.11	"	105	<0.632	57	41-121			
2-Chloronaphthalene	57.8	2.11	"	105	<0.863	55	32-116			
Anthracene	65.5	2.11	"	105	<0.632	62	41-121			
Acenaphthylene	56.8	2.11	"	105	<0.632	54	36-116			
4-Nitrophenol	39.3	21.1	"	105	<6.32	37	19-94			
4-Bromophenylphenylether	69.1	21.1	"	105	<6.32	66	39-128			
3,3'-Dichlorobenzidine	60.6	21.1	"	105	<6.32	58	33-124			
2-Nitrophenol	57.6	21.1	"	105	<6.32	55	36-121			
2-Methylnaphthalene	63.8	2.11	"	105	<0.632	61	34-112			
2-Chlorophenol	57.3	21.1	"	105	<6.32	54	36-110			
Acenaphthene	61.1	2.11	"	105	<0.632	58	33-118			

Surrogate: Phenol-d5	80.2		"	211	20.2	38	15-85			
Surrogate: p-Terphenyl-d14	62.5		"	105	30.0	59	20-118			
Surrogate: Nitrobenzene-d5	61.9		"	105	29.1	59	34-107			
Surrogate: 2,4,6-Tribromophenol	137		"	211	58.4	65	31-126			
Surrogate: 2-Fluorophenol	93.3		"	211	28.6	44	15-72			
Surrogate: 2-Fluorobiphenyl	63.5		"	105	29.9	60	35-107			

MSD (1206116420 SD)

Source: 725694003

Prepared: 05/27/2025 Analyzed: 05/27/2025

Diethylphthalate	64.5	2.11	ug/L	105	<0.632	61	42-133	8	30	
------------------	------	------	------	-----	--------	----	--------	---	----	--

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini, Project Manager



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

MSD (1206116420 SD)

Source: 725694003

Prepared: 05/27/2025 Analyzed: 05/27/2025

Benzo(a)anthracene	54.2	2.11	ug/L	105	<0.632	52	41-121	10	30	
Dimethylphthalate	62.3	2.11	"	105	<0.632	59	42-130	7	30	
bis(2-Ethylhexyl)phthalate	54.8	2.11	"	105	<0.632	52	32-128	11	30	
Dibenzo(a,h)anthracene	51.1	2.11	"	105	<0.632	49	31-128	16	30	
Chrysene	56.9	2.11	"	105	<0.632	54	40-126	12	30	
Butylbenzylphthalate	57.9	2.11	"	105	<0.632	55	39-133	12	30	
bis(2-Chloroethyl) ether	66.3	21.1	"	105	<6.32	63	34-115	2	30	
bis(2-Chloroethoxy)methane	66.0	21.1	"	105	<6.32	63	36-122	1	30	
bis(2-Chloro-1-methylethyl)ether	68.9	21.1	"	105	<6.32	66	29-119	1	30	
Benzo(k)fluoranthene	52.3	2.11	"	105	<0.632	50	41-122	14	30	
Benzo(ghi)perylene	56.0	2.11	"	105	<0.632	53	33-126	13	30	
Benzo(a)pyrene	51.2	2.11	"	105	<0.632	49	39-122	14	30	
Di-n-butylphthalate	61.4	2.11	"	105	<0.632	58	40-130	11	30	
N-Nitrosodipropylamine	70.0	21.1	"	105	<6.32	66	34-119	1	30	
Benzo(b)fluoranthene	58.0	2.11	"	105	<0.632	55	38-122	10	30	
Indeno(1,2,3-cd)pyrene	51.9	2.11	"	105	<0.632	49	31-126	14	30	
o-Cresol	58.3	21.1	"	105	<6.32	55	33-106	0	30	
2,4-Dinitrotoluene	59.7	21.1	"	105	<6.32	57	31-145	10	30	
N-Methyl-N-nitrosomethylamine	55.9	21.1	"	105	<6.32	53	22-98	1	30	
Benzidine	ND	21.1	"	211	<8.21	0	12-119	200	30	U
Nitrobenzene	62.0	21.1	"	105	<6.32	59	38-116	3	30	
Naphthalene	57.9	2.11	"	105	<0.632	55	31-108	2	30	
Isophorone	63.2	21.1	"	105	<7.37	60	36-115	0	30	
Di-n-octylphthalate	53.7	2.11	"	105	<0.632	51	35-132	11	30	
Hexachloroethane	46.1	21.1	"	105	<6.32	44	24-92	2	30	
Hexachlorocyclopentadiene	34.8	21.1	"	105	<6.32	33	17-86	1	30	

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

MSD (1206116420 SD)

Source: 725694003

Prepared: 05/27/2025 Analyzed: 05/27/2025

Hexachlorobutadiene	45.7	21.1	ug/L	105	<6.32	43	23-96	2	30	
Hexachlorobenzene	57.1	21.1	"	105	<6.32	54	41-121	8	30	
Fluorene	60.4	2.11	"	105	<0.632	57	39-123	6	30	
Fluoranthene	60.5	2.11	"	105	<0.632	58	41-126	9	30	
Diphenylamine	63.9	21.1	"	105	<6.32	61	38-122	7	30	
m,p-Cresols	57.0	21.1	"	105	<7.79	54	27-108	1	30	
Pentachlorophenol	63.4	21.1	"	105	<6.32	60	29-140	4	30	
Anthracene	59.8	2.11	"	105	<0.632	57	41-121	9	30	
1-Methylnaphthalene	59.2	2.11	"	105	<0.632	56	35-111	0	30	Q
2-Chloronaphthalene	58.0	2.11	"	105	<0.863	55	32-116	0	30	
1,4-Dichlorobenzene	51.8	21.1	"	105	<6.32	49	32-93	3	30	
1,3-Dichlorobenzene	50.0	21.1	"	105	<6.32	47	28-94	2	30	
1,2-Diphenylhydrazine	63.2	21.1	"	105	<6.32	60	35-125	9	30	
1,2,4-Trichlorobenzene	53.5	21.1	"	105	<6.32	51	27-108	2	30	
2,4,5-Trichlorophenol	60.7	21.1	"	105	<6.32	58	40-126	7	30	
Pyridine	26.8	21.1	"	105	<6.32	25	19-103	51	30	
Pyrene	61.6	2.11	"	105	<0.632	59	36-126	10	30	
Phenol	38.5	21.1	"	105	<6.32	37	21-75	2	30	
Phenanthrene	59.8	2.11	"	105	<0.632	57	42-118	11	30	
1,2-Dichlorobenzene	53.7	21.1	"	105	<6.32	51	28-99	3	30	
2-Chlorophenol	59.1	21.1	"	105	<6.32	56	36-110	3	30	
Acenaphthylene	54.6	2.11	"	105	<0.632	52	36-116	4	30	
Acenaphthene	59.5	2.11	"	105	<0.632	57	33-118	3	30	
4-Nitrophenol	33.6	21.1	"	105	<6.32	32	19-94	16	30	
4-Chlorophenylphenylether	62.4	21.1	"	105	<6.32	59	41-129	10	30	
4-Bromophenylphenylether	62.9	21.1	"	105	<6.32	60	39-128	9	30	

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

SVOC by 8270E - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2802268 - SW846 3510C

MSD (1206116420 SD)

Source: 725694003

Prepared: 05/27/2025 Analyzed: 05/27/2025

3,3'-Dichlorobenzidine	54.2	21.1	ug/L	105	<6.32	51	33-124	11	30	
2-Nitrophenol	59.7	21.1	"	105	<6.32	57	36-121	4	30	
2-Methylnaphthalene	64.1	2.11	"	105	<0.632	61	34-112	0	30	
1,4-Dioxane	45.0	21.1	"	105	<6.32	43	25-88	0	30	B
2,4,6-Trichlorophenol	61.2	21.1	"	105	<6.32	58	39-128	5	30	
2,6-Dinitrotoluene	59.5	21.1	"	105	<6.32	57	40-129	8	30	
2,4-Dinitrophenol	60.2	42.1	"	105	<10.5	57	20-138	5	30	
2,4-Dimethylphenol	46.3	21.1	"	105	<6.32	44	30-99	1	30	
2,4-Dichlorophenol	62.2	21.1	"	105	<6.32	59	40-117	3	30	
Surrogate: Nitrobenzene-d5	63.4		"	105	29.7	60	34-107			
Surrogate: 2,4,6-Tribromophenol	125		"	211	58.4	59	31-126			
Surrogate: p-Terphenyl-d14	53.6		"	105	30.0	51	20-118			
Surrogate: Phenol-d5	78.0		"	211	20.2	37	15-85			
Surrogate: 2-Fluorobiphenyl	62.1		"	105	29.9	59	35-107			
Surrogate: 2-Fluorophenol	92.7		"	211	28.6	44	15-72			

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
 1525 Raleigh St, Suite 400
 Denver CO 80204

Trent Watne
 Project Number: A22-06245
 Project: Bishop LOC

Total Phosphorus by EPA 365.4 - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2802919 - EPA 365.4 Prep										
BLANK (1206117266-BLK)										
					Prepared: 05/27/2025 Analyzed: 05/27/2025					
Phosphorus, Total as P	0.0420	0.0500	mg/L				-			J
LCS (1206117267-BKS)										
					Prepared: 05/27/2025 Analyzed: 05/27/2025					
Phosphorus, Total as P	1.04	0.0500	mg/L	1.00		104	83-122			
DUP (1206117268 D)										
					Source: 725426001 Prepared: 05/27/2025 Analyzed: 05/27/2025					
Phosphorus, Total as P	0.0840	0.0500	mg/L		0.0760		0-35	10	35	
MS (1206117269 S)										
					Source: 725426001 Prepared: 05/27/2025 Analyzed: 05/27/2025					
Phosphorus, Total as P	1.10	0.0500	mg/L	1.00	0.0760	102	66-137			

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Olsson Associates
1525 Raleigh St, Suite 400
Denver CO 80204

Trent Watne
Project Number: A22-06245
Project: Bishop LOC

Notes and Definitions

- UQ [Undefined]
- Ua Sample is Non-Detect.
- U Result not detected above the detection limit
- Q One or more quality control criteria have not been met. See narrative or DER.
- J Greater than the detection limit but less than the reporting limit
- B Blank contamination
- <5 <5
- <20 <20
- <1 <1
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference

Origins Laboratory

Jen Pellegrini, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.