




Rockies Current Wellbore - Regulatory

Well Name: Windom 03NA

Original Hole [Land]



Well Header

Surface UWI 0512352687	Business Unit Rockies	Gov Auth Dist Evans	Prod Tree Loc Land
Orig. KB to Gnd (ft) 30.00	Original Spud Date 1/15/2025	Abandon Date	Well Sub-Status PR
High... N			

Comment
Per approved permit: OH RESISTIVITY/GR LOGS REQUIRED: Operator will log three (3) wells during the first rig occupation with open-hole resistivity log with gamma-ray log from the kick-off point into the surface casing for the three stratigraphically deepest wells on each side of the pad. The horizontal portion of every well will be logged with a measured while-drilling gamma-ray log. Additionally: One of the first wells drilled on the pad will be logged with a Cased hole Pulsed Neutron Log with Gamma Ray Log from kick-off point into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing.

Geologic Horizons

Formation Name	Final Top MD (ftKB)
----------------	---------------------

Congressional Location

Quarter 3 NW	Quarter 4 SE	Section 24	Township 5	Twnshp N/... N	Range 67	Rng E/W Dir W	Latitude (°) 40.382898	Longitude (°) -104.840429
-----------------	-----------------	---------------	---------------	-------------------	-------------	------------------	---------------------------	------------------------------

Wellbore Sections

Section Des	Hole Size (in)	Top Depth (ftKB)	Btm Depth (ftKB)
Pilot Hole	26	30.0	110.0
Surface	13 1/2	110.0	1,935.0
Production	8 1/2	1,935.0	15,548.0

Casing Strings

Csg Des	Run Date	OD (in)	Wt/Len (lb/ft)	Grade	Top Depth (MD) (ftKB)	Set Depth (MD) (ftKB)
Conductor	10/2/2024	16	36.95	A53B	30	110
Surface	1/15/2025	9 5/8	36.00	J-55	30	1925.1
Production Casing	2/16/2025	5 1/2	17.00	P-110	30	15538.6

Cement

Des	Start Date	Top (ftKB)	Btm (ftKB)
Conductor Cement	10/2/2024	30.0	110.0
Surface Casing Cement	1/15/2025	30.0	1,925.0
Production Casing Cement	2/16/2025	1,064.0	15,538.6

Stim/Frac Summary

Min Top Depth (ftKB) 7,972.0	Max Btm Depth (ftKB) 15,504.0
---------------------------------	----------------------------------

Perforations

Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
NBRR, Original Hole	12/28/2025 12:40	7,972.0	7,973.0
NBRR, Original Hole	12/28/2025 12:39	8,002.0	8,003.0
NBRR, Original Hole	12/28/2025 12:38	8,032.0	8,033.0
NBRR, Original Hole	12/28/2025 12:37	8,062.0	8,063.0
NBRR, Original Hole	12/28/2025 12:36	8,089.0	8,090.0
NBRR, Original Hole	12/28/2025 12:35	8,122.0	8,123.0
NBRR, Original Hole	12/28/2025 12:34	8,152.0	8,153.0
NBRR, Original Hole	12/27/2025 13:53	8,184.0	8,185.0
NBRR, Original Hole	12/27/2025 13:52	8,212.0	8,213.0
NBRR, Original Hole	12/27/2025 13:51	8,242.0	8,243.0
NBRR, Original Hole	12/27/2025 13:50	8,272.0	8,273.0
NBRR, Original Hole	12/27/2025 13:49	8,302.0	8,303.0
NBRR, Original Hole	12/27/2025 13:48	8,332.0	8,333.0
NBRR, Original Hole	12/27/2025 13:47	8,362.0	8,363.0
NBRR, Original Hole	12/27/2025 02:26	8,391.0	8,392.0
NBRR, Original Hole	12/27/2025 02:25	8,422.0	8,423.0
NBRR, Original Hole	12/27/2025 02:24	8,452.0	8,453.0



Rockies Current Wellbore - Regulatory

Well Name: Windom 03NA

Original Hole [Land]		Perforations			
MD (ftKB)	<p style="text-align: center;">Vertical schematic (actual)</p> <p>1-1; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30; 30 TVD; 30-30.5 TVD</p> <p>1-2; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30.5; 30.5 TVD; 30.5-63.1 TVD</p> <p>Conductor Cement, Casing, 10/2/2024 16:00; 30; 110</p> <p>Surface Casing Cement, Casing, 1/15/2025 18:59; 30; 1925</p> <p>1-3; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 63.1; 63.1 TVD; 63.1-3295.9 TVD</p> <p>Surface, Actual, 1925.1ftKB; 1925.1; 30 TVD; 30-1904.1 TVD; 30-1925.1</p> <p>1-5; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 3412.4; 3299.7 TVD; 3299.7-4556.8 TVD</p> <p>1-7; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 4751.1; 4560.7 TVD; 4560.7-5574.6 TVD</p> <p>1-9; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 5830; 5578.5 TVD; 5578.5-6411.2 TVD</p> <p>1-11; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 6713.3; 6415 TVD; 6415-7033 TVD</p> <p>1-13; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7398.2; 7033.7 TVD; 7033.7-7057.1 TVD</p> <p>1-15; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7434.8; 7060.1 TVD; 7060.1-7082.2 TVD</p> <p>Production Casing Cement, Casing, 2/16/2025 14:10; 1064; 15538.6</p> <p>Production Casing, Actual, 15538.6ftKB; 15538.6; 30 TVD; 30-6943.3 TVD; 30-15538.6</p>	Linked Zone NBRR, Original Hole	Date 12/27/2025 02:23	Top Depth (ftKB) 8,485.0	Bottom Depth (ftKB) 8,486.0
		Linked Zone NBRR, Original Hole	Date 12/27/2025 02:22	Top Depth (ftKB) 8,512.0	Bottom Depth (ftKB) 8,513.0
		Linked Zone NBRR, Original Hole	Date 12/27/2025 02:21	Top Depth (ftKB) 8,542.0	Bottom Depth (ftKB) 8,543.0
		Linked Zone NBRR, Original Hole	Date 12/27/2025 02:20	Top Depth (ftKB) 8,572.0	Bottom Depth (ftKB) 8,573.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 15:14	Top Depth (ftKB) 8,602.0	Bottom Depth (ftKB) 8,603.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 15:13	Top Depth (ftKB) 8,632.0	Bottom Depth (ftKB) 8,633.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 15:12	Top Depth (ftKB) 8,662.0	Bottom Depth (ftKB) 8,663.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 15:11	Top Depth (ftKB) 8,692.0	Bottom Depth (ftKB) 8,693.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 15:10	Top Depth (ftKB) 8,722.0	Bottom Depth (ftKB) 8,723.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 15:09	Top Depth (ftKB) 8,752.0	Bottom Depth (ftKB) 8,753.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 15:08	Top Depth (ftKB) 8,780.0	Bottom Depth (ftKB) 8,781.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 03:30	Top Depth (ftKB) 8,812.0	Bottom Depth (ftKB) 8,813.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 03:29	Top Depth (ftKB) 8,842.0	Bottom Depth (ftKB) 8,843.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 03:28	Top Depth (ftKB) 8,875.0	Bottom Depth (ftKB) 8,876.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 03:27	Top Depth (ftKB) 8,902.0	Bottom Depth (ftKB) 8,903.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 03:26	Top Depth (ftKB) 8,932.0	Bottom Depth (ftKB) 8,933.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 03:25	Top Depth (ftKB) 8,963.0	Bottom Depth (ftKB) 8,964.0
		Linked Zone NBRR, Original Hole	Date 12/26/2025 03:24	Top Depth (ftKB) 8,992.0	Bottom Depth (ftKB) 8,993.0
		Linked Zone NBRR, Original Hole	Date 12/25/2025 14:16	Top Depth (ftKB) 9,022.0	Bottom Depth (ftKB) 9,023.0
		Linked Zone NBRR, Original Hole	Date 12/25/2025 14:15	Top Depth (ftKB) 9,052.0	Bottom Depth (ftKB) 9,053.0
Linked Zone NBRR, Original Hole	Date 12/25/2025 14:14	Top Depth (ftKB) 9,082.0	Bottom Depth (ftKB) 9,083.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 14:13	Top Depth (ftKB) 9,112.0	Bottom Depth (ftKB) 9,113.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 14:12	Top Depth (ftKB) 9,142.0	Bottom Depth (ftKB) 9,143.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 14:11	Top Depth (ftKB) 9,170.0	Bottom Depth (ftKB) 9,171.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 14:10	Top Depth (ftKB) 9,202.0	Bottom Depth (ftKB) 9,203.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 01:31	Top Depth (ftKB) 9,232.0	Bottom Depth (ftKB) 9,233.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 01:30	Top Depth (ftKB) 9,264.0	Bottom Depth (ftKB) 9,265.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 01:29	Top Depth (ftKB) 9,292.0	Bottom Depth (ftKB) 9,293.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 01:28	Top Depth (ftKB) 9,322.0	Bottom Depth (ftKB) 9,323.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 01:27	Top Depth (ftKB) 9,352.0	Bottom Depth (ftKB) 9,353.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 01:26	Top Depth (ftKB) 9,382.0	Bottom Depth (ftKB) 9,383.0		
Linked Zone NBRR, Original Hole	Date 12/25/2025 01:25	Top Depth (ftKB) 9,412.0	Bottom Depth (ftKB) 9,413.0		
Linked Zone NBRR, Original Hole	Date 12/24/2025 11:18	Top Depth (ftKB) 9,442.0	Bottom Depth (ftKB) 9,443.0		
Linked Zone NBRR, Original Hole	Date 12/24/2025 11:17	Top Depth (ftKB) 9,472.0	Bottom Depth (ftKB) 9,473.0		
Linked Zone NBRR, Original Hole	Date 12/24/2025 11:16	Top Depth (ftKB) 9,502.0	Bottom Depth (ftKB) 9,503.0		
Linked Zone NBRR, Original Hole	Date 12/24/2025 11:15	Top Depth (ftKB) 9,532.0	Bottom Depth (ftKB) 9,533.0		
Linked Zone NBRR, Original Hole	Date 12/24/2025 11:14	Top Depth (ftKB) 9,559.0	Bottom Depth (ftKB) 9,560.0		
Linked Zone NBRR, Original Hole	Date 12/24/2025 11:13	Top Depth (ftKB) 9,592.0	Bottom Depth (ftKB) 9,593.0		



Rockies Current Wellbore - Regulatory

Well Name: Windom 03NA

Original Hole [Land]		Perforations			
MD (ftKB)	<p style="text-align: center;">Vertical schematic (actual)</p> <p>1-1; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30; 30 TVD; 30-30.5 TVD</p> <p>1-2; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30.5; 30.5 TVD; 30.5-63.1 TVD</p> <p>Conductor Cement, Casing, 10/2/2024 16:00; 30; 110</p> <p>Surface Casing Cement, Casing, 1/15/2025 18:59; 30; 1925</p> <p>1-3; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 63.1; 63.1 TVD; 63.1-3295.9 TVD</p> <p>Surface, Actual, 1925.1ftKB; 1925.1; 30 TVD; 30-1904.1 TVD; 30-1925.1</p> <p>1-5; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 3412.4; 3299.7 TVD; 3299.7-4556.8 TVD</p> <p>1-7; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 4751.1; 4560.7 TVD; 4560.7-5574.6 TVD</p> <p>1-9; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 5830; 5578.5 TVD; 5578.5-6411.2 TVD</p> <p>1-11; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 6713.3; 6415 TVD; 6415-7033 TVD</p> <p>1-13; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7398.2; 7033.7 TVD; 7033.7-7057.1 TVD</p> <p>1-15; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7434.8; 7060.1 TVD; 7060.1-7082.2 TVD</p> <p>Production Casing Cement, Casing, 2/16/2025 14:10; 1064; 15538.6</p> <p>Production Casing, Actual, 15538.6ftKB; 15538.6; 30 TVD; 30-6943.3 TVD; 30-15538.6</p>	Linked Zone NBRR, Original Hole	Date 12/24/2025 11:12	Top Depth (ftKB) 9,622.0	Bottom Depth (ftKB) 9,623.0
		Linked Zone NBRR, Original Hole	Date 12/23/2025 11:11	Top Depth (ftKB) 9,654.0	Bottom Depth (ftKB) 9,655.0
		Linked Zone NBRR, Original Hole	Date 12/23/2025 11:10	Top Depth (ftKB) 9,682.0	Bottom Depth (ftKB) 9,683.0
		Linked Zone NBRR, Original Hole	Date 12/23/2025 11:09	Top Depth (ftKB) 9,712.0	Bottom Depth (ftKB) 9,713.0
		Linked Zone NBRR, Original Hole	Date 12/23/2025 11:08	Top Depth (ftKB) 9,742.0	Bottom Depth (ftKB) 9,743.0
		Linked Zone NBRR, Original Hole	Date 12/23/2025 11:07	Top Depth (ftKB) 9,772.0	Bottom Depth (ftKB) 9,773.0
		Linked Zone NBRR, Original Hole	Date 12/23/2025 11:06	Top Depth (ftKB) 9,802.0	Bottom Depth (ftKB) 9,803.0
		Linked Zone NBRR, Original Hole	Date 12/23/2025 11:05	Top Depth (ftKB) 9,832.0	Bottom Depth (ftKB) 9,833.0
		Linked Zone NBRR, Original Hole	Date 12/23/2025 00:00	Top Depth (ftKB) 9,862.0	Bottom Depth (ftKB) 9,863.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 23:59	Top Depth (ftKB) 9,892.0	Bottom Depth (ftKB) 9,893.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 23:58	Top Depth (ftKB) 9,922.0	Bottom Depth (ftKB) 9,923.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 23:57	Top Depth (ftKB) 9,949.0	Bottom Depth (ftKB) 9,950.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 23:56	Top Depth (ftKB) 9,982.0	Bottom Depth (ftKB) 9,983.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 23:55	Top Depth (ftKB) 10,012.0	Bottom Depth (ftKB) 10,013.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 23:54	Top Depth (ftKB) 10,043.0	Bottom Depth (ftKB) 10,044.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 10:16	Top Depth (ftKB) 10,072.0	Bottom Depth (ftKB) 10,073.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 10:15	Top Depth (ftKB) 10,102.0	Bottom Depth (ftKB) 10,103.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 10:14	Top Depth (ftKB) 10,132.0	Bottom Depth (ftKB) 10,133.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 10:13	Top Depth (ftKB) 10,162.0	Bottom Depth (ftKB) 10,163.0
		Linked Zone NBRR, Original Hole	Date 12/22/2025 10:12	Top Depth (ftKB) 10,192.0	Bottom Depth (ftKB) 10,193.0
Linked Zone NBRR, Original Hole	Date 12/22/2025 10:11	Top Depth (ftKB) 10,222.0	Bottom Depth (ftKB) 10,223.0		
Linked Zone NBRR, Original Hole	Date 12/22/2025 10:10	Top Depth (ftKB) 10,250.0	Bottom Depth (ftKB) 10,251.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 21:42	Top Depth (ftKB) 10,282.0	Bottom Depth (ftKB) 10,283.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 21:41	Top Depth (ftKB) 10,312.0	Bottom Depth (ftKB) 10,313.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 21:40	Top Depth (ftKB) 10,345.0	Bottom Depth (ftKB) 10,346.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 21:39	Top Depth (ftKB) 10,372.0	Bottom Depth (ftKB) 10,373.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 21:38	Top Depth (ftKB) 10,402.0	Bottom Depth (ftKB) 10,403.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 21:37	Top Depth (ftKB) 10,432.0	Bottom Depth (ftKB) 10,433.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 21:36	Top Depth (ftKB) 10,462.0	Bottom Depth (ftKB) 10,463.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 10:06	Top Depth (ftKB) 10,492.0	Bottom Depth (ftKB) 10,493.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 10:05	Top Depth (ftKB) 10,522.0	Bottom Depth (ftKB) 10,523.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 10:04	Top Depth (ftKB) 10,552.0	Bottom Depth (ftKB) 10,553.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 10:03	Top Depth (ftKB) 10,582.0	Bottom Depth (ftKB) 10,583.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 10:02	Top Depth (ftKB) 10,612.0	Bottom Depth (ftKB) 10,613.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 10:01	Top Depth (ftKB) 10,640.0	Bottom Depth (ftKB) 10,641.0		
Linked Zone NBRR, Original Hole	Date 12/21/2025 10:00	Top Depth (ftKB) 10,672.0	Bottom Depth (ftKB) 10,673.0		
Linked Zone NBRR, Original Hole	Date 12/20/2025 09:48	Top Depth (ftKB) 10,702.0	Bottom Depth (ftKB) 10,703.0		
Linked Zone NBRR, Original Hole	Date 12/20/2025 09:47	Top Depth (ftKB) 10,734.0	Bottom Depth (ftKB) 10,735.0		



Rockies Current Wellbore - Regulatory

Well Name: Windom 03NA

Original Hole [Land]		Perforations			
MD (ftKB)	<p>Vertical schematic (actual)</p> <p>1-1; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30; 30 TVD; 30-30.5 TVD</p> <p>1-2; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30.5; 30.5 TVD; 30.5-63.1 TVD</p> <p>Conductor, Actual, 110ftKB; 110; 30 TVD; 30-110 TVD; 30-110</p> <p>1-3; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 63.1; 63.1 TVD; 63.1-3295.9 TVD</p> <p>Surface, Actual, 1925.1ftKB; 1925.1; 30 TVD; 30-1904.1 TVD; 30-1925.1</p> <p>1-5; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 3412.4; 3299.7 TVD; 3299.7-4556.8 TVD</p> <p>1-7; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 4751.1; 4560.7 TVD; 4560.7-5574.6 TVD</p> <p>1-9; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 5830; 5578.5 TVD; 5578.5-6411.2 TVD</p> <p>1-11; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 6713.3; 6415 TVD; 6415-7033 TVD</p> <p>1-13; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7398.2; 7033.7 TVD; 7033.7-7057.1 TVD</p> <p>1-15; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7434.8; 7060.1 TVD; 7060.1-7082.2 TVD</p> <p>Production Casing, Actual, 15538.6ftKB; 15538.6; 30 TVD; 30-6943.3 TVD; 30-15538.6</p>	Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
		NBRR, Original Hole	12/20/2025 09:46	10,762.0	10,763.0
		Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
		NBRR, Original Hole	12/20/2025 09:45	10,792.0	10,793.0
		Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
		NBRR, Original Hole	12/20/2025 09:44	10,822.0	10,823.0
		Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
		NBRR, Original Hole	12/20/2025 09:43	10,852.0	10,853.0
		Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
		NBRR, Original Hole	12/20/2025 09:42	10,882.0	10,883.0
		Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
		NBRR, Original Hole	12/19/2025 20:47	10,912.0	10,913.0
		Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
		NBRR, Original Hole	12/19/2025 20:46	10,942.0	10,943.0
		Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
		NBRR, Original Hole	12/19/2025 20:45	10,972.0	10,973.0
		Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
		NBRR, Original Hole	12/19/2025 20:44	11,002.0	11,003.0
		Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
		NBRR, Original Hole	12/19/2025 20:43	11,029.0	11,030.0
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/19/2025 20:42	11,062.0	11,063.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/19/2025 20:41	11,092.0	11,093.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/19/2025 02:11	11,123.0	11,124.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/19/2025 02:10	11,152.0	11,153.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/19/2025 02:09	11,182.0	11,183.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/19/2025 02:08	11,212.0	11,213.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/19/2025 02:07	11,242.0	11,243.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/19/2025 02:06	11,272.0	11,273.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/19/2025 02:05	11,302.0	11,303.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/18/2025 12:12	11,331.0	11,332.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/18/2025 12:11	11,362.0	11,363.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/18/2025 12:10	11,392.0	11,393.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/18/2025 12:09	11,425.0	11,426.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/18/2025 12:08	11,452.0	11,453.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/18/2025 12:07	11,482.0	11,483.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/18/2025 12:06	11,512.0	11,513.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/17/2025 05:34	11,542.0	11,543.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/17/2025 05:33	11,572.0	11,573.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/17/2025 05:32	11,602.0	11,603.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/17/2025 05:31	11,631.0	11,632.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/17/2025 05:30	11,662.0	11,663.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/17/2025 05:29	11,692.0	11,693.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/17/2025 05:28	11,723.0	11,724.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/15/2025 18:49	11,752.0	11,753.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/15/2025 18:48	11,778.0	11,779.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/15/2025 18:47	11,812.0	11,813.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/15/2025 18:46	11,842.0	11,843.0		
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)		
NBRR, Original Hole	12/15/2025 18:45	11,873.0	11,874.0		



Rockies Current Wellbore - Regulatory

Well Name: Windom 03NA

Original Hole [Land]		Perforations			
MD (ftKB)	<p>Vertical schematic (actual)</p> <p>1-1; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30; 30 TVD; 30-30.5 TVD</p> <p>1-2; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30.5; 30.5 TVD; 30.5-63.1 TVD</p> <p>Conductor Cement, Casing, 10/2/2024 16:00; 30; 110</p> <p>Surface Casing Cement, Casing, 1/15/2025 18:59; 30; 1925</p> <p>Production Casing Cement, Casing, 2/16/2025 14:10; 1064; 15538.6</p> <p>1-3; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 63.1; 63.1 TVD; 63.1-3295.9 TVD</p> <p>Surface, Actual, 1925.1ftKB; 1925.1; 30 TVD; 30-1904.1 TVD; 30-1925.1</p> <p>1-5; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 3412.4; 3299.7 TVD; 3299.7-4556.8 TVD</p> <p>1-7; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 4751.1; 4560.7 TVD; 4560.7-5574.6 TVD</p> <p>1-9; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 5830; 5578.5 TVD; 5578.5-6411.2 TVD</p> <p>1-11; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 6713.3; 6415 TVD; 6415-7033 TVD</p> <p>1-13; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7398.2; 7033.7 TVD; 7033.7-7057.1 TVD</p> <p>1-15; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7434.8; 7060.1 TVD; 7060.1-7082.2 TVD</p> <p>Production Casing, Actual, 15538.6ftKB; 15538.6; 30 TVD; 30-6943.3 TVD; 30-15538.6</p>	Linked Zone NBRR, Original Hole	Date 12/15/2025 18:44	Top Depth (ftKB) 11,902.0	Bottom Depth (ftKB) 11,903.0
		Linked Zone NBRR, Original Hole	Date 12/15/2025 18:43	Top Depth (ftKB) 11,932.0	Bottom Depth (ftKB) 11,933.0
		Linked Zone NBRR, Original Hole	Date 12/15/2025 05:21	Top Depth (ftKB) 11,962.0	Bottom Depth (ftKB) 11,963.0
		Linked Zone NBRR, Original Hole	Date 12/15/2025 05:20	Top Depth (ftKB) 11,992.0	Bottom Depth (ftKB) 11,993.0
		Linked Zone NBRR, Original Hole	Date 12/15/2025 05:19	Top Depth (ftKB) 12,022.0	Bottom Depth (ftKB) 12,023.0
		Linked Zone NBRR, Original Hole	Date 12/15/2025 05:18	Top Depth (ftKB) 12,052.0	Bottom Depth (ftKB) 12,053.0
		Linked Zone NBRR, Original Hole	Date 12/15/2025 05:17	Top Depth (ftKB) 12,081.0	Bottom Depth (ftKB) 12,082.0
		Linked Zone NBRR, Original Hole	Date 12/15/2025 05:16	Top Depth (ftKB) 12,112.0	Bottom Depth (ftKB) 12,113.0
		Linked Zone NBRR, Original Hole	Date 12/15/2025 05:15	Top Depth (ftKB) 12,142.0	Bottom Depth (ftKB) 12,143.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 15:48	Top Depth (ftKB) 12,175.0	Bottom Depth (ftKB) 12,176.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 15:47	Top Depth (ftKB) 12,202.0	Bottom Depth (ftKB) 12,203.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 15:46	Top Depth (ftKB) 12,232.0	Bottom Depth (ftKB) 12,233.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 15:45	Top Depth (ftKB) 12,262.0	Bottom Depth (ftKB) 12,263.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 15:44	Top Depth (ftKB) 12,292.0	Bottom Depth (ftKB) 12,293.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 15:43	Top Depth (ftKB) 12,322.0	Bottom Depth (ftKB) 12,323.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 15:42	Top Depth (ftKB) 12,352.0	Bottom Depth (ftKB) 12,353.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 01:27	Top Depth (ftKB) 12,382.0	Bottom Depth (ftKB) 12,383.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 01:26	Top Depth (ftKB) 12,412.0	Bottom Depth (ftKB) 12,413.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 01:25	Top Depth (ftKB) 12,442.0	Bottom Depth (ftKB) 12,443.0
		Linked Zone NBRR, Original Hole	Date 12/14/2025 01:24	Top Depth (ftKB) 12,470.0	Bottom Depth (ftKB) 12,471.0
Linked Zone NBRR, Original Hole	Date 12/14/2025 01:23	Top Depth (ftKB) 12,502.0	Bottom Depth (ftKB) 12,503.0		
Linked Zone NBRR, Original Hole	Date 12/14/2025 01:22	Top Depth (ftKB) 12,532.0	Bottom Depth (ftKB) 12,533.0		
Linked Zone NBRR, Original Hole	Date 12/14/2025 01:21	Top Depth (ftKB) 12,565.0	Bottom Depth (ftKB) 12,566.0		
Linked Zone NBRR, Original Hole	Date 12/13/2025 10:32	Top Depth (ftKB) 12,592.0	Bottom Depth (ftKB) 12,593.0		
Linked Zone NBRR, Original Hole	Date 12/13/2025 10:31	Top Depth (ftKB) 12,622.0	Bottom Depth (ftKB) 12,623.0		
Linked Zone NBRR, Original Hole	Date 12/13/2025 10:30	Top Depth (ftKB) 12,652.0	Bottom Depth (ftKB) 12,653.0		
Linked Zone NBRR, Original Hole	Date 12/13/2025 10:29	Top Depth (ftKB) 12,682.0	Bottom Depth (ftKB) 12,683.0		
Linked Zone NBRR, Original Hole	Date 12/13/2025 10:28	Top Depth (ftKB) 12,712.0	Bottom Depth (ftKB) 12,713.0		
Linked Zone NBRR, Original Hole	Date 12/13/2025 10:27	Top Depth (ftKB) 12,742.0	Bottom Depth (ftKB) 12,743.0		
Linked Zone NBRR, Original Hole	Date 12/13/2025 10:26	Top Depth (ftKB) 12,772.0	Bottom Depth (ftKB) 12,773.0		
Linked Zone NBRR, Original Hole	Date 12/12/2025 14:28	Top Depth (ftKB) 12,803.0	Bottom Depth (ftKB) 12,804.0		
Linked Zone NBRR, Original Hole	Date 12/12/2025 14:27	Top Depth (ftKB) 12,833.0	Bottom Depth (ftKB) 12,834.0		
Linked Zone NBRR, Original Hole	Date 12/12/2025 14:26	Top Depth (ftKB) 12,860.0	Bottom Depth (ftKB) 12,861.0		
Linked Zone NBRR, Original Hole	Date 12/12/2025 14:25	Top Depth (ftKB) 12,893.0	Bottom Depth (ftKB) 12,894.0		
Linked Zone NBRR, Original Hole	Date 12/12/2025 14:24	Top Depth (ftKB) 12,923.0	Bottom Depth (ftKB) 12,924.0		
Linked Zone NBRR, Original Hole	Date 12/12/2025 14:23	Top Depth (ftKB) 12,955.0	Bottom Depth (ftKB) 12,956.0		
Linked Zone NBRR, Original Hole	Date 12/12/2025 14:22	Top Depth (ftKB) 12,983.0	Bottom Depth (ftKB) 12,984.0		
Linked Zone NBRR, Original Hole	Date 12/11/2025 17:51	Top Depth (ftKB) 13,013.0	Bottom Depth (ftKB) 13,014.0		



Rockies Current Wellbore - Regulatory

Well Name: Windom 03NA

Original Hole [Land]		Perforations				
	<p>Vertical schematic (actual)</p> <p>1-1; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30; 30 TVD; 30-30.5 TVD</p> <p>1-2; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30.5; 30.5 TVD; 30.5-63.1 TVD</p> <p>Conductor Cement, Casing, 10/2/2024 16:00; 30; 110</p> <p>Surface Casing Cement, Casing, 1/15/2025 18:59; 30; 1925</p> <p>1-3; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 63.1; 63.1 TVD; 63.1-3295.9 TVD</p> <p>Surface, Actual, 1925.1ftKB; 1925.1; 30 TVD; 30-1904.1 TVD; 30-1925.1</p> <p>1-5; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 3412.4; 3299.7 TVD; 3299.7-4556.8 TVD</p> <p>1-7; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 4751.1; 4560.7 TVD; 4560.7-5574.6 TVD</p> <p>1-9; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 5830; 5578.5 TVD; 5578.5-6411.2 TVD</p> <p>1-11; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 6713.3; 6415 TVD; 6415-7033 TVD</p> <p>1-13; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7398.2; 7033.7 TVD; 7033.7-7057.1 TVD</p> <p>1-15; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7434.8; 7060.1 TVD; 7060.1-7082.2 TVD</p> <p>Production Casing Cement, Casing, 2/16/2025 14:10; 1064; 15538.6</p> <p>Production Casing, Actual, 15538.6ftKB; 15538.6; 30 TVD; 30-6943.3 TVD; 30-15538.6</p>	Linked Zone NBRR, Original Hole	Date 12/11/2025 17:50	Top Depth (ftKB) 13,043.0	Bottom Depth (ftKB) 13,044.0	
MD (ftKB)			Linked Zone NBRR, Original Hole	Date 12/11/2025 17:49	Top Depth (ftKB) 13,073.0	Bottom Depth (ftKB) 13,074.0
29.9			Linked Zone NBRR, Original Hole	Date 12/11/2025 17:48	Top Depth (ftKB) 13,103.0	Bottom Depth (ftKB) 13,104.0
30.5			Linked Zone NBRR, Original Hole	Date 12/11/2025 17:47	Top Depth (ftKB) 13,133.0	Bottom Depth (ftKB) 13,134.0
37.1			Linked Zone NBRR, Original Hole	Date 12/11/2025 17:46	Top Depth (ftKB) 13,163.0	Bottom Depth (ftKB) 13,164.0
39.7			Linked Zone NBRR, Original Hole	Date 12/11/2025 17:45	Top Depth (ftKB) 13,193.0	Bottom Depth (ftKB) 13,194.0
82.7			Linked Zone NBRR, Original Hole	Date 12/10/2025 22:24	Top Depth (ftKB) 13,223.0	Bottom Depth (ftKB) 13,224.0
92.5			Linked Zone NBRR, Original Hole	Date 12/10/2025 22:23	Top Depth (ftKB) 13,250.0	Bottom Depth (ftKB) 13,251.0
109.9			Linked Zone NBRR, Original Hole	Date 12/10/2025 22:22	Top Depth (ftKB) 13,283.0	Bottom Depth (ftKB) 13,284.0
178.8			Linked Zone NBRR, Original Hole	Date 12/10/2025 22:21	Top Depth (ftKB) 13,313.0	Bottom Depth (ftKB) 13,314.0
1,064.0			Linked Zone NBRR, Original Hole	Date 12/10/2025 22:20	Top Depth (ftKB) 13,344.0	Bottom Depth (ftKB) 13,345.0
1,879.3			Linked Zone NBRR, Original Hole	Date 12/10/2025 22:19	Top Depth (ftKB) 13,373.0	Bottom Depth (ftKB) 13,374.0
1,880.9			Linked Zone NBRR, Original Hole	Date 12/10/2025 22:18	Top Depth (ftKB) 13,403.0	Bottom Depth (ftKB) 13,404.0
1,880.9			Linked Zone NBRR, Original Hole	Date 12/10/2025 10:01	Top Depth (ftKB) 13,433.0	Bottom Depth (ftKB) 13,434.0
1,923.2			Linked Zone NBRR, Original Hole	Date 12/10/2025 10:00	Top Depth (ftKB) 13,463.0	Bottom Depth (ftKB) 13,464.0
1,924.9			Linked Zone NBRR, Original Hole	Date 12/10/2025 09:59	Top Depth (ftKB) 13,493.0	Bottom Depth (ftKB) 13,494.0
1,925.2			Linked Zone NBRR, Original Hole	Date 12/10/2025 09:58	Top Depth (ftKB) 13,523.0	Bottom Depth (ftKB) 13,524.0
6,953.1			Linked Zone NBRR, Original Hole	Date 12/10/2025 09:57	Top Depth (ftKB) 13,553.0	Bottom Depth (ftKB) 13,554.0
6,972.8			Linked Zone NBRR, Original Hole	Date 12/10/2025 09:56	Top Depth (ftKB) 13,583.0	Bottom Depth (ftKB) 13,584.0
7,972.1			Linked Zone NBRR, Original Hole	Date 12/10/2025 09:55	Top Depth (ftKB) 13,613.0	Bottom Depth (ftKB) 13,614.0
8,957.0			Linked Zone NBRR, Original Hole	Date 12/9/2025 16:03	Top Depth (ftKB) 13,639.0	Bottom Depth (ftKB) 13,640.0
8,959.3			Linked Zone NBRR, Original Hole	Date 12/9/2025 16:02	Top Depth (ftKB) 13,673.0	Bottom Depth (ftKB) 13,674.0
8,959.3			Linked Zone NBRR, Original Hole	Date 12/9/2025 16:01	Top Depth (ftKB) 13,703.0	Bottom Depth (ftKB) 13,704.0
11,762.5			Linked Zone NBRR, Original Hole	Date 12/9/2025 16:00	Top Depth (ftKB) 13,734.0	Bottom Depth (ftKB) 13,735.0
11,782.2		Linked Zone NBRR, Original Hole	Date 12/9/2025 15:59	Top Depth (ftKB) 13,763.0	Bottom Depth (ftKB) 13,764.0	
15,499.3		Linked Zone NBRR, Original Hole	Date 12/9/2025 15:58	Top Depth (ftKB) 13,793.0	Bottom Depth (ftKB) 13,794.0	
15,503.9		Linked Zone NBRR, Original Hole	Date 12/9/2025 15:57	Top Depth (ftKB) 13,823.0	Bottom Depth (ftKB) 13,824.0	
15,518.7		Linked Zone NBRR, Original Hole	Date 12/9/2025 03:13	Top Depth (ftKB) 13,853.0	Bottom Depth (ftKB) 13,854.0	
15,521.0		Linked Zone NBRR, Original Hole	Date 12/9/2025 03:12	Top Depth (ftKB) 13,883.0	Bottom Depth (ftKB) 13,884.0	
15,531.5		Linked Zone NBRR, Original Hole	Date 12/9/2025 03:11	Top Depth (ftKB) 13,913.0	Bottom Depth (ftKB) 13,914.0	
15,535.4		Linked Zone NBRR, Original Hole	Date 12/9/2025 03:10	Top Depth (ftKB) 13,941.0	Bottom Depth (ftKB) 13,942.0	
15,538.7		Linked Zone NBRR, Original Hole	Date 12/9/2025 03:09	Top Depth (ftKB) 13,973.0	Bottom Depth (ftKB) 13,974.0	
		Linked Zone NBRR, Original Hole	Date 12/9/2025 03:08	Top Depth (ftKB) 14,003.0	Bottom Depth (ftKB) 14,004.0	
		Linked Zone NBRR, Original Hole	Date 12/9/2025 03:07	Top Depth (ftKB) 14,036.0	Bottom Depth (ftKB) 14,037.0	
		Linked Zone NBRR, Original Hole	Date 12/8/2025 13:04	Top Depth (ftKB) 14,063.0	Bottom Depth (ftKB) 14,064.0	
		Linked Zone NBRR, Original Hole	Date 12/8/2025 13:03	Top Depth (ftKB) 14,093.0	Bottom Depth (ftKB) 14,094.0	
		Linked Zone NBRR, Original Hole	Date 12/8/2025 13:02	Top Depth (ftKB) 14,123.0	Bottom Depth (ftKB) 14,124.0	
		Linked Zone NBRR, Original Hole	Date 12/8/2025 13:01	Top Depth (ftKB) 14,153.0	Bottom Depth (ftKB) 14,154.0	



Rockies Current Wellbore - Regulatory

Well Name: Windom 03NA


Original Hole [Land]		Perforations				
MD (ftKB)	<p style="text-align: center;">Vertical schematic (actual)</p>	1-1; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30; 30 TVD; 30-30.5 TVD	Linked Zone NBRR, Original Hole	Date 12/8/2025 13:00	Top Depth (ftKB) 14,183.0	Bottom Depth (ftKB) 14,184.0
		1-2; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 30.5; 30.5 TVD; 30.5-63.1 TVD	Linked Zone NBRR, Original Hole	Date 12/8/2025 12:59	Top Depth (ftKB) 14,213.0	Bottom Depth (ftKB) 14,214.0
		Conductor, Actual, 110ftKB; 110; 30 TVD; 30-110 TVD; 30-110	Linked Zone NBRR, Original Hole	Date 12/8/2025 12:58	Top Depth (ftKB) 14,243.0	Bottom Depth (ftKB) 14,244.0
		1-3; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 63.1; 63.1 TVD; 63.1-3295.9 TVD	Linked Zone NBRR, Original Hole	Date 12/7/2025 18:31	Top Depth (ftKB) 14,273.0	Bottom Depth (ftKB) 14,274.0
		Surface, Actual, 1925.1ftKB; 1925.1; 30 TVD; 30-1904.1 TVD; 30-1925.1	Linked Zone NBRR, Original Hole	Date 12/7/2025 18:30	Top Depth (ftKB) 14,303.0	Bottom Depth (ftKB) 14,304.0
		1-5; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 3412.4; 3299.7 TVD; 3299.7-4556.8 TVD	Linked Zone NBRR, Original Hole	Date 12/7/2025 18:29	Top Depth (ftKB) 14,329.0	Bottom Depth (ftKB) 14,330.0
		1-7; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 4751.1; 4560.7 TVD; 4560.7-5574.6 TVD	Linked Zone NBRR, Original Hole	Date 12/7/2025 18:28	Top Depth (ftKB) 14,363.0	Bottom Depth (ftKB) 14,364.0
		1-9; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 5830; 5578.5 TVD; 5578.5-6411.2 TVD	Linked Zone NBRR, Original Hole	Date 12/7/2025 18:27	Top Depth (ftKB) 14,393.0	Bottom Depth (ftKB) 14,394.0
		1-11; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 6713.3; 6415 TVD; 6415-7033 TVD	Linked Zone NBRR, Original Hole	Date 12/7/2025 18:26	Top Depth (ftKB) 14,424.0	Bottom Depth (ftKB) 14,425.0
		1-13; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7398.2; 7033.7 TVD; 7033.7-7057.1 TVD	Linked Zone NBRR, Original Hole	Date 12/7/2025 18:25	Top Depth (ftKB) 14,453.0	Bottom Depth (ftKB) 14,454.0
		1-15; Tubing - Production set at 7,483.7ftKB on 3/20/2026 19:45; 7434.8; 7060.1 TVD; 7060.1-7082.2 TVD	Linked Zone NBRR, Original Hole	Date 12/7/2025 02:17	Top Depth (ftKB) 14,483.0	Bottom Depth (ftKB) 14,484.0
		Conductor Cement, Casing, 10/2/2024 16:00; 30; 110	Linked Zone NBRR, Original Hole	Date 12/7/2025 02:16	Top Depth (ftKB) 14,513.0	Bottom Depth (ftKB) 14,514.0
		Surface Casing Cement, Casing, 1/15/2025 18:59; 30; 1925	Linked Zone NBRR, Original Hole	Date 12/7/2025 02:15	Top Depth (ftKB) 14,543.0	Bottom Depth (ftKB) 14,544.0
		Production Casing Cement, Casing, 2/16/2025 14:10; 1064; 15538.6	Linked Zone NBRR, Original Hole	Date 12/7/2025 02:14	Top Depth (ftKB) 14,573.0	Bottom Depth (ftKB) 14,574.0
			Linked Zone NBRR, Original Hole	Date 12/7/2025 02:13	Top Depth (ftKB) 14,603.0	Bottom Depth (ftKB) 14,604.0
			Linked Zone NBRR, Original Hole	Date 12/7/2025 02:12	Top Depth (ftKB) 14,632.0	Bottom Depth (ftKB) 14,633.0
			Linked Zone NBRR, Original Hole	Date 12/7/2025 02:11	Top Depth (ftKB) 14,663.0	Bottom Depth (ftKB) 14,664.0
			Linked Zone NBRR, Original Hole	Date 12/6/2025 08:08	Top Depth (ftKB) 14,693.0	Bottom Depth (ftKB) 14,694.0
			Linked Zone NBRR, Original Hole	Date 12/6/2025 08:07	Top Depth (ftKB) 14,727.0	Bottom Depth (ftKB) 14,728.0
			Linked Zone NBRR, Original Hole	Date 12/6/2025 08:06	Top Depth (ftKB) 14,753.0	Bottom Depth (ftKB) 14,754.0
			Linked Zone NBRR, Original Hole	Date 12/6/2025 08:05	Top Depth (ftKB) 14,783.0	Bottom Depth (ftKB) 14,784.0
			Linked Zone NBRR, Original Hole	Date 12/6/2025 08:04	Top Depth (ftKB) 14,814.0	Bottom Depth (ftKB) 14,815.0
			Linked Zone NBRR, Original Hole	Date 12/6/2025 08:03	Top Depth (ftKB) 14,843.0	Bottom Depth (ftKB) 14,844.0
			Linked Zone NBRR, Original Hole	Date 12/6/2025 08:02	Top Depth (ftKB) 14,873.0	Bottom Depth (ftKB) 14,874.0
			Linked Zone NBRR, Original Hole	Date 12/5/2025 10:02	Top Depth (ftKB) 14,903.0	Bottom Depth (ftKB) 14,904.0
	Linked Zone NBRR, Original Hole	Date 12/5/2025 10:01	Top Depth (ftKB) 14,933.0	Bottom Depth (ftKB) 14,934.0		
	Linked Zone NBRR, Original Hole	Date 12/5/2025 10:00	Top Depth (ftKB) 14,963.0	Bottom Depth (ftKB) 14,964.0		
	Linked Zone NBRR, Original Hole	Date 12/5/2025 09:59	Top Depth (ftKB) 14,993.0	Bottom Depth (ftKB) 14,994.0		
	Linked Zone NBRR, Original Hole	Date 12/5/2025 09:58	Top Depth (ftKB) 15,020.0	Bottom Depth (ftKB) 15,021.0		
	Linked Zone NBRR, Original Hole	Date 12/5/2025 09:57	Top Depth (ftKB) 15,053.0	Bottom Depth (ftKB) 15,054.0		
	Linked Zone NBRR, Original Hole	Date 12/5/2025 09:56	Top Depth (ftKB) 15,083.0	Bottom Depth (ftKB) 15,084.0		
	Linked Zone NBRR, Original Hole	Date 12/4/2025 13:39	Top Depth (ftKB) 15,114.0	Bottom Depth (ftKB) 15,115.0		
	Linked Zone NBRR, Original Hole	Date 12/4/2025 13:38	Top Depth (ftKB) 15,143.0	Bottom Depth (ftKB) 15,144.0		
	Linked Zone NBRR, Original Hole	Date 12/4/2025 13:37	Top Depth (ftKB) 15,173.0	Bottom Depth (ftKB) 15,174.0		
	Linked Zone NBRR, Original Hole	Date 12/4/2025 13:36	Top Depth (ftKB) 15,203.0	Bottom Depth (ftKB) 15,204.0		
	Linked Zone NBRR, Original Hole	Date 12/4/2025 13:35	Top Depth (ftKB) 15,233.0	Bottom Depth (ftKB) 15,234.0		
	Linked Zone NBRR, Original Hole	Date 12/4/2025 13:34	Top Depth (ftKB) 15,263.0	Bottom Depth (ftKB) 15,264.0		
	Linked Zone NBRR, Original Hole	Date 12/4/2025 13:33	Top Depth (ftKB) 15,293.0	Bottom Depth (ftKB) 15,294.0		



Rockies Current Wellbore - Regulatory

Well Name: Windom 03NA

Original Hole [Land]



Perforations			
Linked Zone	Date	Top Depth (ftKB)	Bottom Depth (ftKB)
NBRR, Original Hole	10/31/2025 11:52	15,323.0	15,324.0
NBRR, Original Hole	10/31/2025 11:51	15,353.0	15,354.0
NBRR, Original Hole	10/31/2025 11:50	15,383.0	15,384.0
NBRR, Original Hole	10/31/2025 11:49	15,413.0	15,414.0
NBRR, Original Hole	10/31/2025 11:48	15,443.0	15,444.0
NBRR, Original Hole	10/31/2025 11:47	15,473.0	15,474.0
NBRR, Original Hole	10/31/2025 11:46	15,503.0	15,504.0

Other In Hole					
Run Date	Des	Make	OD (in)	Top (ftKB)	Btm (ftKB)
3/8/2025	Retrievable Bridge Plug		4 7/8		

Logs			
Date	Type	Depth Top (MD) (ftKB)	Btm (ftKB)
2/15/2025	Logging While Drilling (LWD)	1,922	15,535.0

Wellbore Plug Back Total Depths			
Date	Type	Com	PBTD (ftKB)
2/16/2025	Float Collar	Float Collar BALL SEAT SUB @ 15518.6	15,532