

**FORM
INSP**

Rev
X/20

**State of Colorado
Energy and Carbon Management Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

05/15/2026

Submitted Date:

05/19/2026

Document Number:

711903139

FIELD INSPECTION FORM

Loc ID 313708 Inspector Name: SCHURE, KYM On-Site Inspection 2A Doc Num: _____

Status Summary:

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED

Operator Information:

ECMC Operator Number: 10657
Name of Operator: PCR OPERATING LLC
Address: 9211 BROADWAY ST #17493
City: SAN ANTONIO State: TX Zip: 78217

Findings:

3 Number of Comments
0 Number of Corrective Actions
 Corrective Action Response Requested

ANY CORRECTIVE ACTION(S) FROM PREVIOUS INSPECTIONS THAT HAVE NOT BEEN ADDRESSED ARE STILL APPLICABLE

Contact Information:

Contact Name	Phone	Email	Comment
Quint, Craig		craig.quint@state.co.us	
Beasley, Nolan		nolan.beasley@state.co.us	

Inspected Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
224910	WELL	SI	10/01/2022	ERIW	087-05303	LAUGHLIN, R J 6	SI

General Comment:

UIC ROUTINE 2026
LAST MIT 7-10-2019
WELL IS WITHIN OWP
NO PRESSURE ON WELL

Inspected Facilities

Facility ID: 224910 Type: WELL API Number: 087-05303 Status: SI Insp. Status: SI

Underground Injection Control

UIC Violation: _____ Maximum Injection Pressure: _____

UIC Routine

Inj./Tube: Pressure or inches of Hg 0 Previous Test Pressure _____ MPP _____
 (e.g. 30 psig or -30" Hg) Inj Zone: JSND
 TC: Pressure or inches of Hg 0 Previous Test Pressure _____ Last MIT: 07/10/2019
 Brhd: Pressure or inches of Hg 0 Previous Test Pressure _____ AnnMTReq: _____

Comment: NO PRESSURE ON WELL

Corrective Action: _____ Date: _____

Method of Injection: _____

Test Type: _____ Tbg psi: _____ Csg psi: _____ BH psi: _____

Insp. Status: _____

Comment: _____

Corrective Action: _____ Date: _____

ECMC Comments

Comment	User	Date
<u>UIC ROUTINE 2026</u>	schureky	05/19/2026