

TABLE 1
 ECMC 615 Analytes - Residential Well Groundwater Samples
 T088 Well Sampling 6/27

lab sdg	lab sdg
E5F0607	E5F0607

Notes:
 Sampling and reporting were performed in compliance with Colorado Energy and Carbon Management Commission (ECMC) Rule 615, as published by the State of Colorado, and in accordance to the WWSAP.
 Bold and Pink highlighted groundwater analytical values indicate an exceedance of the referenced cleanup concentrations in Regulation No. 11 - Colorado Primary Drinking Water Regulation 5 CCR 1002-11 as published by the Department of Public Health and Environment Water Quality Control Commission.
 Non-detections are reported as less than (" $<$ ") the limit of quantitation. Non-detected Radium results depict activity of the result.
 (RL) indicates data was reported to the method detection limit (MDL) and J-estimation of result was applied due to result being detected between the MDL and LOQ.
 Italic values indicate that the laboratory-reported method detection limit and/or quantitation limit associated with the non-detected result is higher than the threshold concentration.
 Multiple columns are presented for individual analytes when laboratories perform and/or report multiple analyses (such as original analyses, reanalyses, and dilution analyses). All available data are shown for events with more than one reportable result, with each column representing a distinct analysis.
 NE = Not Established
 (DUP) indicates Field Duplicate Samples.
 NA = Not Analyzed/Reported for Sample.

ECMC = Colorado Energy and Carbon Management Commission
 mg/L = Micrograms per Liter
 SU = Standard Units

Data Qualifiers
 U: The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate, or was observed in a blank at a similar level.
 R: The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
 J: The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 J+: The result is an estimated quantity, but the result may be biased high.
 J-: The result is an estimated quantity, but the result may be biased low.
 UJ: The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

TABLE 1
ECMC 615 Analytes - Residential Well Groundwater Samples
T088 Well Sampling 6/27

Sample ID	Location	Sample Date	Sample Purpose	SM2320B			SW9040	SM2540C	SW9050	E300.0		
				BICARBONATE ALKALINITY AS CACO3	CARBONATE ALKALINITY AS CACO3	TOTAL ALKALINITY AS CACO3	PH, LAB	TOTAL DISSOLVED SOLIDS	SPECIFIC CONDUCTIVITY	BROMIDE	CHLORIDE	FLUORIDE
				mg/L	mg/L	mg/L	SU	mg/L	mmhos/cm	mg/L	mg/L	mg/L
Regulation No. 11 - Colorado Primary Drinking Water Maximum Contaminant Level				NE	NE	NE	NE	NE	NE	NE	NE	4.0
T088-272815	T088-272815	06/27/2025	Assessment/Delineation	279	17.1	296	8.7 J	558	0.952	0.184	13.4	0.791

Notes:
Sampling and reporting were performed in compliance with Colorado Energy and Carbon Management Commission (ECMC) Rule 615, as published by the State of Colorado, and in accordance to the WWSAP.
Bold and Pink highlighted groundwater analytical values indicate an exceedance of the referenced cleanup concentrations in Regulation No. 11 - Colorado Primary Drinking Water Regulation 5 CCR 1002-11 as published by the Department of Public Health and Environment Water Quality Control Commission.
Non-detections are reported as less than (" $<$ ") the limit of quantitation. Non-detected Radium results depict activity of the result.
(RL) indicates data was reported to the method detection limit (MDL) and J/estimation of result was applied due to result being detected between the MDL and LOQ.
Italic values indicate that the laboratory-reported method detection limit and/or quantitation limit associated with the non-detected result is higher than the threshold concentration.
Multiple columns are presented for individual analytes when laboratories perform and/or report multiple analyses (such as original analyses, reanalyses, and dilution analyses). All available data are shown for events with more than one reportable result, with each column representing a distinct analysis.
NE = Not Established
(DUP) indicates Field Duplicate Samples.
NA = Not Analyzed/Reported for Sample.

ECMC = Colorado Energy and Carbon Management Commission
mg/L = Micrograms per Liter
SU = Standard Units

Data Qualifiers
U: The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate, or was observed in a blank at a similar level.
R: The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
J: The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
J+: The result is an estimated quantity, but the result may be biased high.
J-: The result is an estimated quantity, but the result may be biased low.
UJ: The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

TABLE 1
ECMC 615 Analytes - Residential Well Groundwater Samples
T088 Well Sampling 6/27

Sample ID	Location	Sample Date	Sample Purpose	E300.0			Metals						
				NITRATE	NITRITE	SULFATE	BARIUM (DISSOLVED)	BORON (DISSOLVED)	CALCIUM (DISSOLVED)	IRON (DISSOLVED)	MAGNESIUM (DISSOLVED)	MANGANESE (DISSOLVED)	
				mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Regulation No. 11 - Colorado Primary Drinking Water Maximum Contaminant Level				NE	NE	NE	2	NE	NE	NE	NE	NE	NE
T088-272815	T088-272815	06/27/2025	Assessment/Delineation	0.66	<0.1 U	202	0.016	0.0631	4.98	<0.1 U	0.686	<0.005 U	

Notes:
 Sampling and reporting were performed in compliance with Colorado Energy and Carbon Management Commission (ECMC) Rule 615, as published by the State of Colorado, and in accordance to the WWSAP.
 Bold and Pink highlighted groundwater analytical values indicate an exceedance of the referenced cleanup concentrations in Regulation No. 11 - Colorado Primary Drinking Water Regulation 5 CCR 1002-11 as published by the Department of Public Health and Environment Water Quality Control Commission.
 Non-detections are reported as less than (" $<$ ") the limit of quantitation. Non-detected Radium results depict activity of the result.
 (RL) indicates data was reported to the method detection limit (MDL) and J/estimation of result was applied due to result being detected between the MDL and LOQ.
 Italic values indicate that the laboratory-reported method detection limit and/or quantitation limit associated with the non-detected result is higher than the threshold concentration.
 Multiple columns are presented for individual analytes when laboratories perform and/or report multiple analyses (such as original analyses, reanalyses, and dilution analyses). All available data are shown for events with more than one reportable result, with each column representing a distinct analysis.
 NE = Not Established
 (DUP) indicates Field Duplicate Samples.
 NA = Not Analyzed/Reported for Sample.

ECMC = Colorado Energy and Carbon Management Commission
 mg/L = Micrograms per Liter
 SU = Standard Units

Data Qualifiers
 U: The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate, or was observed in a blank at a similar level.
 R: The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
 J: The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 J+: The result is an estimated quantity, but the result may be biased high.
 J-: The result is an estimated quantity, but the result may be biased low.
 UJ: The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

TABLE 1
ECMC 615 Analytes - Residential Well Groundwater Samples
T088 Well Sampling 6/27

Sample ID	Location	Sample Date	Sample Purpose	Metals				SW8260				E365.4
				POTASSIUM (DISSOLVED)	SELENIUM (DISSOLVED)	SODIUM (DISSOLVED)	STRONTIUM (DISSOLVED)	BENZENE	ETHYLBENZENE	TOLUENE	TOTAL XYLENES	TOTAL PHOSPHORUS
				mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Regulation No. 11 - Colorado Primary Drinking Water Maximum Contaminant Level				NE	0.05	NE	NE	0.005	0.7	1	10	NE
T088-272815	T088-272815	06/27/2025	Assessment/Delineation	1.3	<0.005 U	194	0.15	<0.001 UJ	<0.001 U	<0.001 UJ	<0.001 UJ	<0.05 U

Notes:
Sampling and reporting were performed in compliance with Colorado Energy and Carbon Management Commission (ECMC) Rule 615, as published by the State of Colorado, and in accordance to the WWSAP.
Bold and Pink highlighted groundwater analytical values indicate an exceedance of the referenced cleanup concentrations in Regulation No. 11 - Colorado Primary Drinking Water Regulation 5 CCR 1002-11 as published by the Department of Public Health and Environment Water Quality Control Commission.
Non-detections are reported as less than ("<") the limit of quantitation. Non-detected Radium results depict activity of the result.
(RL) indicates data was reported to the method detection limit (MDL) and J-estimation of result was applied due to result being detected between the MDL and LOQ.
Italic values indicate that the laboratory-reported method detection limit and/or quantitation limit associated with the non-detected result is higher than the threshold concentration.
Multiple columns are presented for individual analytes when laboratories perform and/or report multiple analyses (such as original analyses, reanalyses, and dilution analyses). All available data are shown for events with more than one reportable result, with each column representing a distinct analysis.
NE = Not Established
(DUP) indicates Field Duplicate Samples.
NA = Not Analyzed/Reported for Sample.

ECMC = Colorado Energy and Carbon Management Commission
mg/L = Micrograms per Liter
SU = Standard Units

Data Qualifiers
U: The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate, or was observed in a blank at a similar level.
R: The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
J: The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
J+: The result is an estimated quantity, but the result may be biased high.
J-: The result is an estimated quantity, but the result may be biased low.
UJ: The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

TABLE 1
ECMC 615 Analytes - Residential Well Groundwater Samples
T088 Well Sampling 6/27

Sample ID	Location	Sample Date	Sample Purpose	E353.2	BART				SW8015		RSK175		
				NITRATE/NITRITE	BACTERIA, IRON RELATED	BACTERIA, SLIME FORMING	BACTERIA, SULFATE REDUCING	C10-C28 DIESEL RANGE ORGANICS	TVPH - GASOLINE RANGE ORGANICS	ETHANE	METHANE	PROPANE	
				mg/L	cfu/ml	cfu/ml	cfu/ml	mg/L	mg/L	mg/L	mg/L	mg/L	
Regulation No. 11 - Colorado Primary Drinking Water Maximum Contaminant Level				NE	NE	NE	NE	NE	NE	NE	NE	NE	
T088-272815	T088-272815	06/27/2025	Assessment/Delineation	0.167	<1 U	<20 U	<5 U	<0.2 U	<0.1 U	<0.01 U	0.019	<0.01 U	

Notes:
Sampling and reporting were performed in compliance with Colorado Energy and Carbon Management Commission (ECMC) Rule 615, as published by the State of Colorado, and in accordance to the WWSAP.
Bold and Pink highlighted groundwater analytical values indicate an exceedance of the referenced cleanup concentrations in Regulation No. 11 - Colorado Primary Drinking Water Regulation 5 CCR 1002-11 as published by the Department of Public Health and Environment Water Quality Control Commission.
Non-detections are reported as less than ("<") the limit of quantitation. Non-detected Radium results depict activity of the result.
(RL) indicates data was reported to the method detection limit (MDL) and J/estimation of result was applied due to result being detected between the MDL and LOQ.
Italic values indicate that the laboratory-reported method detection limit and/or quantitation limit associated with the non-detected result is higher than the threshold concentration.
Multiple columns are presented for individual analytes when laboratories perform and/or report multiple analyses (such as original analyses, reanalyses, and dilution analyses). All available data are shown for events with more than one reportable result, with each column representing a distinct analysis.
NE = Not Established
(DUP) indicates Field Duplicate Samples.
NA = Not Analyzed/Reported for Sample.

ECMC = Colorado Energy and Carbon Management Commission
mg/L = Micrograms per Liter
SU = Standard Units

Data Qualifiers
U: The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate, or was observed in a blank at a similar level.
R: The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
J: The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
J+: The result is an estimated quantity, but the result may be biased high.
J-: The result is an estimated quantity, but the result may be biased low.
UJ: The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.