



Confluence Compliance Companies, LLC

March 12, 2026

Brody Poss

403 1/2 Rockwood Lane

Grand Junction CO 81507

Project Name - Chevron - Reliance E #23-63-1HNC

Project Number - CVX0026

Attached are your analytical results for Chevron - Reliance E #23-63-1HNC received by Origins Laboratory February 26, 2026. This project is associated with Origins project number DJB0738-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

The laboratory is TNI accredited by the Utah DHHS ELAP under certificate number CO010822024.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory
303.433.1322
projectmanager@originslab.com





Confluence Compliance Companies, LLC
403 1/2 Rockwood Lane
Grand Junction CO 81507

Brody Poss
Project Number: CVX0026
Project: Chevron - Reliance E #23-63-1HNC

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BKG02@7'	DJB0738-01	Soil	February 26, 2026 10:25	02/26/2026 17:15
BKG03@7'	DJB0738-02	Soil	February 26, 2026 10:30	02/26/2026 17:15
BKG01@7'	DJB0738-03	Soil	February 26, 2026 11:15	02/26/2026 17:15

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS

LABORATORY

ORIGINS WORK ORDER

DJBO738

Page 1 of 1

Client: Confidence Compliance Companies

Project Manager: Brody Ross

Key: _____

Address: 209 Main St Urte
Lead CO 80542

Project Name: Reliance E # 23-63-1-HNC

W=Water

Telephone Number: 920 419 7942

Project Number: CX0026 (REM # 26233)

GW=Groundwater

Email Address: brody.ross@confidence-cc.com

Collected By: JG + BN

SW=Surface Water

Invoice/Billing Info: Noble/Clevron - Dan Peterson

WW=Waste Water

L=Liquid

S=Soil | SO=Solid | O=Oil | A=Air | G=Gas || UNP=Unpres | HCl= Hydrochloric | HNO3=Nitric | H2SO4=sulfuric | NaOH=sodium Hydroxide

#	Sample ID	Date Sampled	Time Sampled	# of Containers	Matrix	Preservative	Analysis				Comments
							75-1 Metals	EC, SAR, pH	Boron (not water soluble)	Hexavalent Chromium	
1	BK602e91	2/26/26	10:15	3	S	UNP	X	X	X	X	
2	BK603e71	2/26/26	10:30	3	S	UNP	X	X	X	X	
3	BK601e71	2/26/26	11:15	3	S	UNP	X	X	X	X	
4											
5											
6											
7											
8											
9											
10											

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
<u>[Signature]</u>	2/26/26	12:29	JN	2/26/26	13:48
JN	2/26/26	17:14	NB	02/26/26	17:15

Temp Received - 3.7°C Received On Ice? Yes No

Turnaround Time
 SAME DAY 24 Hr
 48 Hr 72
 Standard

1725 Elk Place Denver, CO 80211 | 303.433.1322 | originslab.com | This report was generated by Project Manager Emma Heather-Souders on 03/12/2026 at 12:08 PM.

Sample Receipt Checklist

Enthalpy Work Order: DB0738 Client: Confluence
 Checklist Completed by: smc/NKM Client Project ID: Reliance E #23-03
 Date/Time Completed: 02/12/26 Shipped Via: HD
 Matrix(es) Received: 2 Soil/Solid Water: _____ Other: _____
 Thermometer ID(s): T-004
 Temperature as read (°C): 2.6
 Temperature as reported (°C): 3.7

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>			
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Are custody seals present on each sample container?(if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?		<input checked="" type="checkbox"/>		
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.			<input checked="" type="checkbox"/>	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses to insure sample integrity)/(pH <2 for samples preserved with HNO ₃ , HCl, H ₂ SO ₄) / (pH >10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH, etc.)			<input checked="" type="checkbox"/>	
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Jack H
 Reviewed by (Project Manager)

3/2/26
 Date/Time Reviewed



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

BKG0209'

2/26/2026 10:25:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
DJB0738-01 (Soil)									
Origins Laboratory									
Boron (DTPA Sorbitol)									
(DTPA Sorbitol) Boron	0.788		0.117	mg/L dry	1	6C02021	03/02/2026	03/04/2026	
Chromium Hexavalent by EPA 7199									
Hexavalent Chromium	0.704	0.193	0.241	mg/kg dry	1	6C04067	03/04/2026	03/09/2026	
Metals by Saturated Paste by EPA 6010									
Calcium	14.2		0.499	meq/L	10	[CALC]	03/02/2026	03/06/2026	
Magnesium	3.83		0.823	"	"	"	"	"	
Sodium	7.00		0.435	"	"	"	"	"	
Percent Solids									
Total Solids, Percent	85.2			mass percent	1	6B27151	02/27/2026	02/27/2026	
pH in Soil by 9045D									
pH	7.92			pH Units	1	6C02047	03/02/2026	03/06/2026	
SAR by 20B Saturated Paste									
SAR	2.33		0.0100	SAR	1	6C02034	03/02/2026	03/06/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

BKG0209'

2/26/2026 10:25:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

DJB0738-01 (Soil)
Origins Laboratory

Specific Conductance Mod. 9050A

Specific Conductance (EC)	2.35		0.00500	mmhos/cm	1	6C02047	03/02/2026	03/06/2026	
---------------------------	------	--	---------	----------	---	---------	------------	------------	--

Table 915 metals by EPA 6020B

Arsenic	4.81		0.226	mg/kg dry	10	6B27109	02/27/2026	03/03/2026	
Barium	191		63.8	"	"	"	"	"	
Cadmium	ND		0.296	"	"	"	"	"	U
Copper	ND		35.8	"	"	"	"	"	U
Lead	ND		10.9	"	"	"	"	"	U
Nickel	ND		20.2	"	"	"	"	"	U
Selenium	ND		0.191	"	"	"	"	"	U
Silver	ND		0.623	"	"	"	"	"	U
Zinc	ND		288	"	"	"	"	"	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

BKG03@7'

2/26/2026 10:30:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
DJB0738-02 (Soil)									
Origins Laboratory									
Boron (DTPA Sorbitol)									
(DTPA Sorbitol) Boron	0.876		0.125	mg/L dry	1	6C02022	03/02/2026	03/04/2026	
Chromium Hexavalent by EPA 7199									
Hexavalent Chromium	0.235	0.209	0.261	mg/kg dry	1	6C04067	03/04/2026	03/09/2026	J
Metals by Saturated Paste by EPA 6010									
Calcium	8.88		0.499	meq/L	10	[CALC]	03/02/2026	03/06/2026	
Magnesium	2.73		0.823	"	"	"	"	"	
Sodium	5.11		0.435	"	"	"	"	"	
Percent Solids									
Total Solids, Percent	79.0			mass percent	1	6B27151	02/27/2026	02/27/2026	
pH in Soil by 9045D									
pH	7.93			pH Units	1	6C02047	03/02/2026	03/06/2026	
SAR by 20B Saturated Paste									
SAR	2.12		0.0100	SAR	1	6C02034	03/02/2026	03/06/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

BKG03@7'

2/26/2026 10:30:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	-------

DJB0738-02 (Soil)
Origins Laboratory

Specific Conductance Mod. 9050A

Specific Conductance (EC)	1.75		0.00500	mmhos/cm	1	6C02047	03/02/2026	03/06/2026	
---------------------------	------	--	---------	----------	---	---------	------------	------------	--

Table 915 metals by EPA 6020B

Arsenic	6.07		0.269	mg/kg dry	10	6B27109	02/27/2026	03/03/2026	
Barium	202		75.8	"	"	"	"	"	
Cadmium	ND		0.351	"	"	"	"	"	U
Copper	ND		42.5	"	"	"	"	"	U
Lead	ND		12.9	"	"	"	"	"	U
Nickel	ND		24.0	"	"	"	"	"	U
Selenium	ND		0.227	"	"	"	"	"	U
Silver	ND		0.740	"	"	"	"	"	U
Zinc	ND		342	"	"	"	"	"	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

BKG01@7'

2/26/2026 11:15:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
DJB0738-03 (Soil)									
Origins Laboratory									
Boron (DTPA Sorbitol)									
(DTPA Sorbitol) Boron	0.790		0.124	mg/L dry	1	6C02022	03/02/2026	03/04/2026	
Chromium Hexavalent by EPA 7199									
Hexavalent Chromium	0.202	0.193	0.242	mg/kg dry	1	6C04067	03/04/2026	03/09/2026	J
Metals by Saturated Paste by EPA 6010									
Calcium	8.86		0.499	meq/L	10	[CALC]	03/02/2026	03/06/2026	
Magnesium	3.18		0.823	"	"	"	"	"	
Sodium	5.66		0.435	"	"	"	"	"	
Percent Solids									
Total Solids, Percent	80.7			mass percent	1	6B27151	02/27/2026	02/27/2026	
pH in Soil by 9045D									
pH	7.99			pH Units	1	6C02047	03/02/2026	03/06/2026	
SAR by 20B Saturated Paste									
SAR	2.31		0.0100	SAR	1	6C02034	03/02/2026	03/06/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

BKG01@7'
2/26/2026 11:15:00AM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
DJB0738-03 (Soil)									
Origins Laboratory									
Specific Conductance Mod. 9050A									
Specific Conductance (EC)	1.80		0.00500	mmhos/cm	1	6C02047	03/02/2026	03/06/2026	
Table 915 metals by EPA 6020B									
Arsenic	5.13		0.237	mg/kg dry	10	6B27109	02/27/2026	03/03/2026	
Barium	264		66.8	"	"	"	"	"	
Cadmium	ND		0.310	"	"	"	"	"	U
Copper	ND		37.5	"	"	"	"	"	U
Lead	12.6		11.4	"	"	"	"	"	
Nickel	ND		21.2	"	"	"	"	"	U
Selenium	ND		0.200	"	"	"	"	"	U
Silver	ND		0.652	"	"	"	"	"	U
Zinc	ND		301	"	"	"	"	"	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

***** DEFAULT GENERAL METHOD *** - Quality Control**
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6B27151 - % Solids										
Duplicate (6B27151-DUP1)			Source: DJB0737-14			Prepared: 02/27/2026 Analyzed: 02/27/2026				
Total Solids, Percent	87.4		mass percent		87.1			0.341	20	
Duplicate (6B27151-DUP2)			Source: DJB0738-01			Prepared: 02/27/2026 Analyzed: 02/27/2026				
Total Solids, Percent	85.2		mass percent		85.2			0.0361	20	
Batch 6C04067 - EPA 3060A										
Blank (6C04067-BLK1)						Prepared: 03/04/2026 Analyzed: 03/08/2026				
Hexavalent Chromium	ND	0.200	mg/kg wet							U
LCS (6C04067-BS1)						Prepared: 03/04/2026 Analyzed: 03/08/2026				
Hexavalent Chromium	1.78	0.200	mg/kg wet	2.00		88.9	80-120			
Matrix Spike (6C04067-MS1)			Source: DJB0735-20			Prepared: 03/04/2026 Analyzed: 03/08/2026				
Hexavalent Chromium	1.74	0.204	mg/kg dry	2.04	ND	85.4	75-125			
Matrix Spike (6C04067-MS2)			Source: DJB0735-20			Prepared: 03/04/2026 Analyzed: 03/08/2026				
Hexavalent Chromium	199	20.7	mg/kg dry	206	ND	96.8	75-125			
Matrix Spike Dup (6C04067-MSD1)			Source: DJB0735-20			Prepared: 03/04/2026 Analyzed: 03/08/2026				
Hexavalent Chromium	1.81	0.205	mg/kg dry	2.05	ND	88.5	75-125	4.13	20	
Post Spike (6C04067-PS1)			Source: DJB0735-20			Prepared: 03/04/2026 Analyzed: 03/09/2026				
Hexavalent Chromium	50.5		ug/L	50.0	0.422	100	80-120			

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

Classical Chemistry Parameters - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6C02021 - DTPA Sorbitol Preparation

Blank (6C02021-BLK1)

Prepared: 03/02/2026 Analyzed: 03/04/2026

(DTPA Sorbitol) Boron ND 0.100 mg/L wet U

Duplicate (6C02021-DUP1)

Source: DJB0735-25

Prepared: 03/02/2026 Analyzed: 03/04/2026

(DTPA Sorbitol) Boron 0.0767 0.103 mg/L dry 0.0722 6.12 50 U

Batch 6C02022 - DTPA Sorbitol Preparation

Blank (6C02022-BLK1)

Prepared: 03/02/2026 Analyzed: 03/04/2026

(DTPA Sorbitol) Boron ND 0.100 mg/L wet U

Duplicate (6C02022-DUP1)

Source: DJB0738-02

Prepared: 03/02/2026 Analyzed: 03/04/2026

(DTPA Sorbitol) Boron 0.848 0.126 mg/L dry 0.876 3.27 50

Batch 6C02034 - Saturated Paste Metals

Blank (6C02034-BLK1)

Prepared: 03/02/2026 Analyzed: 03/06/2026

Calcium PPM ND 10.0 mg/L U

SAR ND 0.0100 SAR U

Magnesium PPM ND 10.0 mg/L U

Sodium PPM ND 10.0 " U

Duplicate (6C02034-DUP1)

Source: DJB0736-02

Prepared: 03/02/2026 Analyzed: 03/06/2026

SAR ND 0.0100 SAR 1.76 200 U

Calcium PPM 73.4 10.0 mg/L 84.5 14.2 50

Magnesium PPM 17.5 10.0 " 21.2 19.3 50

Sodium PPM 66.0 10.0 " 70.1 6.03 50

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

Metals by EPA 6000/7000 Series Methods - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6B27109 - EPA 3050B

Blank (6B27109-BLK1)

Prepared: 02/27/2026 Analyzed: 03/03/2026

Arsenic	ND	0.218	mg/kg wet							U
Barium	ND	61.5	"							U
Cadmium	ND	0.285	"							U
Copper	ND	34.5	"							U
Lead	ND	10.5	"							U
Nickel	ND	19.5	"							U
Selenium	ND	0.184	"							U
Silver	ND	0.600	"							U
Zinc	ND	278	"							U

LCS (6B27109-BS1)

Prepared: 02/27/2026 Analyzed: 03/03/2026

Arsenic	4.96	0.218	mg/kg wet	5.00		99.3	80-120			
Barium	475	61.5	"	500		95.0	80-120			
Cadmium	4.94	0.285	"	5.00		98.8	80-120			
Copper	50.1	34.5	"	50.0		100	80-120			
Lead	4.83	10.5	"	5.00		96.6	80-120			U
Nickel	4.98	19.5	"	5.00		99.6	80-120			U
Selenium	4.81	0.184	"	5.00		96.2	80-120			
Silver	5.03	0.600	"	5.00		101	80-120			
Zinc	49.8	278	"	50.0		99.7	80-120			U

Matrix Spike (6B27109-MS1)

Source: DJB0737-10

Prepared: 02/27/2026 Analyzed: 03/03/2026

Arsenic	7.05	0.227	mg/kg dry	5.20	2.29	91.6	75-125			
Barium	557	64.0	"	520	65.7	94.5	75-125			
Cadmium	4.93	0.297	"	5.20	0.0902	93.0	75-125			
Copper	58.8	35.9	"	52.0	9.92	93.9	75-125			
Lead	12.1	10.9	"	5.20	7.55	87.1	75-125			

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

Metals by EPA 6000/7000 Series Methods - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6B27109 - EPA 3050B

Matrix Spike (6B27109-MS1)

Source: DJB0737-10

Prepared: 02/27/2026 Analyzed: 03/03/2026

Nickel	13.2	20.3	mg/kg dry	5.20	8.62	87.1	75-125			U
Selenium	4.71	0.192	"	5.20	0.0649	89.3	75-125			
Silver	4.99	0.624	"	5.20	0.0324	95.3	75-125			
Zinc	94.9	289	"	52.0	46.8	92.5	75-125			U

Matrix Spike Dup (6B27109-MSD1)

Source: DJB0737-10

Prepared: 02/27/2026 Analyzed: 03/03/2026

Arsenic	6.81	0.219	mg/kg dry	5.03	2.29	89.9	75-125	3.45	20	
Barium	564	61.9	"	503	65.7	99.1	75-125	1.29	20	
Cadmium	4.83	0.287	"	5.03	0.0902	94.2	75-125	2.03	20	
Copper	57.0	34.7	"	50.3	9.92	93.5	75-125	3.15	20	
Lead	11.8	10.6	"	5.03	7.55	83.5	75-125	2.78	20	
Nickel	12.9	19.6	"	5.03	8.62	84.1	75-125	2.31	20	U
Selenium	4.46	0.186	"	5.03	0.0649	87.4	75-125	5.36	20	
Silver	4.89	0.604	"	5.03	0.0324	96.5	75-125	2.09	20	
Zinc	93.7	279	"	50.3	46.8	93.3	75-125	1.25	20	U

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Confluence Compliance Companies, LLC
 403 1/2 Rockwood Lane
 Grand Junction CO 81507

Brody Poss
 Project Number: CVX0026
 Project: Chevron - Reliance E #23-63-1HNC

Saturated Paste - Quality Control
Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6C02047 - Saturated Paste pH/EC

Blank (6C02047-BLK1)

Prepared: 03/02/2026 Analyzed: 03/06/2026

Specific Conductance (EC)	ND	0.00500	mmhos/cm							U
---------------------------	----	---------	----------	--	--	--	--	--	--	---

Duplicate (6C02047-DUP1)

Source: DJB0736-02

Prepared: 03/02/2026 Analyzed: 03/06/2026

pH	7.89		pH Units		7.83		0.763		25	
Specific Conductance (EC)	0.920	0.00500	mmhos/cm		1.00		8.41		25	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS LABORATORY

Confluence Compliance Companies, LLC
403 1/2 Rockwood Lane
Grand Junction CO 81507

Brody Poss
Project Number: CVX0026
Project: Chevron - Reliance E #23-63-1HNC

Notes and Definitions

- U Sample is Non-Detect.
- J Sample result was found between MDL and RL
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference

Origins Laboratory



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.