



Re: Initial Spill/Release Report #404587984

From Maclaren - DNR, Joe <joe.maclaren@state.co.us>

Date Thu 4/23/2026 1:19 PM

To Neil Sharp <nsharp@rampikeresources.com>

Cc Trisha Fanning <tfanning@ardorenvironmental.com>; Amber Barnett <abarnett@ardorenvironmental.com>

Hi Neil. Why don't I call you to discuss. Thx Joe

--

Joe Maclaren

Integrity Inspector - Eastern Slope

(970)-382-1680



COLORADO
Energy & Carbon Management
Commission

Department of Natural Resources

1120 Lincoln Street, Suite 801, Denver, CO 80203

joe.maclaren@state.co.us | <https://ecmc.colorado.gov/>



On Thu, Apr 23, 2026 at 11:12 AM Neil Sharp <nsharp@rampikeresources.com> wrote:

Hi, Joe. I just wanted to follow up on this. We're ready to back fill, the line. Can you please provide an update. Thank you.

nds...

Neil D. Sharp

President

Rampike Resources, Ltd
730 17th Street
Suite 999
Denver, CO 80202

nsharp@rampikeresources.com

312-933-3401

S.I.P.E.S. #3446

NOTICE:

This e-mail, including any attachments, may contain information that is protected by law as privileged and confidential, and is transmitted for the sole use of the intended recipient. If you are not the intended recipient, you are hereby notified that any use, dissemination, copying or retention of this e-mail or the information contained herein is strictly prohibited. If you have received this e-mail in error, please immediately notify the sender by telephone or reply e-mail, and permanently delete this e-mail from your computer system.

On Mon, Apr 6, 2026 at 8:04 PM Neil Sharp <nsharp@rampikeresources.com> wrote:

Hi, Joe. I forgot to send a photo of the patch. We removed the dresser sleeve and repaired it properly with the appropriate fiberglass. Photo attached. Thx.

nds...

Neil D. Sharp

Geologist

Rampike Resources, Ltd
730 17th Street
Suite 999
Denver, CO 80202

nsharp@rampikeresources.com

312-933-3401

S.I.P.E.S. #3446

NOTICE:

This e-mail, including any attachments, may contain information that is protected by law as privileged and confidential, and is transmitted for the sole use of the intended recipient. If you are not the intended recipient, you are hereby notified that any use, dissemination, copying or retention of this e-mail or the information contained herein is strictly prohibited. If you have received this e-mail in error, please immediately notify the sender by telephone or reply e-mail, and permanently delete this e-mail from your computer system.

On Mon, Apr 6, 2026 at 4:59 PM Maclaren - DNR, Joe <joe.maclaren@state.co.us> wrote:

Neil - Thank you

I'll let you know if we have questions. Joe

--

Joe Maclaren

Integrity Inspector - Eastern Slope



COLORADO
Energy & Carbon Management
Commission

Department of Natural Resources

1120 Lincoln Street, Suite 801, Denver, CO 80203

joe.maclaren@state.co.us | <https://ecmc.colorado.gov/>



On Mon, Apr 6, 2026 at 12:29 PM Neil Sharp <nsharp@rampikeresources.com> wrote:

Hi, Joe. Attached is the chart from the flowline test from last week. Derek Wendt from Wendt & Sons did the test. His phone number is on the chart if you need to speak with him. Thank you.

nds...

Neil D. Sharp

Geologist

Rampike Resources, Ltd
730 17th Street
Suite 999
Denver, CO 80202

nsharp@rampikeresources.com

312-933-3401

S.I.P.E.S. #3446

NOTICE:

This e-mail, including any attachments, may contain information that is protected by law as privileged and confidential, and is transmitted for the sole use of

the intended recipient. If you are not the intended recipient, you are hereby notified that any use, dissemination, copying or retention of this e-mail or the information contained herein is strictly prohibited. If you have received this e-mail in error, please immediately notify the sender by telephone or reply e-mail, and permanently delete this e-mail from your computer system.

On Tue, Mar 24, 2026 at 3:43 PM Maclaren - DNR, Joe <joe.maclaren@state.co.us> wrote:

Hello Neil,

Thank you - I appreciate the information. I'll let you know if our integrity engineers have questions. Please forward the pressure testing data/ chart when it's completed.

Regards, Joe

--

Joe Maclaren

Integrity Inspector - Eastern Slope



1120 Lincoln Street, Suite 801, Denver, CO 80203

joe.maclaren@state.co.us | <https://ecmc.colorado.gov/>



On Tue, Mar 24, 2026 at 11:34 AM Neil Sharp <nsharp@rampikeresources.com> wrote:

Hi, Joe. We had a flowline leak on the Pyles #4 (05-061-06182) last week. It was identified and promptly addressed. Please see forwarded information. The leak was identified as coming from a dresser sleeve placed on the flowline at some point in the past. We removed the dresser sleeve and repaired the fiberglass line with fiberglass of the same grade. Please see photos. We will have the line pressure tested hopefully this week. As part of the COA your department is needed to be consulted. Please let me know what questions your department might have. Thank you.

nds...

Neil D. Sharp

Geologist

Rampike Resources, Ltd
730 17th Street
Suite 999
Denver, CO 80202

nsharp@rampikeresources.com

312-933-3401

S.I.P.E.S. #3446

NOTICE:

This e-mail, including any attachments, may contain information that is protected by law as privileged and confidential, and is transmitted for the sole use of the intended recipient. If you are not the intended recipient, you are hereby notified that any use, dissemination, copying or retention of this e-mail or the information contained herein is strictly prohibited. If you have received this e-mail in error, please immediately notify the sender by telephone or reply e-mail, and permanently delete this e-mail from your computer system.

----- Forwarded message -----

From: <dnr_ecmc_efoms_helpdesk@state.co.us>

Date: Tue, Mar 24, 2026 at 10:06 AM

Subject: Initial Spill/Release Report #404587984

To: <nsharp@rampikeresources.com>, <abarnett@ardorenvironmental.com>



Colorado

Energy and Carbon Management Commission

Department of Natural Resources

1120 Lincoln St. Suite 801
Denver, CO 80203

Phone: (303) 894-2100

FAX: (303) 894-2109

ECMC.state.co.us

Initial Spill/Release Report

ECMC has reviewed and approved the subject Initial Spill/Release Report. Please reference the assigned Spill/Release Tracking Number[404587984] in all subsequent communication.

Document Number	File Name	Document Link
404587984	SPILL/RELEASE REPORT(INITIAL)	LF@7491222 404587984
404588020	AERIAL IMAGE	LF@7487456 404588020
404588022	TOPOGRAPHIC MAP	LF@7487457 404588022
404593115	FORM 19 SUBMITTED	LF@7487455 404593115

