

**FORM
INSP**

Rev
X/20

**State of Colorado
Energy and Carbon Management Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

05/21/2026

Submitted Date:

05/22/2026

Document Number:

719002053

FIELD INSPECTION FORM

Loc ID: 333963 Inspector Name: GARCIA, CHARLES On-Site Inspection: 2A Doc Num: _____

Status Summary:

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED

Operator Information:

ECMC Operator Number: 53255
Name of Operator: MARALEX RESOURCES INC
Address: P O BOX 338
City: IGNACIO State: CO Zip: 81137

Findings:

- 6 Number of Comments
- 3 Number of Corrective Actions
- Corrective Action Response Requested

ANY CORRECTIVE ACTION(S) FROM PREVIOUS INSPECTIONS THAT HAVE NOT BEEN ADDRESSED ARE STILL APPLICABLE

Contact Information:

Contact Name	Phone	Email	Comment
,		mollieo@maralexinc.com	All Inspections
Longworth, Mike		mike.longworth@state.co.us	
Labowskie, Steve		steve.labowskie@state.co.us	
,		pbechtolt@maralexinc.com	

General Comment:

Inspection Report Summary
On 5/21/26 | Inspector Charles Garcia conducted an on-site follow up inspection.
Location:KEEGAN PATRICK 33-7-11 #2A, KEEGAN PATRICK 33-7-11 #3C
Operator:MARALEX RESOURCES INC
API#: 067-09016
API#: 067-09631
County: LaPlata
All prior CA's still stand.
FIR DOC #719000788
NO FIRR WAS SUBMITTED FROM ORIGINAL INSPECTION

Location

Overall Good:

Emergency Contact Number: _____

Comment: _____

Corrective Action: _____ Date: _____

Good Housekeeping:		
Type	WEEDS	
Comment:	OVERGROWN VEGATATION AROUND ALL EQUIPMENT SEE LOCATION PICTURES Corrective Action: Keep areas around wellheads, tanks and separators clear of weeds (potentially combustible material) per Rule 610.kControl weeds and undesirable vegetation per Rule 606". Original CA ON 10/28/25 resolved, Undesirable vegetation was removed, however, is growing back see location pictures.When a Field Inspection Report includes a corrective action, upon completion of that corrective action the Operator will submit to the Director a Field Inspection Report Resolution Form ("FIRR").	
Corrective Action:	Control weeds and undesirable vegetation per Rule 606. The operator must then submit a Form (the FIRR) to the ECMC rule 210b	Date: 05/29/2026

Overall Good:

Spills:			
Type	Area	Volume	

In Containment: No

Comment: _____

Multiple Spills and Releases?

Equipment:		corrective date
Type: Other	# 1	
Comment:	CA NOT RESOLVED ORIGINAL CA DATE 10/28/25 DOMESTIC TAP NOT SHOWING IN RELATED FACILITIES. NO GAS REPORTED FOR DOMESTIC HOWEVER GUAGE IS SHOWING APPROXIMATELY 45 PSI GAUGE SEE LOCATION PICTURES. LAST PRODUCTION DATA 3/1/26 GAS PRODUCED 7144 MCF GAS USED 109 MCF GAS SOLD 7035 MCF NO GAS REPORTED FOR DOMESTIC TAP NO FIRR WAS SUBMITTED FOR ORIGINAL INSPECTION. When a Field Inspection Report includes a corrective action, upon completion of that corrective action the Operator will submit to the Director a Field Inspection Report Resolution Form ("FIRR").	
Corrective Action:	Corrective Action: Submit an eForm 44 Flowline Report per Rule 1101.c. The operator must then submit a Form (the FIRR) to the ECMC RULE 210B.	Date: 01/28/2026

Type: Horizontal Heated Separator	# 1	
Comment:	NO WILDLIFE PROTECTOR ON VENT SEE LOCATION PICTURES SEPARATOR CORRODED AND LEAKING INTO CATCH PAN SEE LOCATION PICTURES	
Corrective Action:	Install or repair wildlife protection equipment. PER RULE 608.a.(13)	Date: 05/27/2026

Venting:		
Yes/No		
Comment:		
Corrective Action:		Date:

Flaring:			
Type			
Comment:			
Corrective Action:		Date:	

ECMC Comments		
Comment	User	Date
1 CA RESOLVED 2 NEW CA'S 1 CA NOT RESOLVED SEE NOTES AND LOCATION PICTURES	garciacr1	05/22/2026

Attached Documents

You can go to ECMC Images (<https://ecmc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
404669479	INSPECTION SUBMITTED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=7557097
719002054	LOCATION PICTURES	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=7557083