



**Ensolum**

**March 19, 2026**

**Jeremy Espinoza**

**11049 W 44th Avenue, Suite 103**

**Wheat Ridge CO 80033**

**Project Name - KMG - GSHI - Cullen Odenbaugh C  
UT 1**

**Project Number - GSH#3672**

Attached are your analytical results for KMG - GSHI - Cullen Odenbaugh C UT 1 received by Origins Laboratory March 11, 2026. This project is associated with Origins project number DJC0334-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

The laboratory is TNI accredited by the Utah DHHS ELAP under certificate number CO010822024.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory  
303.433.1322  
projectmanager@originslab.com





Ensolium  
11049 W 44th Avenue, Suite 103  
Wheat Ridge CO 80033

Jeremy Espinoza  
Project Number: GSH#3672  
Project: KMG - GSHI - Cullen Odenbaugh C UT 1

### CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW01R2	DJC0334-01	Water	March 11, 2026 14:48	03/11/2026 16:52
MW02R4	DJC0334-02	Water	March 11, 2026 14:38	03/11/2026 16:52
MW04R2	DJC0334-03	Water	March 11, 2026 14:19	03/11/2026 16:52
MW05R2	DJC0334-04	Water	March 11, 2026 15:10	03/11/2026 16:52
MW06R3	DJC0334-05	Water	March 11, 2026 15:01	03/11/2026 16:52
MW07R3	DJC0334-06	Water	March 11, 2026 14:28	03/11/2026 16:52

Origins Laboratory

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jack Hennen For Jen Pellegrini, Project Manager



Sample Receipt Checklist

Enthalpy Work Order: DJC0334 Client: Ensolum  
 Checklist Completed by: NKM / gmc Client Project ID: GSMI - Cullen Odenbaugh CWT1  
 Date/Time Completed: 03/12/26 Shipped Via: HD  
 Matrix(es) Received: Soil/Solid  Water Other: \_\_\_\_\_  
 Thermometer ID(s): T-004  
 Temperature as read (°C): -0.2°C  
 Temperature as reported (°C): 0.9°C

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C <sup>(1)</sup> ?	<input checked="" type="checkbox"/>			
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>			
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Were all samples received intact <sup>(1)</sup> ?	<input checked="" type="checkbox"/>			
Was adequate sample volume provided <sup>(1)</sup> ?	<input checked="" type="checkbox"/>			
Are short holding time analytes or samples with HTs due within 48 hours present <sup>(1)</sup> ?		<input checked="" type="checkbox"/>		
Is a chain-of-custody (COC) present and filled out completely <sup>(1)</sup> ?	<input checked="" type="checkbox"/>			
Does the COC agree with the number and type of sample bottles received <sup>(1)</sup> ?	<input checked="" type="checkbox"/>			
Do the sample IDs on the bottle labels match the COC <sup>(1)</sup> ?	<input checked="" type="checkbox"/>			
Is the COC properly relinquished by the client with date and time recorded <sup>(1)</sup> ?	<input checked="" type="checkbox"/>			
For volatiles in water – is there headspace (> ¼ inch bubble) present? <b>If yes, contact client and note in narrative.</b>		<input checked="" type="checkbox"/>		
Are samples preserved that require preservation and was it checked <sup>(1)</sup> ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses to insure sample integrity)/(pH <2 for samples preserved with HNO <sub>3</sub> , HCl, H <sub>2</sub> SO <sub>4</sub> / (pH >10 for samples preserved with NaAsO <sub>2</sub> +NaOH, ZnAc+NaOH, etc.)			<input checked="" type="checkbox"/>	
<b>Additional Comments (if any):</b>				

<sup>(1)</sup>If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Jack H  
 Reviewed by (Project Manager)

3/13/26  
 Date/Time Reviewed



Ensolium  
 11049 W 44th Avenue, Suite 103  
 Wheat Ridge CO 80033

Jeremy Espinoza  
 Project Number: GSH#3672  
 Project: KMG - GSHI - Cullen Odenbaugh C UT 1

**MW01R2**  
**3/11/2026 2:48:00PM**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
<b>DJC0334-01 (Water)</b>									
<b>Origins Laboratory</b>									
<b>BTEX+N+TMBs by 8260D</b>									
1,2,4-Trimethylbenzene	ND		2.00	ug/L	1	6C13019	03/13/2026	03/13/2026	U
1,3,5-Trimethylbenzene	ND		2.00	"	"	"	"	"	U
Benzene	15.5		1.00	"	"	"	"	"	
Ethylbenzene	ND		1.00	"	"	"	"	"	U
Naphthalene	ND		2.00	"	"	"	"	"	U
Toluene	ND		1.00	"	"	"	"	"	U
Xylenes, total	ND		1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	109 %				70-130	"	"	"	
Surrogate: Toluene-d8	99.1 %				70-130	"	"	"	
Surrogate: 4-Bromofluorobenzene	104 %				70-130	"	"	"	
<b>Chloride and Sulfate By EPA 300.0</b>									
Chloride	447		31.2	mg/L	125	6C13067	03/13/2026	03/14/2026	
Sulfate	ND		31.2	"	"	"	"	"	U
<b>Total Dissolved Solids by 2540C</b>									
Total Dissolved Solids	1510		5.00	"	1	6C12042	03/13/2026	03/16/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jack Hennen For Jen Pellegrini, Project Manager



Ensolium  
 11049 W 44th Avenue, Suite 103  
 Wheat Ridge CO 80033

Jeremy Espinoza  
 Project Number: GSH#3672  
 Project: KMG - GSHI - Cullen Odenbaugh C UT 1

MW02R4  
 3/11/2026 2:38:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
<b>DJC0334-02 (Water)</b>									
<b>Origins Laboratory</b>									
<b>BTEX+N+TMBs by 8260D</b>									
1,2,4-Trimethylbenzene	ND		2.00	ug/L	1	6C13019	03/13/2026	03/13/2026	U
1,3,5-Trimethylbenzene	ND		2.00	"	"	"	"	"	U
Benzene	ND		1.00	"	"	"	"	"	U
Ethylbenzene	ND		1.00	"	"	"	"	"	U
Naphthalene	ND		2.00	"	"	"	"	"	U
Toluene	ND		1.00	"	"	"	"	"	U
Xylenes, total	ND		1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	109 %				70-130	"	"	"	
Surrogate: Toluene-d8	98.5 %				70-130	"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %				70-130	"	"	"	
<b>Chloride and Sulfate By EPA 300.0</b>									
Chloride	182		31.2	mg/L	125	6C13067	03/13/2026	03/14/2026	
Sulfate	210		31.2	"	"	"	"	"	
<b>Total Dissolved Solids by 2540C</b>									
Total Dissolved Solids	892		5.00	"	1	6C12042	03/13/2026	03/16/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jack Hennen For Jen Pellegrini, Project Manager



Ensolium  
 11049 W 44th Avenue, Suite 103  
 Wheat Ridge CO 80033

Jeremy Espinoza  
 Project Number: GSH#3672  
 Project: KMG - GSHI - Cullen Odenbaugh C UT 1

**MW04R2**  
**3/11/2026 2:19:00PM**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
<b>DJC0334-03 (Water)</b>									
<b>Origins Laboratory</b>									
<b>BTEX+N+TMBs by 8260D</b>									
1,2,4-Trimethylbenzene	ND		2.00	ug/L	1	6C13019	03/13/2026	03/13/2026	U
1,3,5-Trimethylbenzene	ND		2.00	"	"	"	"	"	U
Benzene	ND		1.00	"	"	"	"	"	U
Ethylbenzene	ND		1.00	"	"	"	"	"	U
Naphthalene	ND		2.00	"	"	"	"	"	U
Toluene	ND		1.00	"	"	"	"	"	U
Xylenes, total	ND		1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	109 %				70-130	"	"	"	
Surrogate: Toluene-d8	99.2 %				70-130	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %				70-130	"	"	"	
<b>Chloride and Sulfate By EPA 300.0</b>									
Chloride	186		31.2	mg/L	125	6C13067	03/13/2026	03/14/2026	
Sulfate	213		31.2	"	"	"	"	"	
<b>Total Dissolved Solids by 2540C</b>									
Total Dissolved Solids	912		5.00	"	1	6C12042	03/13/2026	03/16/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jack Hennen For Jen Pellegrini, Project Manager



Ensolium  
 11049 W 44th Avenue, Suite 103  
 Wheat Ridge CO 80033

Jeremy Espinoza  
 Project Number: GSH#3672  
 Project: KMG - GSHI - Cullen Odenbaugh C UT 1

**MW05R2**  
**3/11/2026 3:10:00PM**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
<b>DJC0334-04 (Water)</b>									
<b>Origins Laboratory</b>									
<b>BTEX+N+TMBs by 8260D</b>									
1,2,4-Trimethylbenzene	ND		2.00	ug/L	1	6C13019	03/13/2026	03/13/2026	U
1,3,5-Trimethylbenzene	ND		2.00	"	"	"	"	"	U
Benzene	ND		1.00	"	"	"	"	"	U
Ethylbenzene	ND		1.00	"	"	"	"	"	U
Naphthalene	ND		2.00	"	"	"	"	"	U
Toluene	ND		1.00	"	"	"	"	"	U
Xylenes, total	ND		1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	107 %				70-130	"	"	"	
Surrogate: Toluene-d8	97.2 %				70-130	"	"	"	
Surrogate: 4-Bromofluorobenzene	105 %				70-130	"	"	"	
<b>Chloride and Sulfate By EPA 300.0</b>									
Chloride	222		31.2	mg/L	125	6C13067	03/13/2026	03/14/2026	
Sulfate	231		31.2	"	"	"	"	"	
<b>Total Dissolved Solids by 2540C</b>									
Total Dissolved Solids	1030		5.00	"	1	6C12042	03/13/2026	03/16/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jack Hennen For Jen Pellegrini, Project Manager



Ensolium  
 11049 W 44th Avenue, Suite 103  
 Wheat Ridge CO 80033

Jeremy Espinoza  
 Project Number: GSH#3672  
 Project: KMG - GSHI - Cullen Odenbaugh C UT 1

**MW06R3**  
**3/11/2026 3:01:00PM**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
<b>DJC0334-05 (Water)</b>									
<b>Origins Laboratory</b>									
<b>BTEX+N+TMBs by 8260D</b>									
1,2,4-Trimethylbenzene	ND		2.00	ug/L	1	6C13019	03/13/2026	03/13/2026	U
1,3,5-Trimethylbenzene	ND		2.00	"	"	"	"	"	U
Benzene	ND		1.00	"	"	"	"	"	U
Ethylbenzene	ND		1.00	"	"	"	"	"	U
Naphthalene	ND		2.00	"	"	"	"	"	U
Toluene	ND		1.00	"	"	"	"	"	U
Xylenes, total	ND		1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	108 %				70-130	"	"	"	
Surrogate: Toluene-d8	95.9 %				70-130	"	"	"	
Surrogate: 4-Bromofluorobenzene	106 %				70-130	"	"	"	
<b>Chloride and Sulfate By EPA 300.0</b>									
Chloride	198		31.2	mg/L	125	6C13067	03/13/2026	03/16/2026	
Sulfate	226		31.2	"	"	"	"	"	
<b>Total Dissolved Solids by 2540C</b>									
Total Dissolved Solids	900		5.00	"	1	6C12042	03/13/2026	03/16/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jack Hennen For Jen Pellegrini, Project Manager



Ensolium  
 11049 W 44th Avenue, Suite 103  
 Wheat Ridge CO 80033

Jeremy Espinoza  
 Project Number: GSH#3672  
 Project: KMG - GSHI - Cullen Odenbaugh C UT 1

MW07R3  
 3/11/2026 2:28:00PM

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
<b>DJC0334-06 (Water)</b>									
<b>Origins Laboratory</b>									
<b>BTEX+N+TMBs by 8260D</b>									
1,2,4-Trimethylbenzene	ND		2.00	ug/L	1	6C13019	03/13/2026	03/13/2026	U
1,3,5-Trimethylbenzene	ND		2.00	"	"	"	"	"	U
Benzene	ND		1.00	"	"	"	"	"	U
Ethylbenzene	ND		1.00	"	"	"	"	"	U
Naphthalene	ND		2.00	"	"	"	"	"	U
Toluene	ND		1.00	"	"	"	"	"	U
Xylenes, total	ND		1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	109 %				70-130	"	"	"	
Surrogate: Toluene-d8	96.7 %				70-130	"	"	"	
Surrogate: 4-Bromofluorobenzene	104 %				70-130	"	"	"	
<b>Chloride and Sulfate By EPA 300.0</b>									
Chloride	173		31.2	mg/L	125	6C13067	03/13/2026	03/16/2026	
Sulfate	131		31.2	"	"	"	"	"	
<b>Total Dissolved Solids by 2540C</b>									
Total Dissolved Solids	820		5.00	"	1	6C12042	03/13/2026	03/16/2026	

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jack Hennen For Jen Pellegrini, Project Manager



Ensolium  
 11049 W 44th Avenue, Suite 103  
 Wheat Ridge CO 80033

Jeremy Espinoza  
 Project Number: GSH#3672  
 Project: KMG - GSHI - Cullen Odenbaugh C UT 1

**Classical Chemistry Parameters - Quality Control**  
**Origins Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 6C12042 - NO PREP**

Prepared: 03/13/2026 Analyzed: 03/16/2026

**Blank (6C12042-BLK1)**

Total Dissolved Solids	ND	5.00	mg/L							U
------------------------	----	------	------	--	--	--	--	--	--	---

**LCS (6C12042-BS1)**

Prepared: 03/13/2026 Analyzed: 03/16/2026

Total Dissolved Solids	972	5.00	mg/L	1020		95.3	90-110			
------------------------	-----	------	------	------	--	------	--------	--	--	--

**Duplicate (6C12042-DUP1)**

**Source: DJC0264-03**

Prepared: 03/13/2026 Analyzed: 03/16/2026

Total Dissolved Solids	2390	5.00	mg/L		2430			1.66	10	
------------------------	------	------	------	--	------	--	--	------	----	--

**Batch 6C13067 - Filter .45um non acidified**

Prepared: 03/13/2026 Analyzed: 03/14/2026

**Blank (6C13067-BLK1)**

Chloride	ND	0.250	mg/L							U
----------	----	-------	------	--	--	--	--	--	--	---

Sulfate	ND	0.250	"							U
---------	----	-------	---	--	--	--	--	--	--	---

**LCS (6C13067-BS1)**

Prepared: 03/13/2026 Analyzed: 03/14/2026

Chloride	3.70	0.250	mg/L	4.00		92.4	90-110			
----------	------	-------	------	------	--	------	--------	--	--	--

Sulfate	3.70	0.250	"	4.00		92.4	90-110			
---------	------	-------	---	------	--	------	--------	--	--	--

**Matrix Spike (6C13067-MS1)**

**Source: DJC0321-02**

Prepared: 03/13/2026 Analyzed: 03/14/2026

Chloride	518		mg/L	500	45.6	94.5	90-110			
----------	-----	--	------	-----	------	------	--------	--	--	--

Sulfate	816		"	500	341	95.1	90-110			
---------	-----	--	---	-----	-----	------	--------	--	--	--

**Matrix Spike Dup (6C13067-MSD1)**

**Source: DJC0321-02**

Prepared: 03/13/2026 Analyzed: 03/14/2026

Chloride	508		mg/L	500	45.6	92.5	90-110	1.93	5	
----------	-----	--	------	-----	------	------	--------	------	---	--

Sulfate	806		"	500	341	93.0	90-110	1.32	5	
---------	-----	--	---	-----	-----	------	--------	------	---	--

Origins Laboratory

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jack Hennen For Jen Pellegrini, Project Manager



Ensolium  
 11049 W 44th Avenue, Suite 103  
 Wheat Ridge CO 80033

Jeremy Espinoza  
 Project Number: GSH#3672  
 Project: KMG - GSHI - Cullen Odenbaugh C UT 1

**Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control**  
**Origins Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 6C13019 - EPA 5030B (Water)**

Prepared: 03/13/2026 Analyzed: 03/13/2026

**Blank (6C13019-BLK1)**

1,2,4-Trimethylbenzene	ND	2.00	ug/L							U
1,3,5-Trimethylbenzene	ND	2.00	"							U
Benzene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Naphthalene	ND	2.00	"							U
Toluene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	67		"	62.5		107	70-130			
Surrogate: Toluene-d8	62		"	62.5		99.3	70-130			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		102	70-130			

**LCS (6C13019-BS1)**

Prepared: 03/13/2026 Analyzed: 03/13/2026

1,2,4-Trimethylbenzene	50.1	2.00	ug/L	50.0		100	70-130			
1,3,5-Trimethylbenzene	49.5	2.00	"	50.0		99.0	70-130			
Benzene	50.5	1.00	"	50.0		101	70-130			
Ethylbenzene	47.9	1.00	"	50.0		95.8	70-130			
m,p-Xylene	106	2.00	"	100		106	70-130			
Naphthalene	44.0	2.00	"	50.0		87.9	70-130			
o-Xylene	45.6	1.00	"	50.0		91.3	70-130			
Toluene	49.5	1.00	"	50.0		99.0	70-130			
Surrogate: 1,2-Dichloroethane-d4	63		"	62.5		100	70-130			
Surrogate: Toluene-d8	60		"	62.5		96.0	70-130			
Surrogate: 4-Bromofluorobenzene	68		"	62.5		109	70-130			

**Matrix Spike (6C13019-MS1)**

Source: DJC0342-02

Prepared: 03/13/2026 Analyzed: 03/13/2026

1,2,4-Trimethylbenzene	43.2	2.00	ug/L	50.0	ND	86.3	70-130			
1,3,5-Trimethylbenzene	43.8	2.00	"	50.0	ND	87.5	70-130			

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jack Hennen For Jen Pellegrini, Project Manager



Ensolium  
 11049 W 44th Avenue, Suite 103  
 Wheat Ridge CO 80033

Jeremy Espinoza  
 Project Number: GSH#3672  
 Project: KMG - GSHI - Cullen Odenbaugh C UT 1

**Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control**  
**Origins Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 6C13019 - EPA 5030B (Water)**

<b>Matrix Spike (6C13019-MS1)</b>		<b>Source: DJC0342-02</b>			<b>Prepared: 03/13/2026 Analyzed: 03/13/2026</b>					
Benzene	41.5	1.00	ug/L	50.0	ND	83.0	70-130			
Ethylbenzene	40.5	1.00	"	50.0	ND	81.0	70-130			
m,p-Xylene	90.0	2.00	"	100	ND	90.0	70-130			
Naphthalene	38.2	2.00	"	50.0	ND	76.5	70-130			
o-Xylene	40.3	1.00	"	50.0	ND	80.6	70-130			
Toluene	41.7	1.00	"	50.0	ND	83.4	70-130			
Surrogate: 1,2-Dichloroethane-d4	64		"	62.5		103	70-130			
Surrogate: Toluene-d8	63		"	62.5		101	70-130			
Surrogate: 4-Bromofluorobenzene	67		"	62.5		108	70-130			

<b>Matrix Spike Dup (6C13019-MSD1)</b>		<b>Source: DJC0342-02</b>			<b>Prepared: 03/13/2026 Analyzed: 03/13/2026</b>					
1,2,4-Trimethylbenzene	44.4	2.00	ug/L	50.0	ND	88.9	70-130	2.88	20	
1,3,5-Trimethylbenzene	44.2	2.00	"	50.0	ND	88.4	70-130	0.932	20	
Benzene	46.8	1.00	"	50.0	ND	93.7	70-130	12.2	20	
Ethylbenzene	45.0	1.00	"	50.0	ND	90.1	70-130	10.6	20	
m,p-Xylene	100	2.00	"	100	ND	100	70-130	10.7	20	
Naphthalene	38.5	2.00	"	50.0	ND	77.0	70-130	0.652	20	
o-Xylene	41.4	1.00	"	50.0	ND	82.8	70-130	2.72	20	
Toluene	45.9	1.00	"	50.0	ND	91.8	70-130	9.57	20	
Surrogate: 1,2-Dichloroethane-d4	65		"	62.5		103	70-130			
Surrogate: Toluene-d8	59		"	62.5		95.1	70-130			
Surrogate: 4-Bromofluorobenzene	71		"	62.5		113	70-130			

Origins Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jack Hennen For Jen Pellegrini, Project Manager



Ensolium  
11049 W 44th Avenue, Suite 103  
Wheat Ridge CO 80033

Jeremy Espinoza  
Project Number: GSH#3672  
Project: KMG - GSHI - Cullen Odenbaugh C UT 1

### Notes and Definitions

- U Sample is Non-Detect.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference

Origins Laboratory

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jack Hennen For Jen Pellegrini, Project Manager