

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401760507

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10433
2. Name of Operator: LARAMIE ENERGY LLC
3. Address: 1401 SEVENTEENTH STREET #1400
City: DENVER State: CO Zip: 80202
4. Contact Name: MEL LACKIE
Phone: (303) 339-4400
Fax: (303) 339-4399
Email: mlackie@laramie-energy.com

5. API Number 05-077-10528-00
6. County: MESA
7. Well Name: Gunderson
Well Number: 0994-14-16E
8. Location: QtrQtr: NESW Section: 13 Township: 9S Range: 94W Meridian: 6
9. Field Name: BRUSH CREEK Field Code: 7562

Completed Interval

FORMATION: COZZETTE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/31/2018 End Date: 08/31/2018 Date of First Production this formation: 09/07/2018

Perforations Top: 8446 Bottom: 8508 No. Holes: 24 Hole size: 0.37

Provide a brief summary of the formation treatment: Open Hole: ☐

10,000 BBLS SLICKWATER; NO PROPPANT

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 10000 Max pressure during treatment (psi): 5095

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: Min frac gradient (psi/ft): 0.71

Total acid used in treatment (bbl): 0 Number of staged intervals: 1

Recycled water used in treatment (bbl): 8088 Flowback volume recovered (bbl): 2805

Fresh water used in treatment (bbl): 1912 Disposition method for flowback: RECYCLE

Total proppant used (lbs): 0 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 09/30/2018 Hours: 1 Bbl oil: 0 Mcf Gas: 4 Bbl H2O: 1

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 91 Bbl H2O: 18 GOR: 0

Test Method: FLOWING Casing PSI: 1666 Tubing PSI: 906 Choke Size: 20/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1097 API Gravity Oil: 0

Tubing Size: 2 + 3/8 Tubing Setting Depth: 8463 Tbg setting date: 09/14/2018 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: CORCORAN Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/29/2018 End Date: 08/29/2018 Date of First Production this formation: 08/29/2018

Perforations Top: 8600 Bottom: 8632 No. Holes: 18 Hole size: 0.37

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

5,000 BBLS SLICKWATER; NO PROPPANT

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 5000

Max pressure during treatment (psi): 4260

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: _____

Min frac gradient (psi/ft): 0.74

Total acid used in treatment (bbl): 0

Number of staged intervals: 1

Recycled water used in treatment (bbl): 4044

Flowback volume recovered (bbl): 2805

Fresh water used in treatment (bbl): 956

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 0

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 09/30/2018 Hours: 1 Bbl oil: 0 Mcf Gas: 4 Bbl H2O: 1

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 91 Bbl H2O: 18 GOR: 0

Test Method: FLOWING Casing PSI: 1666 Tubing PSI: 906 Choke Size: 20/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1097 API Gravity Oil: 0

Tubing Size: 2 + 3/8 Tubing Setting Depth: 8463 Tbg setting date: 09/14/2018 Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 09/01/2018 End Date: 09/08/2018 Date of First Production this formation: 09/01/2018

Perforations Top: 6542 Bottom: 7958 No. Holes: 174 Hole size: 0.37

Provide a brief summary of the formation treatment: Open Hole: ☐

60,000 BBLS SLICKWATER; NO PROPPANT

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 60000

Max pressure during treatment (psi): 6117

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.73

Total acid used in treatment (bbl): 0

Number of staged intervals: 6

Recycled water used in treatment (bbl): 48528

Flowback volume recovered (bbl): 22437

Fresh water used in treatment (bbl): 11472

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 0

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 09/30/2018 Hours: 1 Bbl oil: 0 Mcf Gas: 30 Bbl H2O: 6

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 730 Bbl H2O: 144 GOR: 0

Test Method: FLOWING Casing PSI: 1666 Tubing PSI: 906 Choke Size: 20/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1097 API Gravity Oil: 0

Tubing Size: 2 + 3/8 Tubing Setting Depth: 8463 Tbg setting date: 09/14/2018 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: MEL LACKIE

Title: ENGINEERING TECHNICIAN Date: Email: mlackie@laramie-energy.com

Attachment Check List

Att Doc Num Name

401769591 WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

User Group Comment

Comment Date

Stamp Upon Approval

Total: 0 comment(s)