

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>401739303</b>			
Date Received: <b>08/27/2018</b>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10110 Contact Name Geoff Lee  
 Name of Operator: GREAT WESTERN OPERATING COMPANY LLC Phone: (720) 5952155  
 Address: 1001 17TH STREET #2000 Fax: ( )  
 City: DENVER State: CO Zip: 80202 Email: glee@gwogco.com

Complete the Attachment  
Checklist

OP OGCC

API Number : 05- 123 44356 00 OGCC Facility ID Number: 449538  
 Well/Facility Name: Ottesen LE Well/Facility Number: 09-377HN  
 Location QtrQtr: NWSE Section: 33 Township: 1N Range: 66W Meridian: 6  
 County: WELD Field Name: WATTENBERG  
 Federal, Indian or State Lease Number: \_\_\_\_\_

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**CHANGE OF LOCATION OR AS BUILT GPS REPORT**

☒ Change of Location \* ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

\* Well location change requires new plat. A substantive surface location change may require new Form 2A.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude 40.004600 PDOP Reading 1.2 Date of Measurement 06/30/2016  
 Longitude -104.778592 GPS Instrument Operator's Name DALLAS NIELSEN

**LOCATION CHANGE (all measurements in Feet)**

Well will be: HORIZONTAL (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From** Exterior Section Lines:

Change of **Surface** Footage **To** Exterior Section Lines:

Current **Surface** Location **From** QtrQtr NWSE Sec 33

New **Surface** Location **To** QtrQtr NWSE Sec 33

Change of **Top of Productive Zone** Footage **From** Exterior Section Lines:

Change of **Top of Productive Zone** Footage **To** Exterior Section Lines:

Current **Top of Productive Zone** Location **From** Sec 4

New **Top of Productive Zone** Location **To** Sec 4

Change of **Bottomhole** Footage **From** Exterior Section Lines:

Change of **Bottomhole** Footage **To** Exterior Section Lines:

Current **Bottomhole** Location Sec 9 Twp 1S

New **Bottomhole** Location Sec 9 Twp 1S

Is location in High Density Area? No

Distance, in feet, to nearest building 1170, public road: 1502, above ground utility: 1267, railroad: 5280,  
 property line: 983, lease line: 0, well in same formation: 271

Ground Elevation 5077 feet Surface owner consultation date 11/25/2016

FNL/FSL		FEL/FWL	
<u>1510</u>	<u>FSL</u>	<u>1608</u>	<u>FEL</u>
<u>1510</u>	<u>FSL</u>	<u>1653</u>	<u>FEL</u>
Twp <u>1N</u>	Range <u>66W</u>	Meridian <u>6</u>	
Twp <u>1N</u>	Range <u>66W</u>	Meridian <u>6</u>	
<u>460</u>	<u>FNL</u>	<u>959</u>	<u>FWL</u>
<u>460</u>	<u>FNL</u>	<u>751</u>	<u>FWL</u>
Twp <u>1S</u>	Range <u>66W</u>		
Twp <u>1S</u>	Range <u>66W</u>		
<u>470</u>	<u>FSL</u>	<u>967</u>	<u>FWL</u>
<u>370</u>	<u>FSL</u>	<u>755</u>	<u>FWL</u>

\*\*

\*\*

\*\* attach deviated drilling plan

CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT				
Objective Formation	Formation Code	Spacing Order Number	Unit Acreage	Unit Configuration

OTHER CHANGES

☐

REMOVE FROM SURFACE BOND

Signed surface use agreement is a required attachment

☒

CHANGE OF WELL, FACILITY OR OIL & GAS LOCATION NAME OR NUMBER

From:

Name

OTTESEN LE

Number

09-377HN

Effective Date:

09/01/2018

To:

Name

Ottesen LE

Number

09-378HNX

☐

ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.

☐

WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number

has not been drilled.

☐

PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number

has not been constructed (Permitted and constructed pit requires closure per Rule 905)

☐

CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number

has not been constructed (Constructed facility requires closure per Rule 908)

OIL & GAS LOCATION ID Number:

☐

Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐

Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.

☐

REQUEST FOR CONFIDENTIAL STATUS

☐

DIGITAL WELL LOG UPLOAD

☐

DOCUMENTS SUBMITTED

Purpose of Submission:

## RECLAMATION

### INTERIM RECLAMATION

☐ Interim Reclamation will commence approximately \_\_\_\_\_  
Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.  
Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

### FINAL RECLAMATION

☐ Final Reclamation will commence approximately \_\_\_\_\_  
Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

#### ENGINEERING AND ENVIRONMENTAL WORK

##### ☐ NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below or provide as an attachment, as required by Rule 319.b.(3).

Date well temporarily abandoned \_\_\_\_\_ Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required if shut in longer than 2 years. Date of last MIT \_\_\_\_\_

☐ SPUD DATE: \_\_\_\_\_

#### TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ NOTICE OF INTENT Approximate Start Date 10/01/2018

☐ REPORT OF WORK DONE Date Work Completed \_\_\_\_\_

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> Intent to Recomplete (Form 2 also required) | <input type="checkbox"/> Request to Vent or Flare   | <input type="checkbox"/> E&P Waste Mangement Plan      |
| <input checked="" type="checkbox"/> Change Drilling Plan             | <input type="checkbox"/> Repair Well  | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change                       | <input type="checkbox"/> Rule 502 variance requested. Must provide detailed info regarding request. |  |
| <input type="checkbox"/> Other _____                                 | <input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases          |  |

COMMENTS:

#### CASING AND CEMENTING CHANGES

Casing Type	Size	Of	/	Hole	Size	Of	/	Casing	Wt/Ft	Csg/LinTop	Setting Depth	Sacks of Cement	Cement Bottom	Cement Top
Surface String	13	1		2	9	5		8	36	0	1700	707	1700	0
First String	8	1		2	5	1		2	17	0	17704	1445	17704	

#### H2S REPORTING

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**Best Management Practices**

<b><u>No</u></b>		<b><u>BMP/COA Type</u></b>	<b><u>Description</u></b>

**Operator Comments:**

This well has a bottom hole location beyond the unit boundary setback. The bottom of the completed interval will be within the unit boundary setback at 470' FSL and 755' FWL of Section 9. The wellbore beyond the unit boundary setback will be physically isolated and will not be completed.

Distance from completed portion of the wellbore to nearest wellbore permitted or completed in the same formation was measured to the proposed Ottesen LE 09-378HN. This distance is measured in 3D.

Changing well name, SHL, entry point and BHL.

SHL Change: 45'

EP Change: 208'

BHL Change: 231'

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Geoff Lee  
Title: Regulatory Analyst Email: regulatorypermitting@gwogco.com Date: 8/27/2018

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Trask, Sabrina Date: 10/19/2018

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

	<p>This Form 4 makes changes to the approved Form 2 and must be displayed with the Form 2 while drilling.</p> <p>Oil-based drilling fluid is to be used only after all fresh water aquifers are covered.</p> <p>Bradenhead tests shall be performed according to the following schedule and the Form 17 submitted within 10 days of each test:</p> <ol style="list-style-type: none"><li>1) Within 60 days of rig release and prior to stimulation and</li><li>2) If a delayed completion, 6 months after rig release and prior to stimulation.</li><li>3) Within 30 days after first production, as reported on Form 5A.</li></ol> <p>If a bradenhead test reports a surface casing pressure greater than 200 psig stimulation is not allowed until the Engineering Supervisor has been consulted.</p>
--	---

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Engineer	Cement coverage required (from TD to at minimum 200' above Niobrara) is a COA on the Form 2. Offset mitigation COA on the Form 2.	09/07/2018

Total: 1 comment(s)

**Attachment Check List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
401739303	SUNDRY NOTICE APPROVED-LOC-NAME-DRLG-CSG
401739352	DIRECTIONAL DATA
401739353	DEVIATED DRILLING PLAN
401739354	WELL LOCATION PLAT
401803718	FORM 4 SUBMITTED

Total Attach: 5 Files