

FORM
5Rev
12/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402976594

Date Received:

DRILLING COMPLETION REPORT

Per Rule 308A, this form and all required attachments shall be submitted after completing the drilling operations to drill, sidetrack, or deepen a wellbore and after changing the casing and/or cement configuration of a wellbore. If any attempt has been made to test, complete, or produce the well, the operator shall also submit a Form 5A (Completed Interval Report) per Rule 308B. If the well has been plugged, the operator shall also submit a Form 6 (Well Abandonment Report) per Rule 311.

Completion Type ☒ Final completion ☐ Preliminary completion

OGCC Operator Number: 10651

Contact Name: Allison Schieber

Name of Operator: VERDAD RESOURCES LLC

Phone: (720) 845-6909

Address: 1125 17TH STREET SUITE 550

Fax:

City: DENVER

State: CO

Zip: 80202

Email: regulatory@verdadresources.com

API Number 05-123-51174-00

County: WELD

Well Name: County Line

Well Number: 3107-12H

Location: QtrQtr: SWSE Section: 31 Township: 1N Range: 65W Meridian: 6
FNL/FSL FEL/FWL

Footage at surface: Distance: 340 feet Direction: FSL Distance: 1925 feet Direction: FEL

As Drilled Latitude: 40.001458 As Drilled Longitude: -104.704146

GPS Data: GPS Quality Value: 1.6 Type of GPS Quality Value: PDOP Date of Measurement: 11/05/2021

** If directional footage at Top of Prod. Zone Dist: 460 feet Direction: FNL Dist: 485 feet Direction: FEL
Sec: 6 Twp: 1S Rng: 65W** If directional footage at Bottom Hole Dist: 376 feet Direction: FSL Dist: 484 feet Direction: FEL
Sec: 7 Twp: 1S Rng: 65W

Field Name: WATTENBERG

Field Number: 90750

Federal, Indian or State Lease Number:

Spud Date: (when the 1st bit hit the dirt) 08/25/2021 Date TD: 01/22/2022 Date Casing Set or D&A: 01/23/2022

Rig Release Date: 02/19/2022 Per Rule 308A.b.

Well Classification:

☐ Dry ☒ Oil ☐ Gas/Coalbed ☐ Disposal ☐ Stratigraphic ☐ Enhanced Recovery ☐ Storage ☐ Observation

Total Depth MD 17394 TVD** 7495 Plug Back Total Depth MD 17310 TVD** 7494

Elevations GR 5037 KB 5058

Digital Copies of ALL Logs must be Attached



List All Logs Run:

MWD/LWD, CBL, RES run on county Line 3112 API 05-123-51171

FLUID VOLUMES USED IN DRILLING OPERATIONS

(Enter "0" if a type of a fluid was not used. Do not leave blank.)

Total Fluids (bbls): 3330

Fresh Water (bbls): 2740

Recycled or Reused Fluids That Offset the Use of Fresh Water (bbls): 590

CASING, LINER AND CEMENT

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
CONDUCTOR	26	16	astm53	65	0	80	70	80	0	VISU
SURF	13+1/2	9+5/8	j55	40	0	1761	810	1761	0	VISU
1ST	8+1/2	5+1/2	p110	20	0	17394	2385	17394	600	CBL

Bradenhead Pressure Action Threshold 528 psig

This threshold is calculated per Rule 308A.b.(2)G. If this well is located in a bradenhead test area (see Rule 207.b) per an Order of the Commission, it may be subject to a different threshold.

Does the casing centralization comply with Rule 317.g? Yes

If "NO", provide details below.

STAGE/TOP OUT/REMEDIAL CEMENT

Cement work date: _____

Method used	String	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom

Details of work:

FORMATION LOG INTERVALS AND TEST ZONES

FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analysis must be submitted to COGCC)
	Top	Bottom	DST	Cored	
FOX HILLS		1,282			
PIERRE	1,284				
PARKMAN	4,422				
SUSSEX	4,782				
SHANNON	5,245				
SHARON SPRINGS	7,230				
NIOBRARA	7,244				
FORT HAYS	7,976				
CODELL	8,199				

Operator Comments:

Top of producing zone footage calls are estimated based on being within the hardline, and into our target production interval. When the well is completed the form 5A will detail actual footage calls from the top of production zone.
No open hole resistivity log was run on this well. The resistivity log was run on the County Line 3112 01H. Approved APD and BMP requiring one well on a pad to be logged with open hole resistivity log and gamma ray.
BHL footage calls are past the setback, This well will not be completed past the setback.
Operations for entire pad re-started within 90 days, so no preliminary form 5 was filed.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Allison Schieber

Attachment Check List

Att Doc Num	Document Name	attached ?
<u>Attachment Checklist</u>		
402996441	CMT Summary *	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
	Core Analysis	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
402996432	Directional Survey **	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
	DST Analysis	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
	Logs	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
	Other	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
<u>Other Attachments</u>		
402996426	PDF-MWD/LWD	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
402996427	LAS-MWD/LWD	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
402996428	LAS-CEMENT BOND	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
402996429	PDF-CEMENT BOND	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
402996444	DIRECTIONAL DATA	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)