

FORM
5A

Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:

403492772

Date Received:

08/16/2023

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850

2. Name of Operator: TEP ROCKY MOUNTAIN LLC

3. Address: 1058 COUNTY ROAD 215

City: PARACHUTE State: CO Zip: 81635

4. Contact Name: Jeff Kirtland

Phone: (970) 263-2736

Fax:

Email: jkirtland@terraep.com

5. API Number 05-045-24544-00

7. Well Name: TEP

8. Location: QtrQtr: LOT 2 Section: 19 Township: 7S Range: 93W Meridian: 6

9. Field Name: RULISON Field Code: 75400

6. County: GARFIELD

Well Number: WMC 44-24-794

Completed Interval

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING
Treatment Date: 06/12/2023 End Date: 06/19/2023 Date this Formation was Completed: 07/18/2023
Perforations Top: 8503 Bottom: 11014 No. Holes: 312 Hole size: 35/100 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

131,103 bbls of Slickwater; 2,511,647 of Proppant; 2,815 gals of Biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 131170 Max pressure during treatment (psi): 7629
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.43
Type of gas used in treatment: Min frac gradient (psi/ft): 0.65
Total acid used in treatment (bbl): 0 Number of staged intervals: 13
Recycled or Reused Fluids used in treatment (bbl): 131103 Flowback volume recovered (bbl): 47560
Fresh water used in treatment (bbl): 67 Disposition method for flowback: RECYCLE
Total proppant used (lbs): 2511647

Fracture stimulations must be reported on [FracFocus.org](https://www.fracfocus.org)

Test Information:

07/18/2023 Hours: 24 Bbl oil: 0 Mcf Gas: 2163 Bbl H2O: 0
Date Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 2163 Bbl H2O: 0 GOR:
Test Method: Flowing Casing PSI: 2264 Tubing PSI: 1864 Choke Size: 24/64
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1085 API Gravity Oil: 0
Tubing Size: 2 + 3/8 Tubing Setting Depth: 10768 Tbg setting date: 06/20/2023 Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Ashley Noonan
Title: Sr. Regulatory Analyst Date: 8/16/2023 Email: anoonan@terraep.com

Attachment List

| Att Doc Num | Name |
|-------------|-------------------|
| 403492772 | FORM 5A SUBMITTED |
| 403498284 | WELLBORE DIAGRAM |

Total Attach: 2 Files

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|----------------|---------------------|
| | | Stamp Upon Approval |

Total: 0 comment(s)